







Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dynasolve ISO-NEUTRALIZER

Product Use Description : Isocyante flushing solvent

Manufacturer/Importer/Distribu

tor

: Versum Materials US. LLC

Exporter EIN No. 47-5632014

Emergency telephone number : 1-800-424-9300

(24h) (+1) 703-741-5970 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

**GHS** classification

Eye irritation - Category 2A

GHS label elements

Hazard pictograms/symbols



Signal Word: Warning

Hazard Statements:

H319: Causes serious eye irritation.

**Precautionary Statements:** 

Prevention : P264:Wash hands thoroughly after handling.

P280a:Wear protective gloves and eye/face protection.

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

Response

: P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 :If eye irritation persists: Get medical advice/attention.

#### Hazards not otherwise classified

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
TRIPROPYLENE GLYCOL MONOMETHYL ETHER	25498-49-1	100 %

### 4. FIRST AID MEASURES

General advice : Seek medical advice. If breathing has stopped or is labored, give assisted

respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately.

Eye contact : Rinse immediately with plenty of water also under the eyelids for at least 20

minutes. Remove contact lenses.

Skin contact : Wash off immediately with plenty of water for at least 20 minutes.

Ingestion : If a person vomits when lying on his back, place him in the recovery position.

Never give anything by mouth to an unconscious person. Prevent aspiration of

vomit. Turn victim's head to the side.

Inhalation : If breathing has stopped or is labored, give assisted respirations. Supplemental

oxygen may be indicated. If the heart has stopped, trained personnel should

begin cardiopulmonary resuscitation immediately. Move to fresh air.

Most important

symptoms/effects - acute and

delayed

: Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat.Repeated and/or prolonged exposures may result in : Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness). Kidney disorders. Eye disease. Skin

disorders and Allergies.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam.

Carbon dioxide (CO2).

Dry chemical. Dry sand.

Limestone powder.

2/8

Versum Materials US,LLC

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

Specific hazards : Incomplete combustion may form carbon monoxide. In the event of fire, cool

tanks with water spray . Fire or intense heat may cause violent rupture of packages. Burning produces noxious and toxic fumes. Downwind personnel

must be evacuated.

Special protective equipment

for fire-fighters

: Use personal protective equipment. Wear self contained breathing apparatus

for fire fighting if necessary.

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures : Wear suitable protective clothing, gloves and eye/face protection. Use self-contained breathing apparatus and chemically protective clothing. Evacuate

personnel to safe areas.

Environmental precautions : Shut off or remove all ignition sources. Construct a dike to prevent spreading.

Methods for cleaning up : Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activated

charcoal. Approach suspected leak areas with caution. Call Emergency Response number for advice. Place in appropriate chemical waste container.

Additional advice : If possible, stop flow of product.

#### 7. HANDLING AND STORAGE

#### Handling

Use only in well-ventilated areas. Avoid contact with eyes. Avoid breathing vapors and/or aerosols. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat, drink or smoke.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizers.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Engineering measures

Provide readily accessible eye wash stations and safety showers.

Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

#### Personal protective equipment

Respiratory protection : Wear appropriate respirator when ventilation is inadequate.

Hand protection : Neoprene gloves.

Nitrile rubber.

Chemical-resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

3/8

Versum Materials US,LLC

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

assessment indicates this is necessary.

Eye protection : Chemical resistant goggles must be worn.

Skin and body protection : Long sleeve shirts and trousers without cuffs.

Environmental exposure

controls

: Shut off or remove all ignition sources.

Special instructions for protection and hygiene

: Wash hands at the end of each workshift and before eating, smoking or using the toilet. Provide readily accessible eye wash stations and safety showers.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid. Colorless.

Odor : No data available.

Odor threshold : No data available.

pH : No data available.

Melting point/range : No data available.

Boiling point/range :  $> 464 \, ^{\circ}\text{F} \, (> 240 \, ^{\circ}\text{C})$ 

Flash point : 230 °F (110.0 °C) Pensky-Martens Closed Cup

Evaporation rate : No data available.

Flammability (solid, gas) : Not applicable.

Upper/lower

explosion/flammability limit

: Not applicable.

Vapor pressure : 0.01 mmHg

Water solubility : Miscible with water.

Relative vapor density : Not applicable.

Relative density : 0.96 (water = 1)

Partition coefficient: n-

octanol/water [log Kow]

: No data available.

4/8

Versum Materials US,LLC

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

Auto-ignition temperature : No data available.

Decomposition temperature : No data available.

Viscosity : No data available.

: No data available.

Density : 59.931 lb/ft3 (0.96 g/cm3)

### 10. STABILITY AND REACTIVITY

Chemical Stability : Stable under normal conditions.

Conditions to avoid : Excessive heat.

Materials to avoid : Oxidizing agents.

Hazardous decomposition

products

: Carbon monoxide.

Carbon dioxide (CO2).

Possibility of hazardous Reactions/Reactivity

: No data available.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Likely routes of exposure

Effects on Eye : Causes eye irritation.

Effects on Skin : Mild skin irritation.

Inhalation Effects : Inhalation of vapors and/or aerosols in high concentration may cause irritation

of respiratory system.

Ingestion Effects : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms : Repeated and/or prolonged exposure to low concentrations of vapors and/or

aerosols may cause: Sore throat. Repeated and/or prolonged exposures may result in :, Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness)., Kidney disorders., Eye disease., Skin

disorders and Allergies.

Acute toxicity

Acute Oral Toxicity : No data is available on the product itself.

Inhalation : No data is available on the product itself.

5/8

Versum Materials US,LLC

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

Acute Dermal Toxicity : No data is available on the product itself.

Skin corrosion/irritation : Mild skin irritation.

Serious eye damage/eye

irritation

: Moderate eye irritation.

Sensitization. : No data available.

Chronic toxicity or effects from long term exposures

Carcinogenicity : No data available.

Reproductive toxicity : No data is available on the product itself.

Germ cell mutagenicity : No data is available on the product itself.

Specific target organ systemic

toxicity (single exposure)

: No data available.

Specific target organ systemic

toxicity (repeated exposure)

: No data available.

Aspiration hazard : No data available.

Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater.Repeated and/or prolonged exposures may result in :, Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness)., Kidney disorders., Eye disease., Skin disorders and Allergies.

### 12. ECOLOGICAL INFORMATION

## Ecotoxicity effects

Aquatic toxicity : No data is available on the product itself.

Toxicity to other organisms : No data available.

### Persistence and degradability

Biodegradability : No data is available on the product itself.

Mobility : No data available.

6/8

Versum Materials US,LLC

Version 1.0 Revision Date 02/28/2019 SDS Number 300000078640 Print Date 05/08/2019

Bioaccumulation : No data is available on the product itself.

## 13. DISPOSAL CONSIDERATIONS

products

Waste from residues / unused : Contact supplier if guidance is required.

Contaminated packaging : Dispose of container and unused contents in accordance with federal, state,

and local requirements.

## 14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

**IMDG** 

Not dangerous goods

**TDG** 

Not dangerous goods

## **Further Information**

Not classified as dangerous in the meaning of transport regulations. The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

### 15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):

None.

Country	Regulatory list	Notification

7/8

Versum Materials US,LLC

SDS Number 300000078640 Print Date 05/08/2019

Version 1.0 Revision Date 02/28/2019

USA	TSCA	Included on Inventory.
EU	EINECS	Included on EINECS inventory or polymer
		substance, monomers included on
		EINECS inventory or no longer polymer.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification Acute Health Hazard

EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level None.

US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

### 16. OTHER INFORMATION

### HMIS Rating

Health : 2
Flammability : 1
Physical hazard : 0

Prepared by : Versum Materials, Product Regulatory Department

Preparation Date : 05/08/2019







6550 Oley Speaks Way Canal Winchester, OH 43110

