

Safety Data Sheet

Revision Date 02/27/2019

VERSU

Version 1.0





6550 Oley Speaks Way Canal Winchester, OH 43110

www.RudolphBros.Com RBCsupport@RudBro.Com

SDS Number 30000078612

Print Date 05/08/2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: Dynasolve 180
Product Use Description	: Polymer Remover
Manufacturer/Importer/Distribu tor	: Versum Materials US, LLC
	Exporter EIN No. 47-5632014

Emergency telephone number	:	1-800-424-9300
(24h)		(+1) 703-741-5970 (CHEMTREC)

2. HAZARDS IDENTIFICATION

GHS classification

Flammable liquids - Category 4 Skin irritation - Category 2 Eye irritation - Category 2A Reproductive toxicity - Category 1B

GHS label elements

Hazard pictograms/symbols



Signal Word: Danger

Hazard Statements:

H227:Combustible liquid H315:Causes skin irritation. H319:Causes serious eye irritation. H360:May damage fertility or the unborn child

Precautionary Statements:

Prevention	 P201:Obtain special instructions before use. P202:Do not handle until all safety precautions have been read and understood. P210:Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. P264:Wash hands thoroughly after handling. P280a:Wear protective gloves and eye/face protection.
Response	 P308+P313 :IF exposed or concerned: Get medical advice/attention. P302+P352 :IF ON SKIN: Wash with plenty of soap and water. P332+P313 :If skin irritation occurs: Get medical advice/attention. P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 :If eye irritation persists: Get medical advice/attention. P362 :Take off contaminated clothing and wash before re use. P370+P378 :In case of fire, use recommended extinguishing media for extinction.
Storage	 P403+P235:Store in a well-ventilated place. Keep cool. P405:Store locked up.
Disposal	 P501:Disposal of contents/container to be specified in accordance with regulations.

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Concentration (Weight)
Methyl-2-pyrrolidinone, 1-	872-50-4	90% - 100 %

4. FIRST AID MEASURES

Eye contact	trained personnel should begin cardiopulmonary resuscitation immediately.Rinse immediately with plenty of water also under the eyelids for at least 20 minutes. Remove contact lenses.	
Skin contact	: Wash off immediately with plenty of water for at least 20 minutes. Immediately	
	2/9	
aroum Matariala LIS LLC	Dynaaalya	10

Versum Materials US,LLC

	remove contaminated clothing, and any extraneous chemical, if possible to c so without delay.	ol
Ingestion	Never give anything by mouth to an unconscious person. Prevent aspiration vomit. Turn victim's head to the side.	of
Inhalation	Treat symptomatically. Move to fresh air.	
Most important symptoms/effects - acute and delayed	Eye disease. Skin disorders and Allergies.	

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical. Dry sand. Limestone powder.	
Specific hazards	Ammonia gas may be liberated at high temperatures. In case combustion an increased formation of oxides of nitrogen (NO) expected. Incomplete combustion may form carbon monoxide produces noxious and toxic fumes. In the event of fire, cool ta spray. Fire or intense heat may cause violent rupture of pack possible over considerable distance. May form explosive mixt	t) is to be . Burning nks with water ages. Flash back
Special protective equipment for fire-fighters	Use personal protective equipment. Wear self contained brea for fire fighting if necessary.	hing apparatus

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures	: Use self-contained breathing apparatus and chemically protective clothing. Remove all sources of ignition. Evacuate personnel to safe areas.	
Environmental precautions	: Shut off or remove all ignition sources. Construct a dike to prevent spreading.	
Methods for cleaning up	: Call Emergency Response number for advice. Approach suspected leak areas with caution. Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activated charcoal. Place in appropriate chemical waste container.	
Additional advice	: If possible, stop flow of product.	

7. HANDLING AND STORAGE

Handling

Avoid contact with eyes. See "Flammable and Combustible Liquid Code" NFPA No. 30, National Fire Protection

Versum Materials US,LLC

3/9

Association, Boston, MA. Use personal protective equipment. When using, do not eat, drink or smoke.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in a dry, cool place. Keep away from oxidizers.

Technical measures/Precautions

Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Apply process controls to ensure safe operating conditions. Assess potential flammability hazards based on flashpoint and potential ignition sources.

Ensure adequate ventilation.

Provide readily accessible eye wash stations and safety showers.

Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

Personal protective equipment

Respiratory protection	:	Wear appropriate respirator when ventilation is inadequate.
Hand protection	:	Nitrile rubber. Impervious gloves. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Chemical resistant goggles must be worn.
Skin and body protection	:	Long sleeve shirts and trousers without cuffs.
Environmental exposure controls	:	Shut off or remove all ignition sources.
Special instructions for protection and hygiene	:	Provide readily accessible eye wash stations and safety showers.
Exposure limit(s)		

Methyl-2-pyrrolidinone, 1- Time Weighted Average (TWA): WEEL	10 ppm	40 mg/m3
--	--------	----------

9. PHYSICAL AND CHEMICAL PROPERTIES

Versum Materials US,LLC

4/9

Appearance	: Liquid. Colorless - Light yellow
Odor	: Slight. Amine-like.
Odor threshold	: No data available.
рН	: No data available.
Melting point/range	: -11 °F (-23.94 °C)
Boiling point/range	: 396 °F (202.05 °C)
Flash point	: 196 °F (91 °C) Pensky-Martens Closed Cu
Evaporation rate	: No data available.
Flammability (solid, gas)	: Not applicable.
Upper/lower explosion/flammability limit	: 9.5 %(V) / 1.3 %(V)
Vapor pressure	: 0.35 mmHg
Water solubility	: Completely soluble.
Relative vapor density	: 3.4 (air = 1)
Relative density	: 1.027 (water = 1)
Partition coefficient: n- octanol/water [log Kow]	: No data available.
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.
Viscosity	: No data available.
Molecular Weight	: 99.15 g/mol
Density	: 64.114 lb/ft3 (1.027 g/cm3)

10. STABILITY AND REACTIVITY

Chemical Stability	: Stable under normal conditions.
Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Oxidizing agents.
	5/9

Versum Materials US,LLC

Hazardous decomposition products	 Nitric acid. Ammonia Nitrogen oxides (NOx). Nitrogen oxide can react with water vapors to form corrosive nitric acid. Carbon monoxide. Carbon dioxide (CO2). 	
Possibility of hazardous Reactions/Reactivity	: No data available.	

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Likely routes of exposure

roum Materiala UC UC	Dynasaka	100
	6/9	
Carcinogenicity	: No data available.	
Chronic toxicity or effects from lor	ig term exposures	
Sensitization.	: No data available.	
Serious eye damage/eye irritation	: Irritating to eyes.	
Skin corrosion/irritation	: Irritating to skin.	
Acute Dermal Toxicity	: LD50 : 8,000 mg/kg Species : Rabbit.	
Inhalation - Components Methyl-2-pyrrolidinone, 1-	LC50 (4 h) : > 5.1 mg/l Species : Rat	
Inhalation	: No data is available on the product itself.	
Acute Oral Toxicity	: LD50 : 3,914 mg/kg Species : Rat.	
Acute toxicity		
Symptoms	: No data available.	
Ingestion Effects	: No data available.	
Inhalation Effects	: Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system.	
Effects on Skin	: Causes skin irritation.	
Effects on Eye	: Contact with eyes may cause irritation.	

Versum Materials US,LLC

Reproductive toxicity	: 1-Methyl-2-Pyrrolidone has caused embryotoxic and teratogenic effects in laboratory animals.
Germ cell mutagenicity	: No data is available on the product itself.
Specific target organ systemic toxicity (single exposure)	: No data available.
Specific target organ systemic toxicity (repeated exposure)	: No data available.
Aspiration hazard	: No data available.

Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater.Reproductive toxin.Eye disease., Skin disorders and Allergies.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects	
Aquatic toxicity	 LC50 (96 h) : 4,000 mg/l Species : Fish. LC50 (96 h) : 832 mg/l Species : Bluegill sunfish (Lepomis macrochirus). EC50 (48 h) : > 4,000 mg/l Species : Daphnia

Toxicity to other organisms : No data available.

Biodegradability	: No data is available on the produc	ct itself.
Mobility	: No data available.	
Bioaccumulation	: Negligible bioaccumulation poten	tial.

13. DISPOSAL CONSIDERAT	IONS
Waste from residues / unused products	: Contact supplier if guidance is required.
Contaminated packaging	: Dispose of container and unused contents in accordance with federal, state, and local requirements.
	7/9
Versum Materials US.LLC	Dynasolve 18

ersum materials US,LLC

14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

TDG

Not dangerous goods

Further Information

The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):

None.

Country	Regulatory list	Notification
USA	TSCA	Included on Inventory.
EU	EINECS	Included on EINECS inventory or polymer substance, monomers included on EINECS inventory or no longer polymer.
Canada	DSL	Included on Inventory.
Australia	AICS	Included on Inventory.
Japan	ENCS	Included on Inventory.
South Korea	ECL	Included on Inventory.
China	SEPA	Included on Inventory.
Philippines	PICCS	Included on Inventory.

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

Versum Materials US,LLC

8/9

Acute Health Hazard Chronic Health Hazard Fire Hazard.

- EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level Methyl-2-pyrrolidinone, 1-
- US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65) WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm. Methyl-2-pyrrolidinone, 1-

16. OTHER INFORMATION

HMIS Rating	
Health Flammability Physical hazard	: 2* : 2 : 0
Prepared by	: Versum Materials, Product Regulatory Department
Telephone	: 800 837 2724
Preparation Date	: 05/08/2019

For additional information, please visit Versum Materials' Product Stewardship web site. http://www.versummaterials.com/productstewardship/





1-800-375-0605 Option 8 for 24/7 Service



6550 Oley Speaks Way Canal Winchester, OH 43110

www.RudolphBros.Com RBCsupport@RudBro.Com