



 **H.B. Fuller**
SAFETY DATA SHEET

Print Date 08/17/2022
Page 1 of 9

H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® FH-1272-A
Product code : 100000001543

Manufacturer or supplier's details

Company : H.B. Fuller Company
Address : 1200 Willow Lake Boulevard
Vadnais Heights, MN 55110
Telephone : 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use : Polyol
Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	gray
Odor	characteristic

GHS Classification

Flammable liquids : Category 3

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements:

H226 Flammable liquid and vapor.

Precautionary Statements:

Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

clothing. Rinse skin with water. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects
Carcinogenicity:
IARC

Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

OSHA

kaolin 1332-58-7
 Quartz (SiO₂) 14808-60-7

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known to be human carcinogen During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

kaolin 1332-58-7
 Quartz (SiO₂) 14808-60-7

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration [%]
Talc Non-Fibrous	14807-96-6	20 - 30
kaolin	1332-58-7	5 - 10
Quartz (SiO ₂)	14808-60-7	0.1 - 1

SECTION 4. FIRST AID MEASURES

- General advice : Show this material safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
 If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this MSDS.



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up : Scrape up.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : No special precautions are needed in handling this material.

Conditions for safe storage : Keep in a dry, cool place.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc Non-Fibrous	14807-96-6	TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable fraction)	2 mg/m ³	OSHA P0
		TWA (Respirable fraction)	2 mg/m ³	ACGIH
kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m ³	ACGIH
		TWA (total)	15 mg/m ³	OSHA Z-1



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

		dust)		
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Total)	10 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
Quartz (SiO ₂)	14808-60-7	TWA (Respirable fraction)	0.025 mg/m ³	ACGIH
		TWA (total dust)	30 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	10 mg/m ³ / %SiO ₂ +2	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO ₂ +5	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m ³	OSHA P0

During normal handling of the product, this substance is encapsulated within the product and will not present a cancer exposure risk.

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.
In case of insufficient ventilation, wear suitable respiratory equipment.
- Hand protection
Material : Nitrile rubber
- Eye protection : Safety glasses

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
 Color : gray
 Odor : characteristic
 Odor Threshold : No data available
 Melting point/freezing point : not determined
 Initial boiling point and boiling range : not determined
 Flash point : 116 °F
 Evaporation rate : not determined
 Flammability (solid, gas) : Not classified as a flammability hazard



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

Upper explosion limit	:	upper flammability limit Not applicable
Lower explosion limit	:	lower flammability limit Not applicable
Density	:	12.1 - 12.5 lb/gal
Solubility(ies)	:	
Water solubility	:	dispersible
Partition coefficient: n- octanol/water	:	No data available
Autoignition temperature	:	not determined
Viscosity	:	
Viscosity, kinematic	:	not determined
Solid Content, % by weight:	:	88.3

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Hazardous polymerization does not occur.
Hazardous decomposition products	:	Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
---------------------	---	---

Ingredients:

Quartz (SiO₂):

Acute oral toxicity	:	LD50 Oral rat: 500 mg/kg
---------------------	---	--------------------------

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.

SECTION 14. TRANSPORT INFORMATION

Special precautions for user

Not applicable



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

Domestic regulation

49 CFR

UN/ID/NA number : 1133
Proper shipping name : Adhesives
Class : 3
Packing group : III
Labels : 3
ERG Code : 128
Marine pollutant : no

International Regulation

IATA-DGR

UN/ID No. : 1133
Proper shipping name : Adhesives
Class : 3
Packing group : III
Labels : 3
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : 1133
Proper shipping name : ADHESIVES
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Fire Hazard

SARA 302 : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : SARA 313: This product does not contain any chemical components that exceed the reporting threshold.



H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

US State Regulations

California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

kaolin	1332-58-7
Quartz (SiO ₂)	14808-60-7

The ingredients of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the Canadian DSL nor NDSL.
REACH	Not in compliance with the inventory
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
TWINV	Not in compliance with the inventory

Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com




H.B. Fuller® FH-1272-A

Version 0.1

Revision Date 06/02/2015

Further information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.

