

Revision Number: 005.0

Issue date: 07/11/2014

# 1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name:

**BONDERITE C-AK ALTREX 24 AERO** 

known as TURCO ALTREX 24

594452

Product type:

Cleaner

Region:

Restriction of Use:

None identified

Contact Information:

United States

Company address:

Henkel Corporation 32100 Stephenson Highway Madison Heights, MI 48071

**DANGE** 

Telephone: 248.583.9300

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

# 2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW	
ER:	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	

HAZARD CLASS	HAZARD CATEGORY
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1

#### PICTOGRAM(S)



#### **Precautionary Statements**

Prevention:

Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Wear protective gloves,

eye protection, and face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vorniting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep

comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison control center or physician.

Wash contaminated clothing before reuse.

Storage:

Store locked up.

Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Potassium hydroxide	1310-58-3	5 - 10

IDH number: 594452

Sodium silicate	1344-09-8	5 - 10
Sodium gluconate	527-07-1	1-5
Ethoxylated nonylphenol, branched	Proprietary	1-5

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist.

Skin contact: Remove contaminated clothing and footwear. For skin contact, flush with large

amounts of water. Seek Immediate medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting. Give one to two

glasses of water or milk. Never give anything by mouth to a victim who is

unconscious or is having convulsions.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

# 5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material.

Special fireflighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: This product is an aqueous mixture which will not burn.

Hazardous combustion products; Irritating and toxic gases or fumes may be released during a fire.

# 6 ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Wear appropriate protective equipment and clothing during clean-up. Prevent

further leakage or spillage if safe to do so. Do not let product enter drains.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

#### 7 HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Do

not breathe gas/fumes/vapor/spray. NEVER ADD WATER TO PRODUCT. For dilutions, add product slowly to water while stirring. Use caution; heat may

be generated.

Storage: Do not freeze. Keep container tightly closed and in a cool, well-ventilated

place away from incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Potassium hydroxide	2 mg/m3 Ceiling	None	None	None
Sodium silicate	None	None	None	None
Sodium gluconate	None	None	None	None
Ethoxylated nonylphenol, branched	None	None	None	None

**Engineering controls:** 

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection:

Wear chemical goggles; face shield (if splashing is possible).

Skin protection:

Chemical resistant, impermeable gloves. Use of impervious apron and boots

are recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color:

Odor: Odor threshold:

pH:

Vapor pressure:

Boiling point/range: Melting point/ range:

Specific gravity: Vapor density:

Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Autoignition temperature: Evaporation rate: Solubility in water:

VOC content:
Viscosity:

Decomposition temperature:

Liquid

Pale yellow Mild

Not available.

14

not applicable > 212 °F (> 100°C)

Not available. 1.15 - 1.25 Not available. Not applicable Not applicable

Not applicable Not applicable Not available. Complete

Not available. Not applicable Not available. Not available.

## 10. STABILITY AND REACTIVITY

Stability:

Stable at normal conditions.

Hazardous reactions:

Will not occur.

Hazardous decomposition

products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

Incompatible materials:

This product reacts with acids. Adding water to this product may cause localized overheating

and splattering.

Reactivity:

Not available.

Conditions to avoid:

Avoid excessive heat and ignition sources.

Relevant routes of exposure:

Skin, Inhalation, Eyes

#### Potential Health Effects/Symptoms

Inhalation:

Mists, vapors or liquid may cause severe irritation or burns.

Skin contact:

Corrosive to the skin. Contact with the skin or mucous membranes may cause severe irritation

and burns.

Eye contact:

This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

Ingestion:

This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Potassium hydroxide	Oral LD50 (RAT) = 273 mg/kg Oral LD50 (RAT) = 1.23 g/kg	Corrosive, Irritant	
Sodium silicate	Oral LD50 (RAT) = 1,100 - 1,600 mg/kg Oral LD50 (RAT) = 1.1 g/kg	Corrosive, Imitant	
Sodium gluconate	None	No Target Organs	
Ethoxylated nonylphenol, branched	None	No Target Organs	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Potassium hydroxide	No	_ No	No
Sodium silicate	No	No	No
Sodium gluconate	No _	No	No
Ethoxylated nonylphenol, branched	No	No	No

# 12 ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

# 3 DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

This product contains a chelating agent.

Hazardous waste number:

This product, if discarded directly, would be a characteristic RCRA corrosive waste (D002). Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

# 

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Potassium hydroxide, solution

Hazard class or division:

UN 1814

identification number:

Packing group: **DOT Hazardous Substance(s):** 

Potassium hydroxide

International Air Transportation (ICAO/IATA)

Proper shipping name:

Potassium hydroxide solution

Hazard class or division:

**UN 1814** 

identification number:

Packing group:

Water Transportation (IMO/IMDG)

Proper shipping name: Hazard class or division: Identification number: Packing group:

POTASSIUM HYDROXIDE SOLUTION

8

UN 1814

# 15. REGULATORY INFORMATION

**United States Regulatory Information** 

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312:

None above reporting de minimis

CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: Immediate Health

GERCLA Reportable quantity:

None above reporting de minimis Potassium hydroxide (CAS# 1310-58-3) 1,000 lbs. (454 kg)

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer.

Canada Regulatory Information

**CEPA DSL/NDSL Status:** 

All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: Reviewed MSDS. Reissued with new date.

Prepared by:

Mark Mau, Regulatory Affairs Specialist

Issue date:

07/11/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any-Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110

Phone: 614-833-0707 Fax: 800-600-9508

e-mail: rbcsupport@rudbro.com

www.rudbro.com