

Revision Number: 005.0

Issue date: 04/04/2016

# 2 PRODUCT AND COMPANY IDENTIFICATION

Product name:

BONDERITE M-CR 1200S AERO

known as ALODINE 1200S AERO

DIST'S ONLY

Product type:

Conversion coating None identified

Restriction of Use: Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

1DH number:

598427

Region:

: United States

Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

# 2 HAZARDS DENTIFICATION

EMERGENCY OVERVIEW

DANGER:

MAY INTENSIFY FIRE; OXIDIZER.

HARMFUL IF SWALLOWED.

FATAL IN CONTACT WITH SKIN OR IF INHALED. CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

MAY CAUSE AN ALLERGIC SKIN REACTION.

MAY CAUSE CANCER.

HAZARD CLASS	HAZARD CATEGORY
OXIDIZING SOLID	2
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	2
ACUTE TOXICITY DERMAL	2
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1
SKIN SENSITIZATION	1
CARCINGENICITY	1A



### **Precautionary Statements**

IDH number: 598427

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust or fumes. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. Use personal protective equipment as required. [In case of inadequate ventilation] wear respiratory protection.

Response:

If SWALLOWED: Immediately call poison control or physician if you feel unwell. IF

SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cauliously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. Immediately call a polson control center or physician. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. In case of fire: Use foam, dry

chemical or carbon dioxide to extinguish.

Storage: Disposal: Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 

Hazardous Component(s)	CAS Number	Percentage*	
Chromium(VI) oxide	1333-82-0	30 - 60	
Potassium tetrafluoroborate	14075-53-7	10 - 30	
Tripotassium hexacyanoferrate	13746-66-2	10 - 30	
Sodium fluoride	7681-49-4	5 - 10	
Dipotassium hexafluorozirconate	16923-95-8	5 - 10	

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

## 4 FIRST AID MEASURES

Inhalation:

If inhaled, immediately remove the affected person to fresh air. If symptoms develop and persist, get medical attention.

Skin contact:

Remove contaminated clothing and footwear. For skin contact, flush with large amounts of water. Seek immediate medical attention. If irritation persists, repeat flushing and get medical attention. Discard any shoes or clothing items that cannot be decontaminated.

Eye contact:

In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion:

Get immediate medical attention. Do not induce vomiting. Give one to two glasses of water or milk. Never give anything by mouth to a victim who is

unconscious or is having convulsions.

Symptoms:

See Section 11.

Notes to physician:

Ocular exposure to corrosive fluoride compounds has been treated with isotonic sodium chloride or magnesium chloride. Dermal exposure to corrosive fluoride compounds has been treated with calcium gluconate or calcium carbonate gel applied topically to the affected areas to relieve pain at the site of exposure.

Treatment of hypocalcemia associated with corrosive fluoride compounds exposure may be corrected by intravenous calcium gluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous

magnesium sulfate.

## 5. FIRE FIGHTING MEASURES

Extinguishing media:

Use media appropriate for surrounding material.

IDH number: 598427 Product name: 80NDERITE M-CR 1200\$ AERO known as ALODINE 1200\$ AERO DIST'S ONLY Page 2 of 7

Special firefighting procedures:

Wear full protective clothing. Wear self-contained breathing apparalus.

Unusual fire or explosion hazards:

Oxidizing agent, may cause spontaneous ignition of combustible materials. Under fire conditions, decomposing material may form a hot, viscous foam. Violent reactions may occur with organic materials or reducing agents. Empty containers retain product residue, so obey hazard warnings and handle empty

containers as if they were full.

Hazardous combustion products:

Irritating and toxic gases or furnes may be released during a fire.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** 

Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up.

Clean-up methods:

Spills should be cleaned immediately to prevent dispersion of airborne dusts. Do not allow product to enter sewer or waterways. Dispose of according to

Federal, State and local governmental regulations.

### 

Handling:

Avoid contact with eyes, skin and clothing. Avoid breathing dust. Wash

thoroughly after handling. For industrial use only.

Storage:

For safe storage, store between 5 °C (41°F) and 40 °C (104°F)

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials, Store below 110 °F (43.3 °C).

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Chromium(VI) oxide	0.05 mg/m3 TWA (as Cr)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT 0.1 mg/m3 Celling	None	None
Potassium tetrafluoroborate	6 mg/m3 STEL Inhalable fraction. 2 mg/m3 TWA Inhalable fraction.	None	None	None
Tripotassium hexacyanoferrate	None	None	None	None
Sodium fluoride	2.5 mg/m3 TWA (as F)	2.5 mg/m3 PEL (as : F) 2.5 mg/m3 TWA Dust.	None	None
Dipotassium hexafluorozirconate	5 mg/m3 TWA (as Zr) 10 mg/m3 STEL (as Zr) 2.5 mg/m3 TWA (as F)	5 mg/m3 PEL (as Zr) 2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None

**Engineering controls:** 

Ventilation should effectively remove and prevent buildup of any dust generated from the handling of this product.

Product name: BONDERITE M-CR 1200S AERO known as ALODINE 1200S AERO DIST'S ONLY Page 3 of 7

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of dust, appropriate

NIOSH/MSHA respiratory protection must be provided.

Eye/face protection:

Wear chemical goggles or a full face shield.

Skin protection:

Chemical resistant, impermeable gloves. The use of butyl rubber gloves is recommended. Use of impervious apron and boots are recommended.

## PHYSICAL AND CHEMICAL PROPERTIES - \*\* 52. \*\*\*\*

Physical state:

Solid

Color:

orange

Odor:

Bland

Odor threshold:

Not available.

pH:

1.30 - 1.60

Vapor pressure: **Boiling point/range:**  Not determined

Melting point/ range:

Not applicable Not available.

Vapor density:

Not applicable

Flash point: Flammable/Explosive limits - lower: Not applicable Not applicable

Flammable/Explosive limits - upper: Autoignition temperature:

Not applicable Not applicable

Flammability: Evaporation rate:

Not applicable Not applicable Appreciable

Solubility in water: Partition coefficient (n-octanol/water):

Not determined Not applicable

VOC content:

Not available. Not available.

Viscosity: Decomposition temperature:

#### 10\_STABILITY AND RE

Stability:

Stable at normal conditions.

Hazardous reactions:

Incompatible materials:

Will not occur.

Hazardous decomposition

May liberate hydrogen fluoride.

products:

Avoid contact with organic materials, oils, greases, and any oxidizable materials. This product

may react with strong alkalies.

Reactivity:

IDH number: 598427

Not available.

Conditions to avoid:

Oxidizing agent, may cause spontaneous ignition of combustible materials.

### 

Relevant routes of exposure:

Skin, Inhalation, Eyes

### Potential Health Effects/Symptoms

Inhalation:

Mists, vapors or liquid may cause severe irritation or burns. Prolonged or repeated breathing

may cause ulceration of nasal membranes.

Skin contact:

Contact with broken skin may lead to formation of firmly marginated "chrome sores". Product contains chromium, which may cause an allergic skin sensitization reaction. Massive

overexposures may lead to kidney failure and death. Following skin exposure to this product,

Eye contact:

the sensation of irritation or pain may be delayed.

This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

Ingestion:

This product may produce corrosive damage to the gastrointestinal tract if it is swallowed. Ingestion of small amounts of this product may result in potentially fatal hypocalcemia and

systemic toxicity.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Chromium(VI) oxide	Oral LD50 (Rat) = 25 mg/kg Oral LD50 (Rat) = 29 mg/kg Oral LD50 (Rat) = 135 mg/kg Oral LD50 (Mouse) = 80 mg/kg Oral LD50 (Rat) = 80 mg/kg Dermal LD50 (Rabbit) = 30 mg/kg Inhalation LC50 (Rat, 4 h) = 0.087 mg/l Inhalation LC50 (Rat, 4 h) = 0.137 mg/l	Allergen, Blood, Central nervous system, Corrosive, Carcinogen, Developmental, Eyes, GastroIntestinal, Irritant, Kidney, Liver, Mutagen, Reproductive, Respiratory
Potassium tetrafluoroborate	None	Cardiac, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Metabolic, Reproductive
Tripotassium hexacyanoferrate	None	Cellular
Sodium fluoride	Oral LD50 (Mouse) = 44.3 mg/kg Oral LD50 (Mouse) = 46.0 mg/kg Oral LD50 (Rat) = 32.0 mg/kg Oral LD50 (Rat) = 51.6 mg/kg	Blood, Cardiac, Central nervous system, Corrosive, Gastrointestinal tract, Irritant, Kidney, Metabolic, Muscle, Teeth, Less weight gain and food intake.
Dipotassium hexafluorozirconate	Oral LD50 (Mouse) = 98 mg/kg	Allergen, Blood, Cardiac, Central nervous system, Corrosive, Gastrointestinal tract, Irritant, Kidney, Lung, Metabolic, Muscle, Teeth, Less weight gain and food intake.

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Chromium(VI) oxide	Known To Be Human Carcinogen.	Group 1	Yes
Potassium tetrafluoroborate	No	No	No No
Tripotassium hexacyanoferrate	No	No	No No
Sodium fluoride	No	No	No
Dipotassium hexafluorozirconate	No	No	No

PRECOLOGICALINEGRMATION	。由2000年1900年,1900年中央企業市場開発。1917年
	2-11-11-11-11-11-11-11-11-11-11-11-11-11
	多个可以表现。 1. 10 10 10 10 10 10 10 10 10 10 10 10 10

**Ecological information:** 

Harmful to aquatic organisms.

Product name: BONDERITE M-CR 1200\$ AERO known as ALODINE 1200\$ AERO DIST'S ONLY Page 5 of 7

### 13. DISPOSAL CONSIDERATIONS\*\*

### Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

This product contains chromium which is a hazardous waste (D007). If discarded, this product is considered a RCRA ignitable waste, D001.

### 14. TRANSPORT INFORMATION -- \* \*\*

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Chromium trioxide, anhydrous

Hazard class or division:

5.1 (6.1, 8)

Identification number: Packing group:

UN 1463

DOT Hazardous Substance(s):

Chromic acid, Sodium fluoride

International Air Transportation (ICAO/IATA)

Proper shipping name:

Chromium trioxide, anhydrous

Hazard class or division: Identification number:

5.1 (6.1, 8) UN 1463

Packing group:

Water Transportation (IMO/IMDG)

Proper shipping name:

CHROMIUM TRIOXIDE, ANHYDROUS

Hazard class or division: Identification number:

5.1 (6.1, 8) UN 1463

Packing group:

ш

Marine pollutant:

Chromium trioxide

## **GULATORY INFORMATION**

#### United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification:

Chromium(VI) oxide (CAS# 1333-82-0).

CERCLA/SARA Section 302 EHS:

CERCLA/SARA Section 311/312:

None above reporting de minimis. Immediate Health, Delayed Health, Reactive

CERCLA/SARA Section 313:

This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Chromium(VI) oxide (CAS# 1333-82-0).

**CERCLA Reportable quantity:** 

Chromium(VI) oxide (CAS# 1333-82-0) 10 lbs. (4.54 kg) Sodium fluoride (CAS# 7681-49-4) 1,000 lbs. (454 kg)

Dipotassium hexafluorozirconate (CAS# 16923-95-8) 1,000 lbs. (454 kg)

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

IDH number: 598427

CEPA DSL/NDSL Status:

All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New information added in Section(s): 14

Prepared by:

Jennifer Mckay, Regulatory Affairs Specialist

Issue date:

iDH number: 598427

04/04/2016

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110 Phone: 614-833-0707

Phone: 614-833-070 Fax: 800-600-9508

e-mail: rbcsupport@rudbro.com

www.rudbro.com

Product name: BONDERITE M-CR 1200S AERO known as ALODINE 1200S AERO DIST'S ONLY Page 7 of 7