

1-800-375-0605 Option 8 for 24/7 Service



www.rudolphbros.com rbcsupport@rudbro.com

SAFETY DATA SHEET

1. Identification

| Product identifier | KE-3479-T |
|---------------------------------|--|
| Other means of identification | |
| Sales Code | 1774S0 |
| Recommended use | RTV rubbers RTV rubber for electrical, electronic and general industry (gluing and sealing) |
| Recommended restrictions | Industrial use only. |
| Manufacturer/Importer/Supplier/ | Distributor information |
| Name | Shin-Etsu Silicones of America, Inc. |
| Address | 1150 Damar Drive, Akron, OH 44305 USA |
| Contact | Regulation compliance group |
| Telephone Number | +1-330-630-9860 |
| Fax Number | +1-330-630-9855 |
| Emergency Phone Number | Chemtrec: +1-800-424-9300 (Within US) |
| | Chemtrec: +1-703-527-3887 (Outside US) |

2. Hazard(s) identification

| Physical hazards | Flammable liquids | Category 3 |
|-----------------------|-----------------------------------|-------------|
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 2A |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| *11 | | C |

*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

 \wedge

Label elements

| Signal word | Warning |
|--|---|
| Hazard statement | Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. |
| Response | In case of fire: Use water fog, foam, dry chemical powder or carbon dioxide(CO2) to extinguish. IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |
| Substance(s) formed under the condition of use | This product reacts with water , moisture or humid air to evolve following compounds: Acetone |

HMIS® ratings

Health: 2 Flammability: 3 Physical hazard: 0

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------|--------------------------|--------------|---------|
| Alkenoxysilane* | | Proprietary* | 3 - < 5 |
| Organosilane* | | Proprietary* | 1 - < 3 |
| Alkoxysilane* | | Proprietary* | < 1 |
| Decomposition | | | |
| Chemical name | | CAS number | % |
| Acetone | | 67-64-1 | |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | | |
|--|---|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | |
| Eye contact | Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if presen and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. | |
| Ingestion | Rinse mouth. Get medical attention immediately. | |
| Most important symptoms/effects, acute and delayed | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. | |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. | |

| 5. Fire-fighting measures | | |
|---|---|--|
| Suitable extinguishing media | Water fog. Foam. Carbon dioxide (CO2). | |
| Unsuitable extinguishing media | None known. | |
| Specific hazards arising from the chemical | By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive) | |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus. | |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. | |
| General fire hazards | Flammable liquid and vapor. | |

6. Accidental release measuresPersonal precautions,
protective equipment and
emergency proceduresKeep unnecessary personnel away. Local authorities should be advised if significant spillages
cannot be contained. Do not touch or walk through spilled material. Ventilate closed spaces before
entering them. Wear appropriate personal protective equipment.Methods and materials for
containment and cleaning upELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep
combustibles (wood, paper, oil, etc.) away from spilled material.Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent
spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product
and place into a container for later disposal.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015







SDS US

2/8

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or **Environmental precautions** onto the ground. 7. Handling and storage All equipment used when handling the product must be grounded. Use non-sparking tools and Precautions for safe handling explosion-proof equipment. Provide adequate ventilation. Use care in handling/storage. DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Use personal protective equipment as required. Wash hands thoroughly after handling. Do not breathe mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Keep away from heat, sparks and open flame. Store in cool place. Store in a well-ventilated place. Conditions for safe storage, Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of including any incompatibilities direct sunlight. Keep in original container. 8. Exposure controls/personal protection **Occupational exposure limits** US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Decomposition Value Туре Acetone (CAS 67-64-1) PEL 2400 mg/m3 1000 ppm **US. ACGIH Threshold Limit Values** Decomposition Value Туре Acetone (CAS 67-64-1) STEL 750 ppm TWA 500 ppm US. NIOSH: Pocket Guide to Chemical Hazards Decomposition Value Type Acetone (CAS 67-64-1) TWA 590 mg/m3 250 ppm **Biological limit values ACGIH Biological Exposure Indices** Decomposition Determinant Value Specimen Sampling Time 50 mg/l Acetone (CAS 67-64-1) Acetone Urine

* - For sampling details, please see the source document.

Appropriate engineering
controlsExplosion-proof general and local exhaust ventilation. Provide eyewash station.
Pay attention to ventilation such as local exhaust, mechanical and/or door open for at least 24
hours after application.

Individual protection measures, such as personal protective equipment

| Eye/face protection | Tightly sealed safety glasses according to EN 166. | | |
|------------------------------------|--|--|--|
| Skin protection Hand protection | Wear protective gloves. | | |
| Other | Wear suitable protective clothing. | | |
| Respiratory protection | If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. | | |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. | | |
| General hygiene considerations | When using, do not eat, drink or smoke. Avoid contact with skin. Avoid contact with eyes. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice. | | |

9. Physical and chemical properties

| Appearance | |
|----------------|-------------------------|
| Form | Paste. |
| Color | Milk-white, translucent |
| Odor | Acetone odor |
| Odor threshold | Not available. |
| | |

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015





1-800-375-0605 Option 8 for 24/7 Service



SDS US 3 / 8

| рН | Not available. |
|--|----------------------------|
| Melting point/freezing point | Not applicable |
| Initial boiling point and boiling range | Not applicable |
| Flash point | 75.2 °F (24 °C) Closed Cup |
| Evaporation rate | < 1 (Butyl Acetate=1) |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | 2.1 [Acetone] |
| Flammability limit - upper (%) | 13.0 [Acetone] |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Negligible (25 °C) |
| Vapor density | > 1 (air=1) |
| Relative density | 1.07 (25 °C) |
| Solubility(ies) | |
| Solubility (water) | Not soluble |
| Partition coefficient (n-octanol/water) | Not applicable |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | 75 Pa·s (25 °C) |
| Other information | |
| Molecular weight | Not applicable |
| | |

| 10. | Stability | and | reactivity | |
|-----|-----------|-----|------------|--|
| | | | | |

| Reactivity | No hazardous reaction known under normal conditions of use, storage and transport. | |
|------------------------------------|--|--|
| Chemical stability | Stable at normal conditions. | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | |
| Conditions to avoid | None known. | |
| Incompatible materials | Strong oxidizing agents. Water, moisture. | |
| Hazardous decomposition products | This product reacts with water, moisture or humid air to evolve following compounds: Acetone. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Nitrogen oxides. Formaldehyde. | |

11. Toxicological information

| Information on likely routes of | exposure |
|--|--|
| Ingestion | Expected to be a low ingestion hazard. |
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | Causes skin irritation. |
| Eye contact | Causes serious eye irritation. |
| Symptoms related to the physical, chemical and toxicological characteristics | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. |
| Information on toxicological ef | fects |
| Acute toxicity | |

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015

50

7 K Az







sds us 4 / 8

| Components | Species | Test Results |
|---|---|---|
| Alkenoxysilane (CAS Proprietary) | | |
| Acute | | |
| Oral | D / | |
| LD50 | Rat | > 20 ml/kg |
| Alkoxysilane (CAS Proprietary) | | |
| Acute | | |
| Dermal | D . 1111 | 4000 " |
| LD50 | Rabbit | 4290 mg/kg |
| Oral | | · · · |
| LD50 | Rat | 1570 - 3650 mg/kg |
| | | 1780 mg/kg |
| Organosilane (CAS Proprietary) | | |
| Acute | | |
| Oral | | |
| LD50 | Rat | 3.67 ml/kg |
| Decomposition | Species | Test Results |
| Acetone (CAS 67-64-1) | | |
| Acute | | |
| Inhalation | | |
| LC50 | Rat | 50.1 mg/l, 8 Hours |
| Oral | | |
| LD50 | Mouse | 3000 mg/kg |
| | Rabbit | 5340 mg/kg |
| | Rat | 5800 mg/kg |
| Skin corrosion/irritation | Causes visible necrosis of the skin tissue (Rabbit/60 Minutes) [Organosilane] SKIN-RABBIT : 5mg/24Hr SEVERE [Alkoxysilane] | |
| Serious eye damage/eye irritation | Causes serious eye damage. [Organosilane] EYE-RABBIT : 0.75mg/24Hr SEVERE [Alkoxysilane] | |
| Deenlinetem, en elsie er schiller i | Causes serious eye irritation. [Acetone] | |
| Respiratory or skin sensitization | Not available. | |
| Respiratory sensitization | Positive (Guinea pig) [Alkoxysilane] | |
| Skin sensitization | Negative (Guinea pig) [Aikoxysilane] | |
| Germ cell mutagenicity | | |
| Carcinogenicity | | cinogen by IARC, ACGIH, NTP, or OSHA. |
| OSHA Specifically Regulate Not listed. | d Substances (29 CFR 1910.1001-1050) | |
| Reproductive toxicity | Not available. | |
| Specific target organ toxicity - single exposure | May cause damage to the following organs. Narcotic effects. [Acetone] | |
| Specific target organ toxicity - repeated exposure | Not available. | |
| Aspiration hazard | Not available. | |
| Further information | This product reacts with water , moisture of Acetone | or humid air to evolve following compounds: |
| | 12. Ecological inform | ation |
| Ecotoxicity | | |
| Components | Species | Test Results |
| Alkoxysilane (CAS Proprietary | ·) | |
| Aquatic | | |
| Fish | LC50 Oryzias latipes | > 1000 mg/l, 48 hr |
| Material name: KE-3479-T | | SDS US |
| 11775 Version #: 01 Issue date: 0 | 3-26-2015 | 5 / 8 |
| RUDO | LPH 1-800-375- | 0605 www.rudolphbros.co |
| | CO I-800-375- Option 8 for 2 | |

| Decomposition | | Species | Test Results |
|------------------------------|----------------|--|----------------------------|
| Acetone (CAS 67-64-1) | | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | 21.6 - 23.9 mg/l, 48 hours |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | > 100 mg/l, 96 hours |
| ersistence and degradability | Causes easily | v hydrolysis in water or atmosphere. [Alkoxy | /silane] |
| ioaccumulative potential | Not available. | | |
| obility in soil | Not available. | | |
| ther adverse effects | Not available. | | |

13. Disposal considerations

Disposal instructions

Follow applicable Federal, State and Local regulations.

14. Transport information

| | 14. Hunsport mornation |
|---|---|
| DOT | |
| UN number | UN1993 |
| UN proper shipping name | Flammable liquids, n.o.s. (Alkenoxysilane) |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Packing group | III |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | B1, B52, IB3, T4, TP1, TP29 |
| Packaging exceptions | 150 |
| Packaging non bulk | 203 |
| Packaging bulk | 242 |
| ΙΑΤΑ | |
| UN number | UN1993 |
| UN proper shipping name | Flammable liquid, n.o.s. (Alkenoxysilane) |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | |
| Environmental hazards | No. |
| ERG Code | 3L |
| | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo | Allowed. |
| aircraft | |
| Cargo aircraft only | Allowed. |
| IMDG | |
| UN number | UN1993 |
| UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (Alkenoxysilane) |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | III |
| Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-E, S-E* |
| · · | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to | This product is not intended to be transported in bulk. |
| Annex II of MARPOL 73/78 and the IBC Code | |
| | |

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015





1-800-375-0605 Option 8 for 24/7 Service



sds Us 6 / 8 DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 313 (TRI reporting)

US state regulations

- US. Massachusetts RTK Substance List Not regulated.
- US. New Jersey Worker and Community Right-to-Know Act Not listed.
- US. Pennsylvania Worker and Community Right-to-Know Law
 - Not listed.
- US. Rhode Island RTK

Not regulated.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | No |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | Yes |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | No |

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015





1-800-375-0605 Option 8 for 24/7 Service



SDS US 7 / 8

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|---|------------------------|
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

4.5

. . .

. .

40.00

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

1.4

~

4.5

. .

. .

| 16. Other information, including date of preparation or last revision | | |
|---|---|--|
| Issue date | 03-26-2015 | |
| Version # | 01 | |
| NFPA ratings | Health: 2 Flammability: 3 Instability: 0 | |
| NFPA ratings | 2 0 | |
| Disclaimer | This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans. | |
| Revision Information | Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Disclosure Overrides Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Regulatory Information: Regulatory Information GHS: Classification | |

Material name: KE-3479-T 11775 Version #: 01 Issue date: 03-26-2015









www.rudolphbros.com rbcsupport@rudbro.com

Yes