



SAFETY DATA SHEET

HUNTSMAN

Building lives through innovation

EPIBOND® 156 B US

Version: 2.0 Revision Date: 03/12/2021 SDS Number: 400001008595 Date of last issue: 08/15/2017
 Date of first issue: 08/15/2017

Print Date 04/30/2021

SECTION 1. IDENTIFICATION

Product name : EPIBOND® 156 B US

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC

E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

- Acute toxicity (Oral) : Category 4
- Acute toxicity (Inhalation) : Category 2
- Acute toxicity (Dermal) : Category 4
- Skin corrosion : Category 1B
- Serious eye damage : Category 1
- Skin sensitisation : Category 1
- Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 + H312 Harmful if swallowed or in contact with skin.
 H314 Causes severe skin burns and eye damage.

EPIBOND® 156 B US

Version
2.0Revision Date:
03/12/2021SDS Number:
400001008595

Date of last issue: 08/15/2017

Date of first issue: 08/15/2017

Print Date 04/30/2021

| | |
|--------------------------|---|
| Precautionary statements | <p>H317 May cause an allergic skin reaction. H330 Fatal if inhaled. H335 May cause respiratory irritation.</p> <p>Prevention: P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection.</p> <p>Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse.</p> <p>Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.</p> |
|--------------------------|---|

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--------------------|----------|-----------------------|
| Diethylenetriamine | 111-40-0 | 90 - 100 |

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

EPICONDOR 156 B DS

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Treat symptomatically.
Get medical attention if symptoms occur.
- If inhaled : Call a physician or poison control centre immediately.
If inhaled, remove to fresh air.
Get medical attention if symptoms occur.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
Avoid inhalation, ingestion and contact with skin and eyes.
No action shall be taken involving any personal risk or without suitable training.
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician : Treat symptomatically.

EPIBONDING 156 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Neutralise with acid.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation

EPIBOND 155 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.

Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

- Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Keep in properly labelled containers.
- Materials to avoid : Do not store near acids.
- Recommended storage temperature : 36 - 104 °F / 2 - 40 °C
- Further information on storage stability : Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--------------------|----------|-------------------------------|--|-----------|
| Diethylenetriamine | 111-40-0 | TWA | 1 ppm | ACGIH |
| | | TWA | 1 ppm 4 mg/m ³ | NIOSH REL |
| | | TWA | 1 ppm 4 mg/m ³ | OSHA P0 |

Personal protective equipment

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided

EPICORING 156 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : butyl-rubber
Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)
Material : Nitrile rubber
Break through time : 10 - 480 min

Remarks

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

: Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid
Colour : amber
Odour : amine-like
Odour Threshold : No data is available on the product itself.
pH : 11.3 (68 °F / 20 °C)
Concentration: 500 g/l
Melting point : -38 °F / -39 °C
Boiling point : 405.0 °F / 207.2 °C

EPIBOND® 156 BUS

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

| | |
|--|---|
| Flash point | : 215.1 °F / 101.7 °C |
| | Method: Pensky-Martens closed cup |
| Evaporation rate | : No data is available on the product itself. |
| Flammability (solid, gas) | : No data is available on the product itself. |
| Flammability (liquids) | : No data is available on the product itself. |
| Upper explosion limit / Upper flammability limit | : No data is available on the product itself. |
| Lower explosion limit / Lower flammability limit | : No data is available on the product itself. |
| Vapour pressure | : 0.1 hPa (68 °F / 20 °C) |
| Relative vapour density | : No data is available on the product itself. |
| Relative density | : 0.952 |
| Density | : 0.95 g/cm ³ (68 °F / 20 °C) |
| Solubility(ies) | |
| Water solubility | : completely miscible (68 °F / 20 °C) |
| Solubility in other solvents | : No data is available on the product itself. |
| Partition coefficient: n-octanol/water | : No data is available on the product itself. |
| Auto-ignition temperature | : 743 °F / 395 °C |
| Thermal decomposition | : No data is available on the product itself. |
| Self-Accelerating decomposition temperature (SADT) | : No data is available on the product itself. |
| Viscosity | |
| Viscosity, kinematic | : 4 mm ² /s (77 °F / 25 °C) |
| Explosive properties | : No data is available on the product itself. |
| Oxidizing properties | : No data is available on the product itself. |
| Particle size | : No data is available on the product itself. |

SECTION 10. STABILITY AND REACTIVITY

| | |
|--------------------|---|
| Reactivity | : No dangerous reaction known under conditions of normal use. |
| Chemical stability | : Stable under normal conditions. |

EPHONDOG 15G BUS

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

| | | |
|------------------------------------|---|--|
| Possibility of hazardous reactions | : | No hazards to be specially mentioned. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | None known. |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |
| Hazardous decomposition products | : | carbon monoxide carbon dioxide Nitrogen oxides (NOx) |

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity**Components:**

Diethylenetriamine:
Acute oral toxicity : LD50 (Rat, male): 1,620 mg/kg

Components:

Diethylenetriamine:
Acute inhalation toxicity : LC50 (Rat, male and female): 0.185 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Components:

Diethylenetriamine:
Acute dermal toxicity : LD50 (Rabbit): 1,045 mg/kg

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Components:**

Diethylenetriamine:
Species: Rabbit
Assessment: Causes burns.
Result: Causes burns.

Serious eye damage/eye irritation

Components:

EPICRONIDG TAG B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

Diethylenetriamine:
 Species: Rabbit
 Result: Corrosive
 Assessment: Corrosive

Respiratory or skin sensitisation**Components:**

Diethylenetriamine:
 Exposure routes: Skin
 Species: Mouse
 Method: OECD Test Guideline 429
 Result: May cause sensitisation by skin contact.
 Remarks: Causes sensitisation.

Exposure routes: Respiratory Tract
 Species: Mouse
 Result: Does not cause respiratory sensitisation.

Assessment: No data available

Germ cell mutagenicity

Genotoxicity in vitro : No data available

Components:

Diethylenetriamine:
 Genotoxicity in vivo : Cell type: Somatic
 Application Route: Oral
 Dose: 85 - 850 mg/kg
 Method: OECD Test Guideline 474
 Result: negative

Application Route: Oral
 Result: negative

Germ cell mutagenicity-
 Assessment : No data available

Carcinogenicity**Components:**

Diethylenetriamine:
 Species: Mouse, male
 Application Route: Dermal
 Dose: 56.3 mg/kg
 Frequency of Treatment: 3 daily
 Result: negative

Carcinogenicity -
 Assessment : No data available

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

RUDOLPH BROS. 458 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:**

Diethylenetriamine:
Effects on fertility

: Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: No observed adverse effect level:
30 mg/kg wet weight
Method: OECD Test Guideline 421

Components:

Diethylenetriamine:
Effects on foetal
development

: Species: Rat
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
100 mg/kg body weight
Method: OECD Test Guideline 421
Result: No adverse effects

Reproductive toxicity -
Assessment : No data available

STOT - single exposure**Components:**

Diethylenetriamine:
Target Organs: Respiratory Tract
Assessment: May cause respiratory irritation.

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

Diethylenetriamine:
Species: Rat, male and female
NOEC: 70 - 80 mg/m3
Application Route: Ingestion
Test atmosphere: vapour
Exposure time: 360 h

EPICORON® 150 BUSVersion
2.0Revision Date:
03/12/2021SDS Number:
400001008595Date of last issue: 08/15/2017
Date of first issue: 08/15/2017

Print Date 04/30/2021

Number of exposures: 7 d
Method: Subchronic toxicitySpecies: Rat, male and female
NOAEL: 114 mg/kg/d
Application Route: Skin contact
Exposure time: 9,600 h
Number of exposures: 6 d
Method: Chronic toxicity

Repeated dose toxicity - Assessment : No data available

Aspiration toxicity
No data available**Experience with human exposure**

General information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Diethylenetriamine:

Toxicity to fish

: LC50: 430 mg/l
Exposure time: 96 h
Test Type: semi-static test
Test substance: Fresh water

EPICRONIDOL 150 E US

Version Revision Date: SDS Number: Date of last issue: 08/15/2017
2.0 03/12/2021 400001008595 Date of first issue: 08/15/2017

Print Date 04/30/2021

Method: Directive 67/548/EEC, Annex V, C.1.

Components:

Diethylenetriamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64.6 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Regulation (EC) No. 440/2008, Annex, C.2

EC50 (Daphnia magna (Water flea)): 16 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38412

Components:

Diethylenetriamine:

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 1,164 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Components:

Diethylenetriamine:

Toxicity to fish (Chronic toxicity) : NOEC: 10 mg/l
Exposure time: 28 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 210

Components:

Diethylenetriamine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.20

M-Factor (Chronic aquatic toxicity) : No data available

Toxicity to microorganisms : No data available

Components:

Diethylenetriamine:

Toxicity to soil dwelling : EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

EPIBOND® 186 B US

Version 2.0 Revision Date: 03/12/2021 SDS Number: 400001008595 Date of last issue: 08/15/2017
 Date of first issue: 08/15/2017

Print Date 04/30/2021

organisms Exposure time: 56 d
 Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment

Components:

Diethylenetriamine:
 Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

Diethylenetriamine:
 Biodegradability : Inoculum: activated sludge
 Result: Readily biodegradable.
 Biodegradation: 87 %
 Exposure time: 21 d
 Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Components:

EMIBOND® 156 B US

Version: 2.0 Revision Date: 03/12/2021 SDS Number: 400001008595 Date of last issue: 08/15/2017
 Date of first issue: 08/15/2017

Print Date 04/30/2021

Diethylenetriamine:
 Photodegradation : Test Type: Air
 Rate constant: 500000
 Degradation (direct photolysis): 50 %

Impact on Sewage Treatment : No data available

Bioaccumulative potential**Components:**

Diethylenetriamine:
 Bioaccumulation : Species: Cyprinus carpio (Carp)
 Bioconcentration factor (BCF): 0.3 - 6.3
 Exposure time: 42 d
 Test substance: Fresh water
 Method: flow-through test
 Remarks: Bioaccumulation is unlikely.

Components:

Diethylenetriamine:
 Partition coefficient: n-octanol/water : log Pow: -1.58 (68 °F / 20 °C)
 pH: 7

Mobility in soil

Mobility : No data available

Components:

Diethylenetriamine:
 Distribution among environmental compartments : Koc: 19111
 Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
 Protection of Stratospheric Ozone - CAA Section 602 Class I
 Substances
 Remarks: This product neither contains, nor was
 manufactured with a Class I or Class II ODS as defined by the

EPICORNEO 156 B US

Version: 2.0 Revision Date: 03/12/2021 SDS Number: 400001008595 Date of last issue: 08/15/2017
 Date of first issue: 08/15/2017

Print Date 04/30/2021

U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : No data available

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.
 Dispose of as hazardous waste in compliance with local and national regulations.
 Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.
 Dispose of as unused product.
 Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA**

UN/ID No. : UN 2079
 Proper shipping name : Diethylenetriamine
 Class : 8
 Packing group : II
 Labels : Corrosive
 Packing instruction (cargo aircraft) : 855
 Packing instruction (passenger aircraft) : 851

IMDG

UN number : UN 2079
 Proper shipping name : DIETHYLENETRIAMINE
 Class : 8
 Packing group : II
 Labels : 8
 EmS Code : F-A, S-B
 Marine pollutant : no

EPIBOND® 156 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**DOT Classification**

UN/ID/NA number : UN 2079
 Proper shipping name : DIETHYLENETRIAMINE

Class : 8
 Packing group : II
 Labels : CORROSIVE
 ERG Code : 154
 Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)
 Respiratory or skin sensitisation
 Specific target organ toxicity (single or repeated exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIC : On the inventory, or in compliance with the inventory

INZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

EPIBOND® 156 B US

Version 2.0 Revision Date: 03/12/2021 SDS Number: 400001008595 Date of last issue: 08/15/2017
 Date of first issue: 08/15/2017

Print Date 04/30/2021

KECI : On the inventory, or in compliance with the inventory
 PICCS : On the inventory, or in compliance with the inventory
 IECSC : On the inventory, or in compliance with the inventory
 TCSI : On the inventory, or in compliance with the inventory
 TSCA : All substances listed as active on the TSCA inventory

Inventories


AllC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

| | |
|-----------------|---|
| HEALTH | 3 |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 03/12/2021

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
 NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

ACGIH / TWA : 8-hour, time-weighted average
 NIOSH REL. / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

EPIBOND® 156 B US

| | | | |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 08/15/2017 |
| 2.0 | 03/12/2021 | 400001008595 | Date of first issue: 08/15/2017 |

Print Date 04/30/2021

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

