



1.0







SAFETY DATA SHEET

Revision Date:

12/21/2018

HUNTSMAN Enriching lives through innovation

ARALDITE® 2028 A US

Version

SDS Number: Date of last issue: -

Date of first issue: 12/21/2018 400001017152

SECTION 1. IDENTIFICATION

Product name : ARALDITE® 2028 A US

Manufacturer or supplier's details

Company name of supplier

: Huntsman Advanced Materials Americas LLC

Address

Telephone

: P.O. Box 4980 The Woodlands. TX 77387

United States of America (USA) : Non-Emergency: (800) 257-5547

E-mail address of person

responsible for the SDS

: SDS@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

GHS classification in accordance with 29 CFR 1910.1200

Recommended use : Adhesives

SECTION 2. HAZARDS IDENTIFICATION

GHS label elements

Hazard pictograms

Acute toxicity (Inhalation) : Category 4

Respiratory sensitisation : Category 1

Skin sensitisation

: Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P271 Use only outdoors or in a well-ventilated area.



Enriching lives through innovation

ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves.

P285 In case of inadequate ventilation wear respiratory

protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/doctor.

P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container

tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international

regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Hexamethylene diisocyanate, oligomers	28182-81-2	90 - 100
hexamethylene diisocyanate	822-06-0	1 - 3

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : Call a physician or poison control centre immediately.

If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If on skin, rinse well with water.



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

No information available.

Hazardous combustion

products

No hazardous combustion products are known

Specific extinguishing

methods

: No data is available on the product itself.

Further information : No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Ensure adequate ventilation.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Observe label precautions.

Keep in properly labelled containers.

Materials to avoid : water

For incompatible materials please refer to Section 10 of this

SDS.

Further information on

storage stability

Stable under normal conditions.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
hexamethylene diisocyanate	822-06-0	TWA	0.005 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters		Samplin g time	Permissible concentratio n	Basis
hexamethylene diisocyanate	822-06-0	1,6- Hexamethyl ene diamine	Urine	End of shift	15 μg/g creatinine	ACGIH BEI

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and

use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled

release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber Material : Neoprene gloves

Material : PVC

Material : butyl-rubber Break through time : 10 - 480 min

Material : Solvent-resistant gloves (butyl-rubber)

Material : Nitrile rubber
Material : Neoprene gloves

Material : PVC

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow

Odour : slight

Odour Threshold : No data is available on the product itself.



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

pH : Not applicable

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

:

Flash point : 358 °F / 181 °C

Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : < 0.0001 hPa (68 °F / 20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : 1.14 (68 °F / 20 °C)

Density : ca. 1.14 g/cm3 (68 °F / 20 °C)

Solubility(ies)

Water solubility : insoluble (68 °F / 20 °C)

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : ca.896 °F / 480 °C

Method: DIN Method, other

Thermal decomposition : No data is available on the product itself.

Self-Accelerating

decomposition temperature

(SADT)

No data is available on the product itself.

Viscosity

Viscosity, dynamic : 10,000 mPa.s (73 °F / 23 °C)

Method: ISO 3219

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Particle size : No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

No dangerous reaction known under conditions of normal use. Reactivity

: Stable under normal conditions. Chemical stability

: Decomposes when moist. Possibility of hazardous

reactions

No hazards to be specially mentioned.

Conditions to avoid : Exposure to moisture

None known.

Incompatible materials : None known.

Hazardous decomposition

products

Carbon oxides

Nitrogen oxides (NOx)

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

exposure

Information on likely routes of : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity -

Product

: Assessment: The component/mixture is moderately toxic after

short term inhalation.

Components:

Hexamethylene diisocyanate, oligomers:

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

hexamethylene diisocyanate:

Acute dermal toxicity : LD50 (Rat, male and female): > 7,000 mg/kg

Method: OECD Test Guideline 402

Acute toxicity (other routes of : No data available

administration)



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Skin corrosion/irritation

Product:

Assessment: No skin irritation

Serious eye damage/eye irritation

Product:

Assessment: No eye irritation

Respiratory or skin sensitisation

Components:

Hexamethylene diisocyanate, oligomers:

Exposure routes: Skin Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

hexamethylene diisocyanate: Test Type: Maximisation Test

Exposure routes: Skin

Species: Rabbit

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

Exposure routes: Respiratory Tract

Species: Guinea pig

Result: May cause sensitisation by inhalation.

Components:

hexamethylene diisocyanate:

Assessment: Harmful if inhaled., Causes skin irritation., Causes serious eye

irritation.

May cause an allergic skin reaction., May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

Components:

Hexamethylene diisocyanate, oligomers:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Result: negative

hexamethylene diisocyanate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Concentration: 1,0 - 10 ml

Metabolic activation: with and without metabolic activation

Result: negative

Test Type: Ames test

Test system: Salmonella typhimurium Concentration: 6, 12, 20, 25, 50 and 150 µL p

Metabolic activation: with and without metabolic activation



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Result: negative

Components:

hexamethylene diisocyanate:

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Cell type: Bone marrow Application Route: Inhalation

Exposure time: 6 h Dose: 1.47 ppm

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Components:

hexamethylene diisocyanate: Species: Rat, male and female Application Route: Inhalation Exposure time: 24 month(s)

Dose: 0,164 ppm

Frequency of Treatment: 6 hour Method: OECD Test Guideline 453

Result: negative

Carcinogenicity - : No data available

Assessment

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Components:

hexamethylene diisocyanate:

Effects on fertility : Species: Rat, male and female

Application Route: Inhalation Target Organs: Nasal inner lining Method: OECD Test Guideline 422

Result: negative



Enriching lives through innovation

ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Components:

hexamethylene diisocyanate:

Effects on foetal : Species: Rat, male and female development : Application Route: Inhalation

General Toxicity Maternal: No observed adverse effect level:

0.005 ppm

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

STOT - single exposure

Product:

Exposure routes: Inhalation Target Organs: Respiratory Tract

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with respiratory tract irritation.

Exposure routes: Inhalation

Target Organs: Respiratory system

Assessment: The substance or mixture is not classified as specific target organ toxicant, single

exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Hexamethylene diisocyanate, oligomers:

Species: Rat : 3.7 - 4.3 mg/m3

Exposure time: 3 Weeks

Species: Rat : 3.3 - 3.4 mg/m3 Exposure time: 2,160 h

hexamethylene diisocyanate: Species: Rat, male and female

: 0.005 ppm

Application Route: inhalation (vapour)

Test atmosphere: vapour Exposure time: 2 yr Number of exposures: 6 h

Method: OECD Test Guideline 453



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Components:

hexamethylene diisocyanate:

Repeated dose toxicity - : Harmful if inhaled., Causes skin irritation., Causes serious eye

Assessment irritation.

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Ingestion: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Hexamethylene diisocyanate, oligomers:

Toxicity to fish : IC0 (Brachydanio rerio (zebrafish)): > 100 mg/l

Exposure time: 96 h

hexamethylene diisocyanate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 82.8 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.1.



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Hexamethylene diisocyanate, oligomers:

Toxicity to daphnia and other aquatic invertebrates

: IC0 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

hexamethylene diisocyanate:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 89.1 mg/l Exposure time: 48 h

Exposure time: 48 h
Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.2.

Components:

Hexamethylene diisocyanate, oligomers:

Toxicity to algae/aquatic

: EC50 (Desmodesmus subspicatus (green algae)): > 1,000

mg/l

Exposure time: 72 h

hexamethylene diisocyanate:

Toxicity to algae/aquatic

plants

plants

: EgC50 (Desmodesmus subspicatus (green algae)): > 77.4

mg/

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Method: Directive 67/548/EEC, Annex V, C.3.

M-Factor (Acute aquatic

toxicity)

: No data available

Toxicity to fish (Chronic

toxicity)

: No data available

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: No data available

M-Factor (Chronic aquatic

toxicity)

: No data available

Components:

Hexamethylene diisocyanate, oligomers:

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h

hexamethylene diisocyanate:

Toxicity to microorganisms : EC50 (activated sludge): 842 mg/l

Exposure time: 3 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms

: No data available

Plant toxicity : No data available



ARALDITE® 2028 A US

Version SDS Number: Date of last issue: -**Revision Date:**

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Sediment toxicity : No data available

Toxicity to terrestrial

organisms

: No data available

Ecotoxicology Assessment

Components:

hexamethylene diisocyanate:

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Components:

hexamethylene diisocyanate:

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Toxicity Data on Soil : No data available

Other organisms relevant to

the environment

: No data available

Persistence and degradability

Components:

Hexamethylene diisocyanate, oligomers:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0 % Exposure time: 28 d

hexamethylene diisocyanate:

Biodegradability Inoculum: activated sludge

Concentration: 100 mg/l

Result: Not readily biodegradable.

Biodegradation: 48 % Exposure time: 28 d

Method: OECD Test Guideline 301F

Biochemical Oxygen

Demand (BOD)

: No data available

Chemical Oxygen Demand

(COD)

: No data available

BOD/COD No data available

ThOD : No data available

BOD/ThOD No data available

Dissolved organic carbon

(DOC)

No data available

Physico-chemical

removability

: No data available



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage

Treatment

: No data available

Bioaccumulative potential

Components:

hexamethylene diisocyanate:

Bioaccumulation : Bioconcentration factor (BCF): 3.2

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: No data available

Mobility in soil

: No data available Mobility

Components:

hexamethylene diisocyanate:

Distribution among

environmental compartments

Stability in soil

: Koc: 1665 - 5861

: No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound

halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

: No data available

Global warming potential

: No data available



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

(GWP)

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of as hazardous waste in compliance with local and

national regulations.

Dispose of contents/ container to an approved waste disposal

plant.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT Classification

Not regulated as dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
hexamethylene diisocyanate	822-06-0	100	10000

SARA 311/312 Hazards : Respiratory or skin sensitisation

Acute toxicity (any route of exposure)

Specific target organ toxicity (single or repeated exposure)



ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

hexamethylene 822-06-0 >= 1 - < 5 %

diisocyanate

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR

61):

hexamethylene 822-06-0

diisocyanate

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

CH INV : The formulation contains substances listed on the Swiss

Inventory

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.



ARALDITE® 2028 A US


Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Special hazard.

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 12/21/2018

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

ACGIH / TWA : 8-hour, time-weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.




ARALDITE® 2028 A US

Version Revision Date: SDS Number: Date of last issue: -

1.0 12/21/2018 400001017152 Date of first issue: 12/21/2018









6550 Oley Speaks Way Canal Winchester, OH 43110



www.RudolphBros.Com RBCsupport@RudBro.Com