ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/13/2017	400001012596	Date of first issue: 06/13/2017

SECTION 1. IDENTIFICATION

Product name	: ARALDITE® 2040 A US		
Manufacturer or supplier's de	tails		
Company name of supplier Address	 Huntsman Advanced Materials Americas LLC P.O. Box 4980 The Woodlands, TX 77387 United States of America (USA) 		
Telephone	: Non-Emergency: (800) 257-5547		
E-mail address of person responsible for the SDS	: MSDS@huntsman.com		
Emergency telephone number	: Chemtrec: (800) 424-9300 or (703) 527-3887		
Recommended use of the chemical and restrictions on use			
Recommended use	: Component of a Polyurethane System.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Inhalation)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2B
Respiratory sensitisation	: Category 1
Skin sensitisation	: Category 1
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)

2

GHS label elements

Hazard	pictograms
nazara	piologiamo



Signal word	: Danger	
Hazard statements	 H315 + H320 Causes skin and eye irritation. H317 May cause an allergic skin reaction. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breat difficulties if inhaled. H335 May cause respiratory irritation. 	hing



Enriching lives through innovation

HUNTSMAN

ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/13/2017	400001012596	Date of first issue: 06/13/2017
Preca	autionary statements	P264 Wash ski P271 Use only P272 Contamir the workplace. P280 Wear pro P285 In case of protection. Response: P302 + P352 If P304 + P340 + and keep comf CENTER/docto P305 + P351 + for several min to do. Continue P333 + P313 If attention. P337 + P313 If attention. P342 + P311 If POISON CENT P362 Take off of Storage: P403 + P233 Stightly closed. P405 Store loc Disposal: P501 Dispose of	f inadequate ventilation wear respiratory FON SKIN: Wash with plenty of soap and water P312 IF INHALED: Remove person to fresh air ortable for breathing. Call a POISON or if you feel unwell. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and ease rinsing. skin irritation or rash occurs: Get medical advice eye irritation persists: Get medical advice/ experiencing respiratory symptoms: Call a TER/doctor. contaminated clothing and wash before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical nature	:	Mixture
-----------------	---	---------

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Oxirane, methyl-, polymer with oxirane, ether	ACCN # 55186	90 - 100
with 1,2,3-propanetriol (3:1), polymer with 1,1'-		
methylenebis[4-isocyanatobenzene]		

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

HUNTSMAN

ARALDITE® 2040 A US

Version 1.0	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
General advice		Get medical att Show this safet Move out of da Show this safet	e victim unattended. ention immediately if symptoms occur. y data sheet to the doctor in attendance.
If inhaled		Call a physiciar Keep patient w Keep respirator If breathing is d If breathing is d If breathing is in respiration. If unconscious, advice. Consult a physi shortness of bro A hyper-reactiv diisocyanates n The exposed po surveillance for LC50 (rat) : ca. produced respir <5microns.	ifficult, give oxygen. regular or stopped, administer artificial place in recovery position and seek medical cian immediately if symptoms such as eath or asthma are observed. e response to even minimal concentrations of nay develop in sensitised persons. erson may need to be kept under medical
In cas	e of skin contact	of water. Take off contar Wash contamir Thoroughly clea Call a physiciar An MDI study h cleanser (such more effective t	act, immediately flush skin with soap and plenty ninated clothing and shoes immediately. hated clothing before reuse. an shoes before reuse. n if irritation develops or persists. as demonstrated that a polyglycol-based skin as D-TamTM, PEG-400) or corn oil may be han soap and water. persists, call a physician.
In cas	e of eye contact	If on skin, rinse If on clothes, re Rinse immediat for at least 15 n If easy to do, re Protect unharm Keep eye wide If eye irritation p	well with water. move clothes. tely with plenty of water, also under the eyelids, ninutes. move contact lens, if worn. ed eye. open while rinsing. persists, consult a specialist.
		Remove contact Protect unharm	

ARALDITE® 2040 A US

HUNTSMAN

Version Revision Date: SDS Number: Date of last issue: -400001012596 1.0 06/13/2017 Date of first issue: 06/13/2017 If eye irritation persists, consult a specialist. If swallowed : Gently wipe or rinse the inside of the mouth with water. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Keep respiratory tract clear. Keep at rest. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. Most important symptoms 5 Severe allergic skin reactions, bronchiospasm and anaphylactic shock and effects, both acute and This product is a respiratory irritant and potential respiratory delayed sensitiser: repeated inhalation of vapour or aerosol at levels above the occupational exposure limit could cause respiratory sensitisation. Symptoms may include irritation to the eyes, nose, throat and lungs, possibly combined with dryness of the throat, tightness of chest and difficulty in breathing. The onset of the respiratory symptoms may be delayed for several hours after exposure. A hyper-reactive response to even minimal concentrations of MDI may develop in sensitised persons. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If potential for exposure exists refer to Section 8 for specific personal protective equipment. First Aid responders should pay attention to self-protection and use the recommended protective clothing Symptomatic and supportive therapy as needed. Following Notes to physician severe exposure medical follow-up should be monitored for at least 48 hours. The first aid procedure should be established in consultation with the doctor responsible for industrial medicine. Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours.

HUNTSMAN

ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/13/2017	400001012596	Date of first issue: 06/13/2017

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	Water may be used if no other available and then in copious quantities. Reaction between water and hot isocyanate may be vigorous.
Specific hazards during firefighting	:	Do not allow run-off from fire fighting to enter drains or water courses. The pressure in sealed containers can increase under the influence of heat. Exposure to decomposition products may be a hazard to health. No data is available on the product itself.
Hazardous combustion products	:	Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke). Nitrogen oxides (NOx) Hydrogen cyanide (hydrocyanic acid) No hazardous combustion products are known
Specific extinguishing methods	:	Cool containers/tanks with water spray.
Further information	:	Standard procedure for chemical fires. Due to reaction with water producing CO2-gas, a hazardous build-up of pressure could result if contaminated containers are re-sealed. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Immediately evacuate personnel to safe areas. Use personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

HUNTSMAN

ARALDITE® 2040 A US

Version 1.0	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
		equipment n For additiona section 7. Never return Make sure th absorbent m The danger relevant war Treat recover consideratio	d personnel equipped with suitable protective nay intervene. al precautions and advice on safe handling, see spills in original containers for re-use. nat there is a sufficient amount of neutralizing/ aterial near the storage area. areas must be delimited and identified using ning and safety signs. ered material as described in the section "Disposal ns". considerations see section 13.
Enviro	onmental precautions	environment Do not allow Prevent proc Prevent furth Local author cannot be co	material to contaminate ground water system. duct from entering drains. her leakage or spillage if safe to do so. ities should be advised if significant spillages ontained. t contaminates rivers and lakes or drains inform
	ods and materials for inment and cleaning up	Contain spill material, (e.g and transfer national regu Clean contain Sweep up of container for Neutralize si The compos Section 16. Remove and Clean-up me If the product Spilled MDI The area sho dust particle If the product Soak up with acid binder, Leave to rea Shovel into of Wash the sp Test atmosp	ethods - small spillage age, soak up with non-combustible absorbent g. sand, earth, diatomaceous earth, vermiculite) to a container for disposal according to local / ulations (see section 13). minated surface thoroughly. • vacuum up spillage and collect in suitable of disposal. mall spillages with decontaminant. itions of liquid decontaminants are given in dispose of residues. ethods - large spillage t is in its solid form: flakes should be picked up carefully. ould be vacuum cleaned to remove remaining s completely. t is in its liquid form: ninert absorbent material (e.g. sand, silica gel, universal binder, sawdust). ct for at least 30 minutes. open-top drums for further decontamination. illage area with water. here for MDI vapour. able, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Ensure that eyewash stations and safety showers are close to the workstation location.
Local/Total ventilation	: Use only with adequate ventilation.

HUNTSMAN

ARALDITE® 2040 A US

Versi		Revision Date:	SDS	Number:	Date of last issue: -
1.0	on	06/13/2017		01012596	Date of first issue: 06/13/2017
		on protection against explosion			for preventive fire protection.
	Advice	on safe handling	A D D D D A S a P K C D re P a b	void formation o to not breathe va- to not breathe va- to not swallow. To not get in eyes to not get on skin void exposure - moking, eating a pplication area. rovide sufficient eep container cl open drum carefu- spose of rinse va- egulations. ersons suscepti-	apours or spray mist. apours/dust. s or mouth or on skin.
(Conditio	ons for safe storage	pi K O P E te C	lace. Leep in properly la bbserve label preca rotect from moistu lectrical installation cohnological safety	autions. are. ons / working materials must comply with the y standards. re opened must be carefully resealed and kept
1	Materia	ls to avoid	A B N	cids mines ases letals rater	
	Recom	mended storage ature	: 2	- 40 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator

HUNTSMAN Enriching lives through innovation

		•	Enriching lives through innovation
ARALD	DITE® 2040 A U	S	
Version 1.0	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
		indicates this is Respirator sele exposure levels	an approved standard if a risk assessment s necessary. In the hazards of the product and the safe of the selected respirator.
Hand Rema	protection arks	with the produce Protective glov made polyureth	for a specific workplace should be discussed cers of the protective gloves. es should be worn when handling freshly nane products to avoid contact with trace als which may be hazardous in contact with
		EN374: protect microorganism provide suitable polyethylene, F laminated ("EV Nitrile/butadien	esistant gloves classified under Standard ive gloves against chemicals and s. Examples of glove materials that might e protection include: Butyl rubber, Chlorinated Polyethylene, Ethyl vinyl alcohol copolymers AL"), Polychloroprene (Neoprene*), e rubber ("nitrile" or "NBR"), Polyvinyl chloride I"), Fluoroelastomer (Viton*).
		glove with prote	ed or frequently repeated contact may occur, a ection class of 5 or higher (breakthrough time 0 minutes according to EN374) is
		class of 3 or high minutes accord	f contact is expected, a glove with protection gher (breakthrough time greater than 60 ling to EN374) is recommended. gloves should be decontaminated and
		application and take into accound not limited to the requirements (ection of a specific glove for a particular I duration of use in a workplace should also int all requisite workplace factors such as, but other chemicals that may be handled, physical cut/puncture protection, dexterity, thermal well as instructions/specifications provided by lier.
Eye p	protection	be used when to avoid expose Chemical splas Always wear e eye contact wit Please follow a selecting prote	ye protection when the potential for inadvertent h the product cannot be excluded. Il applicable local/national requirements when ctive measures for a specific workplace. ewash stations and safety showers are close
Skina	and body protection	: Impervious clot	thing protection according to the amount and

Choose body protection according to the amount and

HUNTSMAN

ARALDITE® 2040 A US

Version 1.0	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
		Recommended Overall (prefere	of the dangerous substance at the work place. d: ably heavy cotton) or Tyvek-Pro Tech 'C' , lisposable coverall.
Prote	ective measures	gloves, safety The type of pro to the concentr at the specific Ensure that ey	ctive equipment comprising: suitable protective goggles and protective clothing otective equipment must be selected according ration and amount of the dangerous substance workplace. e flushing systems and safety showers are o the working place.
Hygiene measures		practice. Wash face, ha handling. Remove conta before entering When using do Contaminated workplace. Wash hands be the product.	ardance with good industrial hygiene and safety ands and any exposed skin thoroughly after minated clothing and protective equipment geating areas. o not eat, drink or smoke. work clothing should not be allowed out of the efore breaks and immediately after handling efore breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	milky
		white
Odour	:	slight
Odour Threshold	:	No data is available on the product itself.
рН	:	No data is available on the product itself.
Freezing point	:	No data is available on the product itself.
Melting point		No data is available on the product itself.
Boiling point		No data is available on the product itself.
Flash point	:	> 93 °C Method: estimated, closed cup
Evaporation rate	:	No data is available on the product itself.
Flammability (solid, gas)	:	No data is available on the product itself.
Flammability (liquids)	:	No data is available on the product itself.

HUNTSMAN

ARALDITE® 2040 A US

Versi 1.0		Revision Date: 6/13/2017		8 Number: 001012596	Date of last issue: - Date of first issue: 06/13/2017
I	Upper exp	olosion limit	:	No data is availat	ble on the product itself.
I	Lower exp	olosion limit	:	No data is availat	ble on the product itself.
v	Vapour pi	ressure	:	No data is availat	ble on the product itself.
I	Relative v	apour density	:	No data is availat	ble on the product itself.
I	Relative c	lensity	:	1.14	
I	Density		:	No data is availat	ble on the product itself.
:	Solubility(Water :	ies) solubility	:	Water reactive	
	Solubili	ity in other solvents	:	No data is availat	ble on the product itself.
	Partition o	coefficient: n-	:	No data is availat	ble on the product itself.
		ion temperature	:	No data is availat	ble on the product itself.
-	Thermal o	decomposition	:	No data is availat	ble on the product itself.
(Self-Acce decompo: (SADT)	lerating sition temperature	:	No data is availat	ble on the product itself.
v	Viscosity		:	No data is availat	ble on the product itself.
I	Explosive	properties	:	No data is availat	ble on the product itself.
(Oxidizing	properties	:	No data is availat	ble on the product itself.
I	Particle si	ze	:	No data is availat	ble on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions	 No dangerous reaction known under conditions of normal use. Stable under normal conditions. Reaction with water (moisture) produces CO2-gas. Exothermic reaction with materials containing active hydrogen groups. The reaction becomes progressively more vigorous and can be violent at higher temperatures if the miscibility of the reaction partners is good or is supported by stirring or by the presence of solvents. MDI is insoluble with, and heavier than water and sinks to the bottom but reacts slowly at the interface. A solid water-insoluble layer of polyurea is formed at the interface by liberating carbon dioxide gas.
Conditions to avoid	: Extremes of temperature and direct sunlight. Exposure to air or moisture over prolonged periods.



Enriching lives through innovation

ARALDITE® 2040 A US

Version 1.0	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
Incor	npatible materials	: Acids Amines Bases Metals water	
Haza produ	rdous decomposition ucts	nitrogen (NOx) Hydrocarbons Hydrogen cyar	e (CO2), carbon monoxide (CO), oxides of , dense black smoke. nide (hydrocyanic acid) ces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: No data is available on the product itself.				
Acute toxicity					
Acute oral toxicity	: No data available				
Acute inhalation toxicity - Product	: Acute toxicity estimate: 11.58 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method				
Acute dermal toxicity - Product	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method				
Acute toxicity (other routes of administration)	: No data available				
Skin corrosion/irritation					
Product:					
Remarks: May cause skin irritation and/or dermatitis.					
Serious eye damage/eye irrit	ation				
Product:					
Remarks: May cause irreversit	ble eye damage.				
Respiratory or skin sensitisation					
Product:					
Remarks: Causes sensitisation	1.				
Assessment:	No data available				
Germ cell mutagenicity					

ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:	Date of last is
1.0	06/13/2017	400001012596	Date of first is

Genotoxicity in vivo : No data available

Carcinogenicity

Product:

Remarks: Rats have been exposed for two years to a respirable aerosol of polymeric MDI which resulted in a chronic pulmonary irritation at high concentrations. Only at the top level (6 mg/m3), there was a significant incidence of a benign tumour of the lung (adenoma) and one malignant tumour (adenocarcinoma). There were no lung tumours at 1 mg/m3 and no effects at 0.2 mg/m3. Overall, the tumour incidence, both benign and malignant, and the number of animals with the tumours were not different from controls. The increased incidence of lung tumours is associated with prolonged respiratory irritation and the concurrent accumulation of yellow material in the lung, which occurred throughout the study. In the absence of prolonged exposure to high concentrations leading to chronic irritation and lung damage, it is highly unlikely that tumour formation will occur.

Carcinogenicity - Assessment	: No data available
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Reproductive toxicity	
Effects on fertility	: No data available
Effects on foetal development	: No data available
Reproductive toxicity - Assessment	: No data available

STOT - single exposure

Components:

Oxirane, methyl-, polymer with oxirane, ether with 1,2,3-propanetriol (3:1), polymer with 1,1'methylenebis[4-isocyanatobenzene]: Exposure routes: Inhalation Target Organs: Respiratory Tract Assessment: May cause respiratory irritation.



Date of last issue: -Date of first issue: 06/13/2017

HUNTSMAN Enriching lives through innovation

ARALDITE® 2040 A US

	DITE® 2040 A	00	
rsion	Revision Date: 06/13/2017	SDS Number: 400001012596	Date of last issue: - Date of first issue: 06/13/2017
STOT	 repeated exposi 	ıre	
No da	ata available		
-	ated dose toxicity ata available		
•	ated dose toxicity - ssment	: No data available	
-	ration toxicity ata available		
Expe	rience with human	exposure	
Gene	ral Information:	No data available	
Inhala	ation:	No data available	
Skin d	contact:	No data available	
Eye c	contact:	No data available	
Inges	tion:	No data available	
	cology, Metabolism ata available	n, Distribution	
	ological effects ata available		
Furth	er information		
Prod	uct:		
	arks: No data availal		

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity		
Toxicity to fish	:	No data available
Toxicity to daphnia and other aquatic invertebrates	:	No data available
Toxicity to algae	:	No data available

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2040 A US

Vers 1.0	sion	Revision Date: 06/13/2017		S Number: 0001012596	Date of last issue: - Date of first issue: 06/13/2017
	M-Factor toxicity)	or (Acute aquatic	:	No data available	
	Toxicity toxicity)	y to fish (Chronic	:	No data available	
	aquatic	to daphnia and other invertebrates c toxicity)	:	No data available	
	M-Factor toxicity)	or (Chronic aquatic	:	No data available	
	Toxicity	to microorganisms	:	No data available	
	Toxicity organis	r to soil dwelling ms	:	No data available	
	Plant to	oxicity	:	No data available	
	Sedime	ent toxicity	:	No data available	
	Toxicity organis	r to terrestrial ms	:	No data available	
		cology Assessment iquatic toxicity	:	No data available	
	Chronic	aquatic toxicity	:	No data available	
	Toxicity	Data on Soil	:	No data available	
		rganisms relevant to ironment	:	No data available	
	Persist	ence and degradabili	ty		
	Biodeg	radability	:	No data available	
		nical Oxygen d (BOD)	:	No data available	
	Chemic (COD)	al Oxygen Demand	:	No data available	
	BOD/C	OD	:	No data available	
	ThOD		:	No data available	
	BOD/TI	nOD	:	No data available	
	Dissolv (DOC)	ed organic carbon	:	No data available	

HUNTSMAN

Enriching lives through innovation

ARALDITE® 2040 A US

Version 1.0	Revision Date: 06/13/2017	-	0S Number: 0001012596	Date of last issue: - Date of first issue: 06/13/2017
	ico-chemical ovability	:	No data available	
Stabi	ility in water	:	No data available	
Phote	odegradation	:	No data available	
	act on Sewage tment	:	No data available	
Bioa	ccumulative potential			
Bioa	ccumulation	:	No data available	
	tion coefficient: n- nol/water	:	No data available	
	ility in soil			
Mobi	lity	:	No data available	
	ibution among onmental compartments	:	No data available	
Stabi	ility in soil	:	No data available	
Othe	er adverse effects			
Envir path	ronmental fate and ways	:	No data available	
	Ilts of PBT and vPvB ssment	:	No data available	
Endo poter	ocrine disrupting ntial	:	No data available	
	orbed organic bound gens (AOX)	:	No data available	
Haza	ardous to the ozone laye	ər		
Ozor	ne-Depletion Potential	:	Protection of Strat Substances Remarks: This pro manufactured with	R Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I oduct neither contains, nor was n a Class I or Class II ODS as defined by the t Section 602 (40 CFR 82, Subpt. A, App.A +
	tional ecological mation - Product	:	No data available	
	al warming potential	:	No data available	

HUNTSMAN

ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:	Da
1.0	06/13/2017	400001012596	Da

Date of last issue: -Date of first issue: 06/13/2017

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

ΙΑΤΑ

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT Classification Not regulated as dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards	:	Acute Health Hazard
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Enriching lives through innovation

HUNTSMAI

ARALDITE® 2040 A US

	Number:Date of last issue: -001012596Date of first issue: 06/13/2017
--	--

The components of this product are reported in the following inventories:

CH INV	: The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals


No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION





HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Liquid decontaminants (percentages by weight or volume) : Decontaminant 1 : *- sodium carbonate : 5 - 10 % *- liquid detergent : 0.2 - 2 % *- water : to make up to 100 % Decontaminant 2 : *- concentrated ammonia solution : 3 - 8 % *- liquid detergent : 0.2 - 2 % *water : to make up to 100 %

Enriching lives through innovation

HUNTSMAD

ARALDITE® 2040 A US

Version	Revision Date:	SDS Number:
1.0	06/13/2017	400001012596

Date of last issue: -Date of first issue: 06/13/2017

Decontaminant 1 reacts slower with diisocyanates but is more environmentally friendly than decontaminant 2.

Decontaminant 2 contains ammonia. Ammonia presents health hazards. (See supplier safety information.)

Revision Date : 06/13/2017

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.



Authorized Distributor

1-800-375-0605 www.rudolphbros.com