

Print Date 02/23/2022 Page 1 of 9

## **SAFETY DATA SHEET**

## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name H.B. Fuller® UR-2139-B

Product code 100000002968

Manufacturer or supplier's details

Company H.B. Fuller Company

Address 1200 Willow Lake Boulevard

Vadnais Heights, MN 55110

Telephone 1-888-423-8553

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use Isocyanate based product

Restrictions on use For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Color	amber
Odor	Neutral

#### **GHS Classification**

Acute toxicity (Inhalation) Category 4 Skin irritation Category 2 Eye irritation Category 2A Respiratory sensitization Category 1 Skin sensitization Category 1

Specific target organ toxicity -Category 3 (Respiratory system)

single exposure

Specific target organ toxicity -

: Category 2 (Respiratory Tract)

repeated exposure

(Inhalation)

**GHS** label elements

Hazard pictograms



Signal Word : Danger

**Hazard Statements:** 



## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure if inhaled.

#### **Precautionary Statements:**

Prevention: P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eve protection/ face protection. P285 In case of inadequate ventilation wear respiratory protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P362 Take off contaminated clothing and wash before reuse.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

#### **Potential Health Effects**

Aggravated Medical

Condition

Symptoms of Overexposure

: None known.

: Breathing difficulties

#### Carcinogenicity:

**IARC** No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous ingredients**

Chemical name	CAS-No.	Concentration [%]
4,4'-methylenediphenyl diisocyanate	101-68-8	50 - 70
Proprietary Isocyanate Prepolymer	0-00-0	30 - 50
triethyl phosphate	78-40-0	1 - 5

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.









## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Get medical attention if irritation develops and persists.

Take off contaminated clothing and shoes immediately.

Wash contaminated clothing before re-use.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Do not induce vomiting. If conscious, give 2 glasses of water.

Get immediate medical attention.

Most important symptoms and effects, both acute and

delayed

: Breathing difficulties

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during fire

fighting

: Burning produces irritant fumes.

Special protective equipment

for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

: Refer to protective measures listed in sections 7 and 8.

Soak up with inert absorbent material.
 Shovel into suitable container for disposal.
 Neutralize with the following product(s):

Ammonia

#### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Protect from moisture.

Avoid inhalation, ingestion and contact with skin and eyes.

Materials to avoid : No special restrictions on storage with other products.







## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
4,4'-methylenediphenyl diisocyanate	101-68-8	TWA	0.005 ppm	ACGIH
		С	0.02 ppm 0.2 mg/m3	OSHA Z-1
		С	0.02 ppm 0.2 mg/m3	OSHA P0
		PEL	0.005 ppm 0.051 mg/m3	CAL PEL

**Engineering measures** : Use local exhaust ventilation or other engineering controls to

minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection

Material : Nitrile rubber

Eye protection : Safety glasses with side-shields

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid
Color : amber
Odor : Neutral

Odor Threshold : No data available

Melting point/freezing point : is not determined

Initial boiling point and boiling : is not determined

range

Flash point : Not applicable

Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit

is not determined









## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

Lower explosion limit : Lower flammability limit

is not determined

Density : 10.0 - 10.2 lb/gal

Solubility(ies)

Water solubility : is not determined Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : is not determined

Viscosity

Viscosity, dynamic : is not determined Viscosity, kinematic : is not determined

Solid Content, % by weight: : 100

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Container can be pressurized by carbon dioxide due to

reaction with humid air and/or water.

Chemical stability : The product is chemically stable.

Possibility of hazardous

reactions

: Hazardous polymerization does not occur.

Incompatible materials : Amines

Strong acids and strong bases

Hazardous decomposition

products

: Stable under normal conditions.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

#### **Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : 2.44 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

#### **Components:**

4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity : LC50 : 1.5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation









## H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

**Aspiration toxicity** 

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

## **Disposal methods**

Waste from residues

: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best









## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

> practice. Consult state, local or provincial authorities for more restrictive requirements.

#### **SECTION 14. TRANSPORT INFORMATION**

Special precautions for user

Remarks : 49CFR: Not dangerous goods in non-bulk packaging.

**Domestic regulation** 

**49 CFR** 

: 3082 UN/ID/NA number

Proper shipping name : Environmentally hazardous substances, liquid, n.o.s.

(METHYLENE DIISOCYANATE)

Class : 9 Packing group : 111 Labels : 9 **ERG Code** : 171 Marine pollutant : no

### **International Regulations**

**UNRTDG** 

Not regulated as a dangerous good

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitization

Specific target organ toxicity (single or repeated exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

**SARA 302** : This material does not contain any components with a section 302

EHS TPQ.









## H.B. Fuller® UR-2139-B

Version 1.3 Revision Date 12/17/2019

**SARA 313** : The following components are subject to reporting levels established

by SARA Title III, Section 313:

4,4'-methylenediphenyl diisocyanate 101-68-8

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

4,4'-methylenediphenyl diisocyanate 101-68-8

**US State Regulations** 

California Prop 65 Please contact Supplier for more information.

### The ingredients of this product are reported in the following inventories:

TSCA All substances listed as active on the TSCA inventory

On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV


(Taiwan)

#### **SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

### **Further information**

## NFPA:



Special hazard

#### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and









# H.B. Fuller® UR-2139-B

Version 1.3

Revision Date 12/17/2019

consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.



