









Oligomers . Adhesives . Coatings . Dispensing . Light-Curing Systems

# Safety Data Sheet

according to HazCom 2012

SDS #: 3083

3083

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

**Product Name** 3083

Other means of identification

3083 **Product Code** 

**Synonyms** Not applicable

Recommended use of the chemical and restrictions on use

Identified uses Adhesives.

No information available Uses advised against

Details of the supplier of the safety data sheet

**Manufacturer Address** Dymax Corporation

> 318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010

Fax: 860-496-0608

North American Safety Department @ 1-860-482-1010 Information department:

North America: Chemtrec @ 1-800-424-9300 (24hrs) **Emergency Telephone** 

2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Physical state Color colorless to light amber

Odor Characteristic **Appearance** transparent

Classification

**OSHA Regulatory Status** 

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Skin corrosion/irritation                          | Category 2 |
|--|------------|
| Serious eye damage/eye irritation                  | Category 1 |
| Carcinogenicity                                    | Category 2 |
| Reproductive toxicity                              | Category 2 |
| Specific target organ toxicity (single exposure)   | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

**Target Organ Effects** 

Respiratory system, Reproductive System.

GHS Label elements, including precautionary statements

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02



Signal word Danger

#### **Hazard statements**

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H361 - Suspected of damaging fertility or the unborn child

H373 - May cause damage to organs through prolonged or repeated exposure

#### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

# **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

# Hazards not otherwise classified (HNOC)

None

# Other Information

#### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Chemical Name         | CAS No.     | Weight-% | Trade Secret | Classification (Reg. 1272/2008)  |
|-----------------------|-------------|----------|--------------|--|
| 1-vinyl-2-pyrrolidone | Proprietary | 25-39    | *            | Acute Tox. 4 (H302)<br>Acute Tox. 4 (H312)<br>Acute Tox. 4 (H332)<br>STOT SE 3 (H335)<br>STOT RE 2 (H373)<br>Eye Dam. 1 (H318)<br>Carc. 2 (H351) |
| Isobornyl Acrylate    | 5888-33-5   | 10-24    | *            | STOT SE 3 (H335)<br>Skin Irrit. 2 (H315)<br>Eye Irrit. 2 (H319)  |

**Issue Date** 2017-11-14 **Revision Date** 2017-11-14 **Version** 2.02

|                        |             |     |   | Aquatic Chronic 2 (H411)   |
|------------------------|-------------|-----|---|----------------------------|
| Photoinitiator         | Proprietary | 1-3 | * | Acute Tox. 4 (H302)        |
|                        |             |     |   | Aquatic Chronic 2 (H411)   |
| Visible Photoinitiator | Proprietary | <1  | * | Skin Sens. Cat 1B (H317)   |
|                        |             |     |   | Repr. 2 (H361f)            |
|                        |             |     |   | Aquatic Chronic 2 (H411)   |
|                        |             |     |   | Aquatic Acute Cat 2 (H401) |

Remaining ingredients are not considered hazardous in accordance with the Globally Harmonized System (GHS)

# 4. FIRST AID MEASURES

#### First aid measures

#### General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

#### Eye contact

Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

#### Skin Contact

Wash off immediately with plenty of water, Get medical attention if irritation develops and persists.

#### Inhalation

Remove to fresh air, If symptoms persist, call a physician.

#### Ingestion

If swallowed, Rinse mouth, Get medical attention.

# Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# Most important symptoms and effects, both acute and delayed

# **Main Symptoms**

No information available.

### Indication of any immediate medical attention and special treatment needed

# Note to physicians

Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use CO2, dry chemical, or foam.

### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

# Specific hazards arising from the chemical

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

# **Hazardous combustion products**

Hazardous decomposition products due to incomplete combustion.

# **Explosion data**

Sensitivity to Mechanical Impact None.

Page 3 / 9

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

SDS #: 3083

# 3083

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02

Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

#### Personal precautions

Ensure adequate ventilation, Wear protective gloves/clothing and eye/face protection.

#### Environmental precautions

#### **Environmental precautions**

Do not allow material to contaminate ground water system, Try to prevent the material from entering drains or water courses, See Section 12 for additional Ecological Information, Local authorities should be advised if significant spillages cannot be contained.

#### Other Information

See Section 12 for additional Ecological Information.

# Methods and material for containment and cleaning up

#### **Methods for containment**

Prevent further leakage or spillage if safe to do so.

#### Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7. HANDLING AND STORAGE

# Precautions for safe handling

#### Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice

Ensure adequate ventilation

Protect from light

# Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place

Protect from light

### Incompatible products

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers, Thiosulfates.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

# **Exposure Guidelines**

Chemical NameACGIH TLVOSHA PELNIOSH IDLH1-vinyl-2-pyrrolidone<br/>25-39TWA: 0.05 ppm-

#### ACGIH (American Conference of Governmental Industrial Hygienists)

TLV - Threshold Limit Value

Page 4/9

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02

# **Appropriate engineering controls**

#### **Engineering Measures**

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Safety glasses with side-shields, If splashes are likely to occur, wear:, Goggles.

# Skin and body protection

Wear protective gloves and protective clothing.

### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required, Do not breathe vapors, mist or gas.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice, When using do not eat, drink or smoke, Wear suitable gloves and eye/face protection, Wash hands before breaks and at the end of workday, Regular cleaning of equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Color   | liquid<br>transparent<br>colorless to light amber                                | Odor<br>Odor threshold  | Characteristic No information available |
|---|--|---|---|
| Property pH Melting point / freezing point Boiling point / boiling range                      | <u>Values</u> 101 °C / 213 °F  | Remarks / • Method No information available No information available No information available       |   |
| Flash point<br>Evaporation rate<br>Flammability (solid, gas)<br>Flammability Limit in Air     | 101 C / 213 F  | No information available<br>No information available  |   |
| Upper flammability limit<br>Lower flammability limit<br>Vapor pressure                        | -  | No information available  |   |
| Vapor density Specific Gravity Water Solubility Solubility in other solvents                  | Practically insoluble  | No information available No information available No information available                          |   |
| Partition coefficient: n-octanol/wat<br>Autoignition temperature<br>Decomposition temperature | ter  | No information available No information available No information available No information available |   |
| Dynamic viscosity Kinematic viscosity Explosive properties                                    | No information available   | No information available  |   |
| Oxidizing properties  Other Information   | No information available   |   |   |
| Softening point<br>Molecular weight<br>VOC Content (%)  | No information available<br>No information available<br>No information available |   |   |

Page 5/9

**Density** 

No information available

**Issue Date** 2017-11-14 **Revision Date** 2017-11-14 **Version** 2.02

Bulk density No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No information available

### **Chemical stability**

Stable under normal conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Protect from light. Heat, flames and sparks.

# **Incompatible materials**

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers.

#### **Hazardous Decomposition Products**

No decomposition if stored and applied as directed.

#### 11. TOXICOLOGICAL INFORMATION

#### Information on toxicological effects

# **Acute toxicity**

### Information on likely routes of exposure

InhalationThere is no data for this productEye contactThere is no data for this productSkin ContactThere is no data for this productIngestionThere is no data for this product

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

Mutagenic effects No information available.

Reproductive toxicity No information available.

Carcinogenicity .

| Chemical Name         | ACGIH | IARC | NTP | OSHA |
|-----------------------|-------|------|-----|------|
| 1-vinyl-2-pyrrolidone | A3    | -    |     |      |

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

STOT - single exposure STOT - repeated exposure

Target Organ Effects Respiratory system, Reproductive System.

Page 6/9

SDS #: 3083

# 3083

**Issue Date** 2017-11-14 **Revision Date** 2017-11-14 **Version** 2.02

Aspiration hazard No information available.

Other adverse effects No information available.

Chronic toxicity Avoid repeated exposure

### Numerical measures of toxicity - Product Information

0 % of the mixture consists of ingredient(s) of unknown toxicity

# The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 3243 mg/kg
ATEmix (dermal) 3353 mg/kg
ATEmix (inhalation-dust/mist) 9.9 mg/l

### **Component Information**

| Chemical Name         | Oral LD50          | Dermal LD50       | Inhalation LC50     |
|-----------------------|--------------------|-------------------|---------------------|
| 1-vinyl-2-pyrrolidone | 830 mg/kg (Rat)    | 1040 mg/kg (Rat)  | 3.07 mg/L (Rat) 4 h |
| Isobornyl Acrylate    | = 4890 mg/kg (Rat) | > 5 g/kg (Rabbit) |                     |
| Photoinitiator        | > 1700 mg/kg (Rat) | 6929 mg/kg (Rat)  |                     |

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

# Acute aquatic toxicity

# **Product Information**

Testing for acute and chronic aquatic effects determined no environmental classification is required.

# **Component Information**

| Chemical Name          | Toxicity to algae   | Toxicity to fish                            | Toxicity to daphnia and other aquatic invertebrates |
|------------------------|---|---|---|
| 1-vinyl-2-pyrrolidone  | EC50 >1000 mg/L 72 h<br>(Scenedesmus subspicatus)           | LC50 976 mg/L 96 h<br>(Oncorhynchus mykiss) | 45: 48 h Daphnia species mg/L EC50                  |
| Isobornyl Acrylate     | ErC 50 = 2.7 mg/L 96 h<br>(Pseudokirchneriella subcapitata) | LC50 = 1.8 mg/L 96 h<br>(Danio rerio)       | EC 50 = 1.1 mg/L 48 h<br>(Daphnia magna)            |
| Photoinitiator         | EC50 195 mg/l 72 h<br>(green algae)                         | LC50 160 mg/l 48 h<br>(Leuciscus idus)      | EC50 > 119 48 H<br>(Daphnia magna)                  |
| Visible Photoinitiator | -   | LC50 10 mg/l 48 h<br>(Oryzias latipes)      | -   |

Persistence and degradability

No information available.

#### Bioaccumulation

Component Information

|                       | Component information |         |
|-----------------------|-----------------------|---------|
| Chemical Name         |                       | log Pow |
| 1-vinyl-2-pyrrolidone |                       | 0.4     |
|                       | Isobornyl Acrylate    | 4.21    |

#### Mobility in soil

No product level data available.

| 13. DIS | POSAL | CONSI | DERAT | TONS |
|---------|-------|-------|-------|------|
|---------|-------|-------|-------|------|

Page 7/9

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02

# Waste treatment methods

#### **Waste Disposal Methods**

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

#### Contaminated packaging

Dispose of in accordance with local regulations.

### 14. TRANSPORT INFORMATION

**DOT** Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

# 15. REGULATORY INFORMATION

### **International Inventories**

**TSCA** Complies **AICS** Complies Complies **DSL/NDSL EINECS/ELINCS** Complies **ENCS** Complies Complies **IECSC** Complies KECI Complies **NZIoC PICCS** Not listed TCSI Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

# US Federal Regulations

### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

# SARA 311/312 Hazard Categories

Acute health hazard Yes Chronic Health Hazard Yes

Page 8/9

Issue Date 2017-11-14 Revision Date 2017-11-14 Version 2.02

Fire hazard No Sudden release of pressure hazard No Reactive Hazard No

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

| Chemical Name         | New Jersey | Massachusetts | Pennsylvania |
|-----------------------|------------|---------------|--------------|
| 1-vinyl-2-pyrrolidone | X          |               |              |
| Mequinol              | X          | X             | X            |
| Stabilizer            | X          | X             | X            |
| Acrylic acid          | X          | X             | X            |

### 16. OTHER INFORMATION

Prepared By EHS Department Revision Date 2017-11-14

Revision Note No information available

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

end







6550 Oley Speaks Way Canal Winchester, OH 43110



www.RudolphBros.Com RBCsupport@RudBro.Com