

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/23/2017

Reviewed on 06/23/2017

Page 1/8

1 Identification

- · Product identifier
- · Trade name: U3356
- · Application of the substance / the mixture Adhesives
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Cyberbond LLC 401 North Raddant Road Batavia, IL 60510 USA sales@cyberbond1.com 630-761-8900
- · Information department: Product safety department
- Emergency telephone number: International-1-(352)-323-3500 US & Canada-1-(800)-535-5053

^{*} 2 Hazard(s) identification

· Classification of the substance or mixture



Acute Tox. 4H302Harmful if swallowed.Acute Tox. 4H312Harmful in contact with skin.Acute Tox. 4H332Harmful if inhaled.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.STOT SE 3H335May cause respiratory irritation.Flam. Liq. 4H227Combustible liquid.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

N,N-dimethylacrylamide Isobornylmethacrylate acrylic acid 2-hydroxy-2-methylpropiophenone • Hazard statements H227 Combustible liquid. H302+H312+H332 Harmful if swallowed in contact

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.

Reviewed on 06/23/2017

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2017

Trade name: U3356

(Contd. of page 1) H335 May cause respiratory irritation. Precautionary statements Keep away from flames and hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label). IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Rinse mouth. In case of fire: Use for extinction: CO2, powder or water spray. IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7534-94-3	IsobornyImethacrylate	10-25%
2680-03-7	N,N-dimethylacrylamide	10-25%
79-10-7	acrylic acid	1-≤2.5%
7473-98-5	2-hydroxy-2-methylpropiophenone	0.1-≤2.5%

4 First-aid measures

· Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Breathing difficulty
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

Trade name: U3356

Reviewed on 06/23/2017

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
· Environmental precautions:
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seenage into water course or sewage system

Inform respective authorities in case of seepage into water course or sewage system.

• Methods and material for containment and cleaning up: Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:			
2680-03-7	N,N-dimethylacrylamide	0.15 mg/m3	
79-10-7	acrylic acid	1.5 ppm	
150-76-5	mequinol	15 mg/m3	
· PAC-2:			
2680-03-7	N,N-dimethylacrylamide	1.7 mg/m3	
79-10-7	acrylic acid	46 ppm	
150-76-5	mequinol	49 mg/m3	
PAC-3:			
2680-03-7	N,N-dimethylacrylamide	50 mg/m3	
79-10-7	acrylic acid	180 ppm	
150-76-5	mequinol	320 mg/m3	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in the original receptacle.

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

79-10-7 acrylic acidRELLong-term value: 6 mg/m³, 2 ppm
SkinTLVLong-term value: 5.9 mg/m³, 2 ppm
Skin

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 06/23/2017

Trade name: U3356

Reviewed on 06/23/2017

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:

• General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin.

- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

Neoprene gloves

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Not suitable are gloves made of the following materials:

Cotton or natural fibers PVC gloves

· Eye protection:

Safety glasses



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	70 °C (158 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.

Printing date 06/23/2017

Trade name: U3356

Reviewed on 06/23/2017

(Contd. of page 4)

Upper:	Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water)	: Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: VOC content: Other information 	0.0 % 0.0 g/l / 0.00 lb/gl
 Other information 	No further relevant information availab

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

¹11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
79-10-7 acrylic acid	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	
12 Ecological information	

- Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

Reviewed on 06/23/2017

Safety Data Sheet acc. to OSHA HCS

Printing date 06/23/2017

Trade name: U3356

(Contd. of page 5) · Ecotoxical effects: · Remark: Toxic for fish · Additional ecological information: · General notes: Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · Other adverse effects No further relevant information available. 13 Disposal considerations · Waste treatment methods · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. · Uncleaned packagings: · Recommendation: Disposal must be made according to official regulations. 14 Transport information · UN-Number · DOT Void · IMDG, IATA UN3082 · UN proper shipping name · DOT Void · IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Isobornylmethacrylate) · Transport hazard class(es) · DOT Class Void ·IMDG Class 9 Miscellaneous dangerous substances and articles ·IATA · Class 9 Miscellaneous dangerous substances and articles · Packing group · DOT Void · IMDG, IATA Ш · Environmental hazards: · Marine pollutant: No · Special marking (IATA): Symbol (fish and tree) · Special precautions for user Warning: Miscellaneous dangerous substances and articles · EMS Number: F-A,S-F Segregation groups Acids

Printing date 06/23/2017

Trade name: U3356

Reviewed on 06/23/2017

(Contd. of page 6)

 Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

А

- · Transport/Additional information:
- · DOT
- · UN "Model Regulation":

Not Regulated UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (ISOBORNYLMETHACRYLATE), 9, III

^{*}15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	l	
--------	---	--

· Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
79-10-7 acrylic acid	
· TSCA (Toxic Substances Control Act) (Substances not listed):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
79-10-7 acrylic acid	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



Signal word Warning

· Hazard-determining components of labeling:

N,N-dimethylacrylamide Isobornylmethacrylate acrylic acid 2-hydroxy-2-methylpropiophenone Hazard statements H227 Combustible liquid. H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled. H315 Causes skin irritation.

Printing date 06/23/2017

Trade name: U3356

Reviewed on 06/23/2017

e 7)

			(Contd. of page
	H319	Causes serious eye irritation.	
	H335	May cause respiratory irritation.	
	 Precautionary s 		
		flames and hot surfaces. – No smoking.	
		dust/fume/gas/mist/vapors/spray	
		gloves/protective clothing/eye protection/face protection.	
	Wash thoroughly		
		or smoke when using this product.	
		s or in a well-ventilated area.	to do Continuo
	rinsing.	cautiously with water for several minutes. Remove contact lenses, if present and easy	to do. Continue
	0	nt (see on this label).	
		0: Call a POISON CENTER/doctor if you feel unwell.	
		nove person to fresh air and keep comfortable for breathing.	
		ccurs: Get medical advice/attention.	
	If eye irritation per	ersists: Get medical advice/attention.	
	Rinse mouth.		
	In case of fire: Use	se for extinction: CO2, powder or water spray.	
	IF ON SKIN: Was	sh with plenty of water.	
		nated clothing and wash it before reuse.	
	Store locked up.		
		ntilated place. Keep container tightly closed.	
		ntilated place. Keep cool.	
		nts/container in accordance with local/regional/national/international regulations.	
	· Chemical safet	ty assessment: A Chemical Safety Assessment has not been carried out.	
16	6 Other inform	nation	

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: Cyberbond Regulatory Department
- · Date of preparation / last revision 06/23/2017 / 7
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- **REL: Recommended Exposure Limit**
- Flam. Liq. 4: Flammable liquids Category 4
- Acute Tox. 4: Acute toxicity Category 4 Skin Irrit. 2: Skin corrosion/irritation Category 2
- Stron SE 3: Specific target organ toxicity (single exposure) Category 3
- * Data compared to the previous version altered.



Authorized Distributor

1-800-375-0605 www.rudolphbros.com