



Engineering Adhesives		Print Date 09/13/2022 Page 1 of 8		
	SAFETY DATA SHEET			
	Cyberbond™ H4			
Version 1.1	Revision Date 06/17/2020			
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION			
Product name	: Cyberbond™ H4			
Product code	: 10000004703			
Manufacturer or supplie	Manufacturer or supplier's details			
Company	: H.B. Fuller Engineering Adhesi	ves		
Address	: 9001 W Fey Drive			
Telephone	Frankfort, IL, 60423 : 1-815-464-5606			
1 elephone . 1-613-464-5606				
Medical Emergency Phone	e Number (24 Hours): 1-888-853-1758			
Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300				
Recommended use of the chemical and restrictions on use				
Recommended use	: Cyanoacrylate Adhesive			
Restrictions on use	: For industrial use only.			

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	colorless
Odor	pungent

GHS Classification

GHS label elements

Hazard pictograms



Signal Word

Hazard Statements:

H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary Statements:

Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P261



Cyberbond[™] H4

Version 1.1

Revision Date 06/17/2020

Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eve irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients


Chemical name	CAS-No.	Concentration [%]
ethyl 2-cyanoacrylate	7085-85-0	70 - 90
Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo- 2-propenyl)omega[(2-methyl-1-oxo-2- propenyl)oxy]-	25852-47-5	0.1 - 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	 Move to fresh air. If not breathing, give artificial respiration. Keep patient warm and at rest. Consult a physician after significant exposure.
In case of skin contact	 Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Cyanoacrylate. Danger. Bonds skin and eyes in seconds.









	Cyberbond™ H4
Version 1.1	Revision Date 06/17/2020
	Keep out of the reach of children.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids. Seek medical advice.
If swallowed	 If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice.

.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: Water spray jet
Hazardous combustion products Specific extinguishing methods	: Nitrogen oxides (NOx)
Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation.
Environmental precautions	: Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	 Allow to solidify. Pick up and transfer to properly labeled containers. Ventilate the area.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	 Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower.
Conditions for safe storage	 Keep containers tightly closed in a dry, cool and well- ventilated place. Store in original container.





1-800-375-0605 Option 8 for 24/7 Service





Cyberbond™ H4			
Version 1.1	Revision Date 06/17/2020		

Materials to avoid : Do not store together with oxidizing and self-igniting products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethyl 2-cyanoacrylate	7085-85-0	PEL	0.2 ppm 1.02 mg/m3	CAL PEL
		TWA	0.2 ppm	ACGIH
		STEL	1 ppm	ACGIH

Persona	protective	equipment
---------	------------	-----------

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Combined particulates and organic vapor type
Hand protection		
Material		Nitrile rubber
Remarks	•	Do not wear cotton or natural fiber gloves.
Eye protection	:	Tightly fitting safety goggles Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	:	Long sleeved clothing Preventive skin protection
Protective measures	:	Avoid contact with skin.
Hygiene measures	:	Avoid contact with skin, eyes and clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: colorless
Odor	: pungent
Odor Threshold	: No data available
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point	: > 80 °CMethod: closed cup
Evaporation rate	: is not determined











rbcsupport@rudbro.com

SAFETY DATA SHEET

	Cyberbond™ H4
Version 1.1	Revision Date 06/17/2020
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Density Solubility(ies)	: 1.05 g/cm3
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: is not determined
Viscosity Viscosity, kinematic	: is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

	Acute toxicity	
	No data available	
	Skin corrosion/irritation	
	No data available	
	Serious eye damage/eye irritation	
	No data available	
	Respiratory or skin sensitization	
	No data available	
	Germ cell mutagenicity	
	No data available	
	Carcinogenicity	
	No data available	
	Reproductive toxicity	
	No data available	
	STOT-single exposure	
	No data available	
pot not	RUDOLPH BROS. と CO り 1-800-375-06 Option 8 for 24/7	www.rudolphbros.com rbcsupport@rudbro.co



Cyberbond[™] H4

Version 1.1

Revision Date 06/17/2020

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

20 CAR

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

BROS. E. CO

an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.	Waste from residues	practice. Consult state, local or provincial authorities for more
---	---------------------	---

SECTION 14. TRANSPORT INFORMATION

Special precautions for user	
Remarks	: 49CFR: Not dangerous goods in non-bulk packaging.
Domestic regulation	
49 CFR UN/ID/NA number Proper shipping name	 : 1993 : Combustible liquid, n.o.s. (ethyl 2-cyanoacrylate)
Class	: CBL
RUDOLPH	1-800-375-0605 www.rudolph

Option 8 for 24/7 Service





Cyberbond™ H4		
Version 1.1	Revision Date 06/17/2020	
Packing group ERG Code	: III : 128	
Marine pollutant	: no	

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)
SARA 302	:	This material does not contain any components with a section 302 EHS TPQ.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

US State Regulations

California Prop 65	Please contact Supplier for more information.
--------------------	---

The ingredients of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory





1-800-375-0605 Option 8 for 24/7 Service





Cyberbond[™] H4

Version 1.1


Revision Date 06/17/2020

Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION


Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Further information



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.







www.rudolphbros.com rbcsupport@rudbro.com