

www.rudolphbros.com rbcsupport@rudbro.com

# Safety Data Sheet



#### Revision Number: 010.0

Issue date: 01/07/2021

## 1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name:

Product type/use:

Restriction of Use:

Company address: Henkel Corporation

Rocky Hill, Connecticut 06067

One Henkel Way

BONDERITE C-IC 33 AERO ACID DEOXIDIZER known as TURCO ALUMIPREP 33 Acidic Cleaner for Industrial Application None identified

 Region:
 United States

 Contact information:
 Telephone: +1 (860) 571-5100

 MEDICAL
 EMERGENCY
 Phone: Poison Control Center

 1-877-671-4608 (toll free) or 1-303-592-1711
 TRANSPORT
 EMERGENCY

 TRANSPORT
 EMERGENCY
 Phone: CHEMTREC

 1-800-424-9300 (toll free) or 1-703-527-3887
 Internet: w ww.henkelna.com

594015

#### 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW		
DANGER:	CONTAINS FLUORIDES. MAY CAUSE DELAYED BURNS (NOT	
	IMMEDIATELY PAINFUL OR VISIBLE)! LONG TERM EXPOSURE TO	
	FLUORIDES OVER YEARS MAY CAUSE FLUOROSIS!	
	COMBUSTIBLE LIQUID.	
	MAY BE CORROSIVE TO METALS.	
	HARMFUL IF SWALLOWED OR IF INHALED.	
	TOXIC IN CONTACT WITH SKIN.	
	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.	

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	4
CORROSIVE TO METALS	1
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	4
ACUTE TOXICITY DERMAL	3
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1



#### **Precautionary Statements**

Prevention:	Keep aw ay fromheat, sparks, open flames, hot surfaces - no smoking. Keep only in original packaging. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke w hen using this product. Use only outdoors or in a w ell- ventilated area. Wear protective gloves, clothing, eye and face protection.
Response:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish. Absorb spillage to prevent material damage.
Storage:	Store in a well-ventilated place. Keep cool. Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.
IDH number: 594015	Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZER know n as TURCO ALUMIPREP 33

Page 1 of 6

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CASNumber	Percentage*	
Phosphoric acid	7664-38-2	10 - 30	
2-Butoxyethanol	111-76-2	10 - 30	
Alkylphenol ethoxylate	9036-19-5	1-5	
Potassium dihydrogenorthophosphate	7778-77-0	1-5	
Hydrogen fluoride	7664-39-3	0.1 - 1	

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES		
Inhalation:	If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. If breathing is difficult, give oxygen. Trained personnel should administer 2.5% calcium gluconate through a nebulizer for 20 minutes.	
Skin contact:	Remove contaminated clothing and footw ear while rinsing the affected area with large amounts of running w ater for at least 15 minutes. GET IMMEDIATE MEDICAL ATTENTION. If iced solution of 0.13% aqueous Benzalkonium Chloride (Zephiran) or 2.5% calcium gluconate gel is available, rinsing may be limited to 5 minutes, with the soak solution or gel applied as soon as the rinsing is stopped. Gloves should be w orn when applying the gel to prevent transfer of HF and secondary burns. If using calciumgluconate gel, it should be continuously re-applied and massaged into the affected area until pain has been relieved for at least 30 minutes. If Benzalkonium Chloride (Zephiran) or calcium gluconate gel is not available, rinsing must continue until medical treatment is provided.	
Eye contact:	Immediately flush affected eye with large amounts of gently flow ing water or 0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during transportation to a doctor.	
Ingestion:	Get immediate medical attention. Do not induce vomiting. Attempt immediate administration of a fluoride binding substance: milk, chew able calcium carbonate tablets or 4-8 ounces (120-240 ml) of milk of magnesia or a liquid antacid. Avoid large amounts of liquid as it may induce vomiting. Never give anything by mouth to an unconscious person.	
Symptoms:	See Section 11.	
Notes to physician:	Treatment of hypocalcemia associated with corrosive fluoride compounds exposure may be corrected by intravenous calciumgluconate or calcium chloride. Treatment of hypomagnesemia may be corrected by intravenous magnesium sulfate.	

## 5. FIRE FIGHTING MEASURES

Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Special fire fighting procedures:	Wear full protective clothing. Wear self-contained breathing apparatus.
Unusual fire or explosion hazards:	May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses. Fire and explosion hazards are moderate when this product is exposed to heat or flame. Vapors are heavier than air and may travel along floor to an ignition source.

IDH number: 594015

Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZ ER know n as TURCO ALUMIPREP 33 Page 2 of 6





1-800-375-0605 Option 8 for 24/7 Service



#### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, is olate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Do not allow product to enter sew er or waterways.
Clean-up methods:	Absorb spill w ith inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.
7. HAN	DLING AND STORAGE
Handling:	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists of this product. Keep aw ay from heat, spark and flame. For industrial use only. Do not take internally.
Storage:	For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C)

For safe storage, store between 40 °F (4.4 °C) and 100 °F (37.8 °C) Keep container tightly closed and in a cool, w ell-ventilated place aw ay from incompatible materials. Do not pressurize, cut, heat or w eld containers. Empty product containers may contain product residue. Do not reuse empty containers. Thaw and mix thoroughly if frozen.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	osha pel	AIHA WEEL	OTHER
Phosphoric acid	3 mg/m3 STEL 1 mg/m3 TWA	1 mg/m3 PEL	None	None
2-Butoxyethanol	20 ppm TWA	50 ppm (240 mg/m3) PEL (SKIN)	None	None
Alkylphenol ethoxylate	None	None	None	None
Potassium dihydrogenorthophosphate	None	None	None	None
Hydrogen fluoride	2 ppm Ceiling (as F) 0.5 ppm TWA (as F) (SKIN) (as F)	2.5 mg/m3 PEL (as F) 3 ppm TWA	None	None

Engineering controls:

Respiratory protection:

Eye/face protection:

Skin protection:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Wear chemical goggles; face shield (if splashing is possible).

Wear impervious gloves for prolonged contact. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES


Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/range: Liquid Colorless Solvent Not available. < 2 Not determined > 200 °F (>93.3 °C) 15 °F (-9.4 °C)

IDH number: 594015

Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZER know n as TURCO ALUMIPREP 33 Page 3 of 6









<b>Conditions to avoid:</b> Keep aw ay from heat, ignition sources and incompatible materials.			
Reactivity:	Not available.		
Incompatible materials:	<b>mpatible materials:</b> This product may react with strong acids, bases and oxidizing agents. This material will react with glass, concrete, certain metals, silica containing materials, rubber, leather, and many organics.		
Hazardous decomposition products:	Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular w eight hydrocarbons. May liberate hydrogen fluoride.		
Hazardous reactions:	None under normal processing.		
Stability:	Stable under normal conditions of storage and use.		
	10. STABILITY AND REACTIVITY		
Decomposition temperature:	Not available.		
Viscosity:	Not available.		
Partition coefficient (n-octanol/w VOC content:	ater): Not determined 14 % (by w eight) (estimated)		
Solubility in water:	Complete		
Flam m ability: Evaporation rate:	Not applicable Not available.		
Autoignition temperature:	Not applicable		
Flammable/Explosive limits - upp			
Flash point: Flammable/Explosive limits - low	62.8 °C (145.04 °F) Tagliabue closed cup er: Not available.		
Vapor density:	Not determined		

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

IDH number: 594015

Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZER know n as TURCO ALUMIPREP 33 Page 4 of 6







#### Potential Health Effects/Symptoms

Inhalation:	Mists, vapors or liquid may cause severe irritation or burns. Contains fluorides. Exposure to fluorides over years may cause fluorosis.
Skin contact:	This product is severely irritating to the skin and may cause burns. Liquid or vapor can cause fluoride-type irritation or burns w hich may not be immediately painful or visible. Hydrofluoric acid w ill penetrate the skin and attack underlying tissue and bone. Large burns (over 25
	square inches) may also cause hypocalcemia and other systemic effects which may be fatal.
Eye contact:	This product is severely irritating to the eyes and may cause irreversible damage including burns and blindness.
Ingestion:	Ingestion of small amounts of this product may result in potentially fatal hypocalcemia and systemic toxicity. Ingestion of large amounts of this product may result in fluoride poisoning including symptoms of calcification of the ligaments and severe bone changes making normal movements painful, mottling of the teeth, pulmonary fibrosis, anemia, anorexia, dental effects, and possibly death. Ingestion causes burns of the upper digestive and respiratory tracts. Contains fluorides. Exposure to fluorides over years may cause fluorosis.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Phosphoric acid	Oral LD50 (Rat) = 1,530 mg/kg Dermal LD50 (Rabbit) = 2,740 mg/kg	Irritant, Corrosive
2-Butoxyethanol	Oral LD50 (Rat) = 560 mg/kg Oral LD50 (Mouse) = 1.2 g/kg Oral LD50 (Rabbit) = 0.32 g/kg Oral LD50 (Rat) = 1.48 g/kg Oral LD50 (Mouse) = 1,519 mg/kg Dermal LD50 (Rabbit) = 400 mg/kg Inhalation LC50 (Rat, 4 h) = 486 ppm Inhalation LC50 (Rat, 4 h) = 450 ppm	Blood, Central nervous system, Irritant, Kidney, Liver
Alkylphenol ethoxylate	None	Irritant
Potassium dihydrogenorthophosphate	Oral LD50 (Mouse) +/- 1,700 mg/kg	Gastrointestinal, Irritant, Metabolic
Hydrogen fluoride	None	Allergen, Blood, Bone Marrow, Cardiac, Central nervous system, Corrosive, Irritant, Kidney, Liver, Lung, Muscle, Nervous System, Respiratory, Teeth

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Phosphoric acid	No	No	No
2-Butoxyethanol	No	No	No
Alkylphenol ethoxylate	No	No	No
Potassium dihydrogenorthophosphate	No	No	No
Hydrogen fluoride	No	No	No

### **12. ECOLOGICAL INFORMATION**

Ecological information:

Do not empty into drains / surface water / ground water.

### **13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations. This product contains a alkylphenol or nonylphenol ethoxylate.

# **14. TRANSPORT INFORMATION**

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any pack age/configuration.

U.S. Department of Transportation Ground (49 CFR)


Propershipping name: Hazard class or division: Identification number: Packing group: DOT Hazardous Substance(s): Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Hydrofluoric acid) 8 UN 3264 II Hydrofluoric acid, Phosphoric acid

IDH number: 594015

Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZER know n as TURCO ALUMIPREP 33 Page 5 of 6









International Air Transportation (ICAO/IATA) Propershipping name: Hazard class or division: Identification number: Packing group:	) Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid, Hydrofluoric acid) 8 UN 3264 II
Water Transportation (IMO/IMDG)	
Propershipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid, Hydrofluoric acid)
Hazard class or division:	8
Identification number:	UN 3264
Packing group:	II.

### **15. REGULATORY INFORMATION**

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status:	All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.
TSCA 12 (b) Export Notification:	None above reporting de minimis
CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	Hydrogen fluoride (CAS# 7664-39-3). Immediate Health, Delayed Health, Fire This product contains the follow ing toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). 2-Butoxyethanol (CAS# 111-76-2).
CERCLA Reportable quantity:	Phosphoric acid (CAS# 7664-38-2) 5,000 lbs. (2,270 kg) Hydrogen fluoride (CAS# 7664-39-3) 100 lbs. (45.4 kg)
California Proposition 65:	This product contains a chemical know n in the State of California to cause cancer. This product contains a chemical know n to the State of California to cause birth defects or other reproductive harm.
Canada Regulatory Information	
CEPA DSL/NDSL Status:	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**16. OTHER INFORMATION** 

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Regulatory Affairs

Issue date: 01/07/2021

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export law s of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

1-800-375-0605

Option 8 for 24/7 Service

IDH number: 594015

Product name: BONDERITE C-IC 33 AERO ACID DEOXIDIZER know n as TURCO ALUMIPREP 33 Page 6 of 6



