Safety Data Sheet



Revision Number: 005.4 Issue date: 10/20/2021

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: BONDERITE M-CR600RTU AERO II

known as ALODINE 600 RTU
Conversion coating

Product type/use: Conversion coatin Restriction of Use: None identified

Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

IDH number: 594094

Region: United States

Contact information:

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: w ww.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HARMFUL IF INHALED.

MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.
MAY CAUSE GENETIC DEFECTS.

MAY CAUSE CANCER.

MAY DAMAGE FERTILITY OR THE UNBORN CHILD.

HAZARD CLASS	HAZARD CATEGORY	
ACUTE TOXICITY INHALATION	4	
SKIN IRRITATION	2	
EYE IRRITATION	2A	
RESPIRATORY SENSITIZATION	1	
SKIN SENSITIZATION	1	
GERM CELL MUTAGENICITY	1B	
CARCINOGENICITY	1A	
REPRODUCTIVE TOXICITY	1B	

PICTOGRAM(S)



Precautionary Statements

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated w ork clothing should not be allow ed out of the w orkplace. Wear protective gloves, clothing, eye and face protective in the case of inadquate ventilation.

protection. In case of inadequate ventilation wear respiratory protection.

Response: IF ON SKIN: Wash with plenty of water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel

unwell. IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical attention. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

IDH number: 594094 Product name: BONDERITE M-CR 600RTU AERO known as ALODINE 600 RTU Page 1 of 7

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Sodium borofluoride	13755-29-8	0.1 - 1	
Sodium chromate	7775-11-3	0.1 - 1	
Dipotassium hexafluorozirconate	16923-95-8	0.1 - 1	
Sodium nitrate	7631-99-4	0.1 - 1	
Chromic acid	7738-94-5	0.1 - 1	

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: If mist or vapor of this product is inhaled, remove person immediately to fresh

air. Seek medical attention if symptoms develop or persist. Delayed effects possible after inhalation. Administer oxygen or artificial respiration as needed. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance.

Skin contact: Remove contaminated clothing and footw ear. Immediately w ash skin

thoroughly with soap and water. If symptoms develop and persist, get medical attention. Topical 10 % EDTA ointment can be used to treat chromate scabs and skin ulcers. A 10 % ascorbic acid solution may speed healing if applied

promptly. Larger exposures may need additional treatment.

Launder contaminated clothing before reuse. Discard any shoes or clothing

items that cannot be decontaminated.

Eye contact: Immediately flush affected eye with large amounts of gently flowing water or

0.9% sterile saline solution for at least 15 minutes. Hold eyelid wide open. Get immediate medical attention. Eye flushing should continue during

transportation to a doctor.

Ingestion: Get immediate medical attention. Do not induce vomiting. If individual is

conscious, wash out mouth with water. Provide a glass of water to dilute the

material in the stomach.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Extinguishing media: Use media appropriate for surrounding material. Water spray (fog), foam, dry

chemical or carbon dioxide.

Special fire fighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: If evaporated to dryness, solid residue is an oxidizing agent and may cause

spontaneous ignition of combustible materials. May liberate large quantities of dense, foul-smelling smoke w hich may contain unidentified toxic gasses.

IDH number: 594094 Product name: BONDERITE M-CR 600RTU AERO known as ALODINE 600 RTU Page 2 of 7





Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular w eight hydrocarbons.

Chromium oxide. Oxides of nitrogen. Oxides of Sodium.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, is olate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sew er or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.

Avoid breathing mists or aerosols of this product. Use only with adequate ventilation. Launder work clothes frequently. Do not store or consume food, drink, or tobacco products in areas where they may become contaminated

with this material. Do not take internally. For industrial use only.

Storage: For safe storage, store between 5 °C(41°F) and 30 °C (86°F)

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials. Protect from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Sodium borofluoride	2.5 mg/m3 TWA (as F)	2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None
Sodium chromate	0.0005 mg/m3 STEL (as Cr(VI)) Inhalable fraction. 0.0005 mg/m3 STEL (as Cr(VI)) Inhalable fraction. 0.0002 mg/m3 TWA (as Cr(VI)) Inhalable fraction. (SKIN) (as Cr(VI)) Inhalable fraction. (Dermal sensitization) (Respiratory sensitization)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT 0.1 mg/m3 Ceiling	None	None
Dipotassium hexafluorozirconate	5 mg/m3 TWA (as Zr) 10 mg/m3 STEL (as Zr) 2.5 mg/m3 TWA (as F)	5 mg/m3 PEL (as Zr) 2.5 mg/m3 PEL (as F) 2.5 mg/m3 TWA Dust.	None	None
Sodium nitrate	None	None	None	None
Chromic acid	0.0005 mg/m3 STEL (as Cr(VI)) Inhalable fraction. 0.0002 mg/m3 TWA (as Cr(VI)) Inhalable fraction. 0.0005 mg/m3 STEL (as Cr(VI)) Inhalable fraction. (SKIN) (as Cr(VI)) Inhalable fraction. (Dermal sensitization) (Respiratory sensitization)	0.005 mg/m3 TWA 0.0025 mg/m3 OSHA_ACT 0.1 mg/m3 Ceiling	None	None

Engineering controls: Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

Skin protection: Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact. Gloves should be tested to determine suitability for prolonged contact. Use of impervious boots is

recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColor:OrangeOdor:BlandOdor threshold:Not available.pH:< 2</th>

Vapor pressure:Not determinedBoiling point/range:> 100 °C (> 212°F)Melting point/ range:Not determinedSpecific gravity:1.01 - 1.03Vapor density:Not determinedFlash point:> 93 °C (> 199.4 °F)

IDH number: 594094 Product name: BONDERITE M-CR 600RTU AERO known as ALODINE 600 RTU

Page 4 of 7







Flammable/Explosive limits - low er: Not applicable Flam mable/Explosive limits - upper: Not applicable Autoignition temperature: Not applicable Flam mability: Not applicable Evaporation rate: Not determined Solubility in water: Complete Not determined Partition coefficient (n-octanol/water): **VOC** content: 0 % (calculated) Not available. Viscosity: Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: None under normal processing.

Hazardous decomposition

products:

Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide,

carbon monoxide and other low molecular w eight hydrocarbons. Chromium oxide.

This product may react with strong reducing agents. Avoid contact with organic materials, oils, Incompatible materials:

greases, and any oxidizable materials. Strong bases. Metals.

Reactivity: Not available. Conditions to avoid: None identified.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: May be harmful or fatal if inhaled. Nasal itch and soreness, perforation of the nasal septum,

dental erosion, and chronic asthmatic bronchitis may result from repeated exposure.

A component in this product may be harmful or fatal if absorbed through the skin, especially if Skin contact:

skin is damaged. Mists, vapors or liquid may cause severe irritation or burns. Product contains chromium, which may cause an allergic skin sensitization reaction. Contact with broken skin

may lead to formation of firmly marginated "chrome sores".

Eye contact: This product is severely irritating to the eyes.


Ingestion: Harmful or fatal if sw allowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea.

Acute inhalation product

toxicity:

Acute toxicity estimate (ATE) 4 h 4.4 mg/l









Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Sodium borofluoride	None	Cardiac, Central nervous system, Developmental, Gastrointestinal, Irritant, Kidney, Metabolic, Reproductive	
Sodium chromate	Oral LD50 (Rat) = 13 - 28 mg/kg Oral LD50 (Rat) = 51.91 mg/kg Oral LD50 (Rat) = 51.91 mg/kg Oral LD50 (Rat) = 13 mg/kg Oral LD50 (Rat) = 13 mg/kg Oral LD50 (Rat) = 28 mg/kg Dermal LD50 (Rabbit) = 426 mg/kg Dermal LD50 (Rabbit) = 553 mg/kg Dermal LD50 (Rabbit) = 1,600 mg/kg Inhalation LC50 (Rat, 4 h) = 94 mg/m3 Inhalation LC50 (Rat, 4 h) = 263 mg/m3 Inhalation LC50 (Rat, 4 h) = 104 mg/m3 Inhalation LC50 (Rat, 4 h) = 167 mg/m3 Inhalation LC50 (Rat, 4 h) = 99 mg/m3 Inhalation LC50 (Rat, 4 h) = 217 mg/m3 Inhalation LC50 (Rat, 4 h) = 83 mg/m3	Irritant, Respiratory, Central nervous system, Allergen, Liver, Kidney, Developmental, Reproductive, Corrosive, Carcinogen, Mutagen, Blood	
Dipotassium hexafluorozirconate	Oral LD50 (Mouse) = 98 mg/kg	Allergen, Blood, Cardiac, Central nervous system, Corrosive, Gastrointestinal tract, Irritant, Kidney, Lung, Metabolic, Muscle, Teeth, Less weight gain and food intake.	
Sodium nitrate	Oral LD50 (Rat) = 1,267 mg/kg	Blood, Central nervous system, Corrosive, Gastrointestinal, Irritant	
Chromic acid	None	Allergen, Blood, Carcinogen, Central nervous system, Corrosive, Developmental, Eyes, Gastrointestinal, Irritant, Kidney, Liver, Mutagen, Reproductive, Respiratory	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Sodium borofluoride	No	No	No
Sodium chromate	Know n To Be Human Carcinogen.	Group 1	Yes
Dipotassium hexafluorozirconate	No	No	No
Sodium nitrate	No	No	No
Chromic acid	Know n To Be Human Carcinogen.	Group 1	Yes

12. ECOLOGICAL INFORMATION

Ecological information:

Do not empty into drains / surface water / ground water.

DISPOSAL CONSIDERATIONS 13.

Information provided is for unused product only.

Follow all local, state, federal and provincial regulations for disposal. Recommended method of disposal:

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Propershipping name: RQ, Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division: UN 3082 Identification number: Packing group:

DOT Hazardous Substance(s): Sodium bichromate, Chromic acid

Product name: BONDERITE M-CR 600RTU AERO known as ALODINE 600 RTU IDH number: 594094 Page 6 of 7







International Air Transportation (ICAO/IATA)

Propershipping name: RQ, Environmentally hazardous substance, liquid, n.o.s.

Hazard class or division:

Identification number: UN 3082

Packing group:

Water Transportation (IMO/IMDG)

Propershipping name: RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Hazard class or division: 9
Identification number: UN 3082
Packing group:

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: Sodium chromate (CAS#7775-11-3). Chromic acid (CAS#7738-94-5).

CERCLA/SARA Section 302 EHS: None above reporting de minimis.

CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Sodium chromate (CAS# 7775-11-3). Chromic acid (CAS# 7738-94-5).

CERCLA Reportable quantity: Chromic acid (CAS# 7738-94-5) 10 lbs. (4.54 kg)

Sodium chromate (CAS#7775-11-3) 10 lbs. (4.54 kg)

California Proposition 65: This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: This Safety Data Sheet contains changes from the previous version in Section(s): 4, 5, 7, 8, 10, 11

Prepared by: Product Safety and Regulatory Affairs

Issue date: 10/20/2021

DISCLAIM ER: The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirmthat the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

Product name: BONDERITE M-CR 600RTU AERO known as ALODINE 600 RTU

Page 7 of 7



IDH number: 594094



