





6550 Oley Speaks Way Canal Winchester, OH 43110

www.RudolphBros.Com RBCsupport@RudBro.Com

Safety Data Sheet

Version 1.1 Revision Date 02/28/2019

SDS Number 30000078628 Print Date 06/03/2019

1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : Dynasolve M-10 |
|---------------------------------------|-----------------------------|
| Product Use Description | : Silicone Flushing Solvent |
| Manufacturer/Importer/Distribu tor | : Versum Materials US, LLC |
| | Exporter EIN No. 47-5632014 |

| Emergency telephone number | : | 1-800-424-9300 |
|----------------------------|---|------------------------------|
| (24h) | | (+1) 703-741-5970 (CHEMTREC) |

2. HAZARDS IDENTIFICATION

GHS classification

Flammable liquids - Category 4 Skin Corrosion/Irritation - Category 2 Specific Target Organ Toxicity - Single Exposure - Category 3 Aspiration Hazard - Category 1

GHS label elements

Hazard pictograms/symbols



Signal Word: Warning

Hazard Statements:

H227:Combustible liquid. H315:Causes skin irritation. H336:May cause drowsiness or dizziness. Response

: P305+P351+P338 :IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 :If eye irritation persists: Get medical advice/attention.

Hazards not otherwise classified

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS Number | Concentration (Weight) |
|--------------------------------------|------------|---------------------------|
| TRIPROPYLENE GLYCOL MONOMETHYL ETHER | 25498-49-1 | 100 % |

4. FIRST AID MEASURES

| General advice | Seek medical advice. If breathing has stopped or is labored espirations. Supplemental oxygen may be indicated. If th rained personnel should begin cardiopulmonary resuscitat | e heart has stopped, |
|---|---|--|
| Eye contact | Rinse immediately with plenty of water also under the eyeli ninutes. Remove contact lenses. | ds for at least 20 |
| Skin contact | Nash off immediately with plenty of water for at least 20 mi | nutes. |
| Ingestion | f a person vomits when lying on his back, place him in the Never give anything by mouth to an unconscious person. F vomit. Turn victim's head to the side. | |
| Inhalation | f breathing has stopped or is labored, give assisted respira oxygen may be indicated. If the heart has stopped, trained begin cardiopulmonary resuscitation immediately. Move to | personnel should |
| Most important symptoms/effects - acute and delayed | Repeated and/or prolonged exposure to low concentrations aerosols may cause: Sore throat.Repeated and/or prolonge result in : Blood chemistry changes (such as methemoglob cyanosis or loss of consciousness). Kidney disorders. Eye disorders and Allergies. | ed exposures may inemi a leading to |

5. FIRE-FIGHTING MEASURES

| Suitable extinguishing media | : Alcohol-resistant foam. Carbon dioxide (CO2). Dry chemical. Dry sand. |
|------------------------------|--|
| | Limestone powder. |

Versum Materials US,LLC

2/8

| | tanks with water spray . Fire or intense heat may cause violent rupture of packages. Burning produces noxious and toxic fumes. Downwind personne must be evacuated. | |
|--|---|----|
| Special protective equipment for fire-fighters | Use personal protective equipment. Wear self contained breathing apparat for fire fighting if necessary. | US |

6. ACCIDENTAL RELEASE MEASURES

| Personal Precautions, Protective Equipment, and Emergency Procedures | : Wear suitable protective clothing, gloves and eye/face protection. Use self- contained breathing apparatus and chemically protective clothing. Evacuate personnel to safe areas. | |
|--|--|--|
| Environmental precautions | : Shut off or remove all ignition sources. Construct a dike to prevent spreading | |
| Methods for cleaning up | : Absorb with inert absorbent materials such as: Dry sand. Vermiculite. Activate charcoal. Approach suspected leak areas with caution. Call Emergency Response number for advice. Place in appropriate chemical waste container. | |
| Additional advice | : If possible, stop flow of product. | |

7. HANDLING AND STORAGE

Handling

Use only in well-ventilated areas. Avoid contact with eyes. Avoid breathing vapors and/or aerosols. Emergency showers and eye wash stations should be readily accessible. Adhere to work practice rules established by government regulations. Use personal protective equipment. When using, do not eat, drink or smoke.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from oxidizers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Provide readily accessible eye wash stations and safety showers. Provide natural or explosion-proof ventilation adequate to ensure concentrations are kept below exposure limits.

Personal protective equipment

| Respiratory protection | : Wear appropriate respirator when ventilation is inadequate. |
|------------------------|---|
| Hand protection | Neoprene gloves. Nitrile rubber. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk |

Versum Materials US,LLC

3/8

Revision Date 02/28/2019

| | assessment indicates this is necessary. |
|---|--|
| Eye protection | : Chemical resistant goggles must be worn. |
| Skin and body protection | : Long sleeve shirts and trousers without cuffs. |
| Environmental exposure controls | : Shut off or remove all ignition sources. |
| Special instructions for protection and hygiene | : Wash hands at the end of each workshift and before eating, smoking or using the toilet. Provide readily accessible eye wash stations and safety showers. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : Liquid. Colorless. |
|--|---|
| Odor | : No data available. |
| Odor threshold | : No data available. |
| рН | : No data available. |
| Melting point/range | : No data available. |
| Boiling point/range | : > 464 °F (> 240 °C) |
| Flash point | : 230 °F (110.0 °C) Pensky-Martens Closed Cup |
| Evaporation rate | : No data available. |
| Flammability (solid, gas) | : Not applicable. |
| Upper/lower explosion/flammability limit | : Not applicable. |
| Vapor pressure | : 0.01 mmHg |
| Water solubility | : Miscible with water. |
| Relative vapor density | : Not applicable. |
| Relative density | : 0.96 (water = 1) |
| Partition coefficient: n- octanol/water [log Kow] | : No data available. |
| | 4/8 |

Versum Materials US,LLC

| Auto-ignition temperature | : No data available. |
|---------------------------|--|
| Decomposition temperature | : No data available. |
| Viscosity | : No data available. |
| Density | : No data available. : 59.931 lb/ft3 (0.96 g/cm3) |

10. STABILITY AND REACTIVITY

| Chemical Stability | : Stable under normal conditions. |
|--|---|
| Conditions to avoid | : Excessive heat. |
| Materials to avoid | : Oxidizing agents. |
| Hazardous decomposition products | : Carbon monoxide. Carbon dioxide (CO2). |
| Possibility of hazardous Reactions/Reactivity | : No data available. |

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

| Likely routes of exposure | | |
|---------------------------|---|--|
| Effects on Eye | : | Causes eye irritation. |
| Effects on Skin | : | Mild skin irritation. |
| Inhalation Effects | : | Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system. |
| Ingestion Effects | : | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |
| Symptoms | : | Repeated and/or prolonged exposure to low concentrations of vapors and/or aerosols may cause: Sore throat. Repeated and/or prolonged exposures may result in :, Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness)., Kidney disorders., Eye disease., Skin disorders and Allergies. |
| Acute toxicity | | |
| Acute Oral Toxicity | : | No data is available on the product itself. |
| Inhalation | : | No data is available on the product itself. |
| | | 5/8 |
| Versum Materials US,LLC | | Dynasolve ISO-NEUTRALIZER |

| Acute Dermal Toxicity | : No data is available on the product itself. |
|-----------------------------------|---|
| Skin corrosion/irritation | : Mild skin irritation. |
| Serious eye damage/eye irritation | : Moderate eye irritation. |
| Sensitization. | : No data available. |

Chronic toxicity or effects from long term exposures

| Carcinogenicity | : No data available. |
|---|---|
| Reproductive toxicity | : No data is available on the product itself. |
| Germ cell mutagenicity | : No data is available on the product itself. |
| Specific target organ systemic toxicity (single exposure) | : No data available. |
| Specific target organ systemic toxicity (repeated exposure) | : No data available. |
| Aspiration hazard | : No data available. |

Delayed and Immediate Effects and Chronic Effects from Short and Long Term Exposure

This product contains no listed carcinogens according to IARC, ACGIH, NTP and/or OSHA in concentrations of 0.1 percent or greater.Repeated and/or prolonged exposures may result in :, Blood chemistry changes (such as methemoglobinemi a leading to cyanosis or loss of consciousness)., Kidney disorders., Eye disease., Skin disorders and Allergies.

12. ECOLOGICAL INFORMATION

| Ecotoxicity effects | | | | | |
|-------------------------------|---|---|--|--|--|
| Aquatic toxicity | : | No data is available on the product itself. | | | |
| Toxicity to other organisms | : | No data available. | | | |
| Persistence and degradability | | | | | |
| Biodegradability | : | No data is available on the product itself. | | | |
| Mobility | : | No data available. | | | |

Versum Materials US,LLC

Dynasolve ISO-NEUTRALIZER

6/8

13. DISPOSAL CONSIDERATIONS

| Waste from residues / unused products | : | Contact supplier if guidance is required. |
|---------------------------------------|---|---|
| Contaminated packaging | | Dispose of container and unused contents in accordance with federal, state, and local requirements. |

14. TRANSPORT INFORMATION

DOT

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

TDG

Not dangerous goods

Further Information

Not classified as dangerous in the meaning of transport regulations. The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact customer service.

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA) 12(b) Component(s):

None.

| Regulatory list Notification | | Notification | | ountry | Countr | |
|------------------------------|--|--------------|--|--------|--------|--|
|------------------------------|--|--------------|--|--------|--------|--|

7/8

Versum Materials US,LLC

| USA | TSCA | Included on Inventory. |
|-------------|--------|---|
| EU | EINECS | Included on EINECS inventory or polymer |
| | | substance, monomers included on |
| | | EINECS inventory or no longer polymer. |
| Canada | DSL | Included on Inventory. |
| Australia | AICS | Included on Inventory. |
| Japan | ENCS | Included on Inventory. |
| South Korea | ECL | Included on Inventory. |
| China | SEPA | Included on Inventory. |
| Philippines | PICCS | Included on Inventory. |

- EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification Acute Health Hazard
- EPA SARA Title III Section 313 (40 CFR 372) Component(s) above 'de minimus' level None.
- US. California Safe Drinking Water & Toxic Enforcement Act (Proposition 65) This product does not contain any chemicals known to State of California to cause cancer, birth defects or any other harm.

16. OTHER INFORMATION

| Health Flammability Physical hazard | : | 2 1 0 |
|---|---|---|
| Prepared by | : | Versum Materials, Product Regulatory Department |
| | | |

Preparation Date

: 05/08/2019





1-800-375-0605 Option 8 for 24/7 Service



6550 Oley Speaks Way Canal Winchester, OH 43110

www.RudolphBros.Com RBCsupport@RudBro.Com