

Printing date 06/19/2015 Revision 1 Reviewed on 06/19/2015 **1 Identification** · Product identifier · Trade name: *EB-316M (PART-B)* · Product number: EB-316M (H) · Application of the substance / the mixture Epoxy Adhesive · Details of the supplier of the safety data sheet · Manufacturer/Supplier: EPOXYSET INC. 1 Industrial Circle Lincoln, RI 02865, USA Phone: (401) 726-4500 www.epoxyset.com · Information department: Product safety department: msds@epoxyset.com • Emergency telephone number: Chemtel (US transportation) 1-800-255-3924 International (call collect) +01-813-248-0585 **2** Hazard(s) identification · Classification of the substance or mixture Corrosion Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Environment H400 Very toxic to aquatic life. Aquatic Acute 1 Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Printing date 06/19/2015

Reviewed on 06/19/2015

Trade name: EB-316M (PART-B)

(Contd. of page 1)
Hazard-determining components of labeling:
Fatty Acid Amidoamine Resin)
Aliphatic Amine - Proprietary
Substituted Imidazol
Hazard statements
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPA ratings (scale 0 - 4)
Health = 3 Fire = 1 Reactivity = 0
HMIS-ratings (scale 0 - 4)
HEALTH4Health = 4FIRE1Fire = 1

· Other hazards

• Results of PBT and vPvB assessment

REACTIVITY O Reactivity = 0

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 \cdot **Description:** Mixture of the substances listed below with nonhazardous additions.

 • Dangerous components:

 Fatty Acid Amidoamine Resin)

 ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410;

 ↑ Acute Tox. 4, H312; Skin Sens. 1, H317

 1317-65-3

 Limestone

 Aliphatic Amine - Proprietary

 ♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412

 Substituted Imidazol

 ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Skin Sens. 1, H317

(Contd. on page 3)

Revision 1

Printing date 06/19/2015

Revision 1

Reviewed on 06/19/2015

Trade name: *EB-316M* (*PART-B*)

(Contd. of page 2)

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

US -

Revision 1

Reviewed on 06/19/2015

Trade name: EB-316M (PART-B)

Printing date 06/19/2015

(Contd. of page 3)

- \cdot Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a closed container.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- \cdot Components with limit values that require monitoring at the workplace:
- 1317-65-3 Limestone

TLV Long-term value: 10 mg/m³

Aliphatic Amine - Proprietary

WEEL Long-term value: 6 mg/m³, 1 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • **Eye protection:**



Tightly sealed goggles

(Contd. on page 5)

Printing date 06/19/2015

Revision 1

Reviewed on 06/19/2015

Trade name: *EB-316M* (*PART-B*)

(Contd. of page 4)

9 Physical and chemical proper	9 Physical and chemical properties		
· Information on basic physical and chemical properties			
· General Information			
· Appearance:			
Form:	Paste		
Color: • Odor:	Beige Amine-like		
· Odor: · Odour threshold:	Not determined.		
· pH-value:	Not determined.		
-	Not determined.		
· Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
· Flash point:	> 140 °C (> 284 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:			
Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
\cdot Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)		
· Density at 20 °C (68 °F):	1.5 g/cm ³ (12.518 lbs/gal)		
· Relative density	Not determined.		
· Vapour density	Not determined.		
 Evaporation rate 	Not determined.		
· Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
• Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:			
Organic solvents:	0.0 %		
Solids content:	100.0 %		
 Other information 	No further relevant information available.		

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

Revision 1

Reviewed on 06/19/2015

Trade name: EB-316M (PART-B)

Printing date 06/19/2015

- \cdot Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Fatty Acid Amidoamine Resin)

Oral LD50 >5000 mg/kg (rat)

Dermal LD50 1470 mg/kg (rat)

· Primary irritant effect:

- \cdot on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- \cdot Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

- Corrosive
- Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Also poisonous for fish and plankton in water bodies.
- Very toxic for aquatic organisms

(Contd. on page 7)

3

(Contd. of page 5)

Printing date 06/19/2015

Revision 1

Reviewed on 06/19/2015

Trade name: EB-316M (PART-B)

 \cdot Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

 \cdot Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, IATA · IMDG	not regulated UN3082
· UN proper shipping name · DOT, IATA · IMDG	not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (Fatty Acid Amidoamine Resin)), MARINE POLLUTANT
· Transport hazard class(es)	
· DOT, IATA · Class	not regulated
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group · DOT, IATA · IMDG	not regulated III
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: Fatty Ac Amidoamine Resin) Yes
, , , , , , , , , , , , , , , , , , ,	Symbol (fish and tree)
 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Miscellaneous dangerous substances and articles 90 F-A,S-F
• Transport in bulk according to Annex	
MARPOL73/78 and the IBC Code	Not applicable.

(Contd. of page 6)

Printing date 06/19/2015

Revision 1

Reviewed on 06/19/2015

Trade name: EB-316M (PART-B)

	(Contd. of page 7
\cdot Transport/Additional information:	
· IMDG	
 Limited quantities (LQ) 	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN ''Model Regulation'':	UN3082, Environmentally hazardous substances, liquid, n.o.s. (Fatty Acid Amidoamine Resin)), 9, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

 \cdot Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS). • **Hazard pictograms**



· Signal word Danger

Printing date 06/19/2015

Revision 1

Reviewed on 06/19/2015

(Contd. of page 8)

Trade name: EB-316M (PART-B)

· Hazard-determining components of labeling: Fatty Acid Amidoamine Resin) Aliphatic Amine - Proprietary Substituted Imidazol · Hazard statements H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H410 Very toxic to aquatic life with long lasting effects. · Precautionary statements P260 Do not breathe dust/fume/gas/mist/vapors/spray. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Patel
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

- HMIS: Hazardous Materials Identification System (USA)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3