

Safety Data Sheet

according to HazCom 2012

SDS #: GR212-A

GR212-A

Issue Date 2018-05-08 Revision Date 2018-05-08 Version 4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name GR212-A

Other means of identification

Product Code GR212-A Synonyms Not applicable

Recommended use of the chemical and restrictions on use

Identified uses Adhesives.

Uses advised against No information available

Details of the supplier of the safety data sheet

Manufacturer Address Dymax Corporation

318 Industrial Lane Torrington, CT 06790 Tel: 860-482-1010 Fax: 860-496-0608

Information department: North American Safety Department @ 1-860-482-1010

Emergency Telephone North America: Chemtrec @ 1-800-424-9300 (24hrs)

2. HAZARDS IDENTIFICATION

Emergency Overview

Physical stateliquidColorcolorlessOdorCharacteristicAppearancetransparent

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Specific target organ toxicity (single exposure)	Category 3

Target Organ Effects

Respiratory system, EYES, Skin.

GHS Label elements, including precautionary statements

Page



Signal word

Danger

Hazard statements

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

None

Other Information

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity.

Testing for acute and chronic aquatic effects determined no environmental classification is required.

COMPOSITION/INFORMATION ON INGREDIENTS

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Chemical Name	CAS No.	Weight-%	Trade Secret	Classification (Reg. 1272/2008)
Isobornyl Acrylate	5888-33-5	10-24	*	Skin Irrit. Cat 2 (H315) Eye Irrit. Cat 2A (H319) Skin Sens. Cat 1 (H317) STOT SE Cat 3 (H335) Aquatic Chronic 1 (H411)
2-Hydroxyethyl methacrylate	868-77-9	10-24	*	Skin Irrit. 2 (H315) Eye Irrit. 2A (H319) Skin Sens. 1 (H317)
Acrylic acid	79-10-7	4-9	*	Flam. Liq. Cat 3 (H226) Acute Tox. Cat 4 (H302) Acute Tox. Cat 4 (H312)

				Acute Tox. Cat 4 (H332) Skin Corr. Cat 1A (H314) Aquatic Acute Cat 1 (H400)
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-	2530-83-8	1-3	*	Eye Dam. 1 (H318)

Remaining ingredients are not considered hazardous in accordance with the Globally Harmonized System (GHS)

FIRST AID MEASURES

First aid measures

General advice

IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

Eve contact

Flush eyes with water for at least 15 minutes. Get medical attention if eye irritation develops or persists.

Skin Contact

Wash off immediately with plenty of water, Get medical attention if irritation develops and persists.

Inhalation

Remove to fresh air, If symptoms persist, call a physician.

Ingestion

If swallowed, Rinse mouth, Get medical attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Main Symptoms

No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Treat symptomatically.

FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

Hazardous combustion products

Hazardous decomposition products due to incomplete combustion.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

GR212-A

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, Wear protective gloves/clothing and eye/face protection.

Environmental precautions

Environmental precautions

Do not allow material to contaminate ground water system, Try to prevent the material from entering drains or water courses, See Section 12 for additional Ecological Information, Local authorities should be advised if significant spillages cannot be contained.

Other Information

See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice Ensure adequate ventilation

Protect from light

Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a dry and well-ventilated place Protect from light

Incompatible products

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers, Thiosulfates.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

•

	Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ſ	Acrylic acid	TWA: 2 ppm S*	(vacated) TWA: 10 ppm	TWA: 2 ppm
-	4-9		(vacated) TWA: 30 mg/m ³ S*	TWA: 6 mg/m ³

ACGIH (American Conference of Governmental Industrial Hygienists)

TLV - Threshold Limit Value

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL - Permissible Exposure Limits

Issue Date 2018-05-08 Revision Date 2018-05-08 Version 4

NIOSH IDLH

Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/face protection

Safety glasses with side-shields, If splashes are likely to occur, wear:, Goggles.

Skin and body protection

Wear protective gloves and protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required, Do not breathe vapors, mist or gas.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice, When using do not eat, drink or smoke, Wear suitable gloves and eye/face protection, Wash hands before breaks and at the end of workday, Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid		
Appearance	transparent	Odor	Characteristic
A 1		a	A1 ' C (*

colorless **Odor threshold** No information available Color

Remarks / • Method **Property** Values No information available Hq Melting point / freezing point No information available

Boiling point / boiling range No information available Flash point 101 °C / 214 °F

Evaporation rate No information available No information available Flammability (solid, gas)

Flammability Limit in Air Upper flammability limit Lower flammability limit

No information available Vapor pressure Vapor density No information available **Specific Gravity** No information available

Water Solubility Practically insoluble

Solubility in other solvents No information available Partition coefficient: n-octanol/water No information available

No information available **Autoignition temperature Decomposition temperature** No information available

Dynamic viscosity 1,500 cP Kinematic viscosity No information available

Explosive properties No information available **Oxidizing properties** No information available

Other Information

Softening point No information available

GR212-A

Molecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Protect from light. Heat, flames and sparks.

Incompatible materials

Amines, Strong oxidizing agents, Strong acids, Strong bases, Oxygen scavengers.

Hazardous Decomposition Products

No decomposition if stored and applied as directed.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Information on likely routes of exposure

InhalationThere is no data for this productEye contactThere is no data for this productSkin ContactThere is no data for this productIngestionThere is no data for this product

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic effects No information available.

Reproductive toxicity No information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Target Organ Effects Respiratory system, EYES, Skin.

Aspiration hazard No information available.

Other adverse effects No information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons

GR212-A

Avoid repeated exposure

Numerical measures of toxicity - Product Information

0 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 6706 mg/kg
ATEmix (dermal) 14753 mg/kg
ATEmix (inhalation-dust/mist) 20.1 mg/l
ATEmix (inhalation-vapor) 148 mg/l

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isobornyl Acrylate	= 4890 mg/kg (Rat)	> 5 g/kg (Rabbit)	
2-Hydroxyethyl methacrylate	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	
Acrylic acid	= 193 mg/kg(Rat) = 33500 μg/kg(Rat)	= 280 µL/kg(Rabbit) = 295 mg/kg(Rabbit)	= 5300 mg/m ³ (Rat) 2 h

12. ECOLOGICAL INFORMATION

Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment.

Acute aquatic toxicity

Product Information

Testing for acute and chronic aquatic effects determined no environmental classification is required.

Component Information

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Isobornyl Acrylate	ErC 50 = 2.7 mg/L 96 h	LC50 = 1.8 mg/L 96 h	EC 50 = 1.1 mg/L 48 h
	(Pseudokirchneriella subcapitata)	(Danio rerio)	(Daphnia magna)
2-Hydroxyethyl methacrylate	-	LC50 = 227 mg/L 96 h	EC50 > 380 mg/l 48 h
		(Pimephales promelas)	(Daphnia magna)
Acrylic acid	EC50 0.04 mg/L 72 h	LC50 = 222 mg/L 96 h	EC50 = 95 mg/L 48 h
	(Desmodesmus subspicatus)	(Brachydanio rerio)	

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical Name	log Pow
Isobornyl Acrylate	4.52
2-Hydroxyethyl methacrylate	0.47
Acrylic acid	0.46

Mobility in soil

No product level data available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods

Dispose of waste in compliance with local and national regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

DOT Not regulated

<u>ICAO/IATA</u> Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies **AICS** Not listed **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Not listed Complies **IECSC** Complies **KECI** Not listed **NZIoC** Not listed **PICCS TCSI** Not listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
Acrylic acid	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CERCLA

GR212-A

Revision Date 2018-05-08 Issue Date 2018-05-08 Version 4

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

	Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Γ	Acrylic acid	5000 lb		RQ 5000 lb final RQ
	•			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acrylic acid	X	X	X

16. OTHER INFORMATION

Prepared By EHS Department **Revision Date** 2018-05-08

Revision Note No information available

Disclaimer

This information is furnished without warranty, express or implied. This information is believed to be accurate to the best knowledge of Dymax Corporation and its subsidiaries and affiliates (DYMAX). The information in this SDS relates only to the specific material designated herein. DYMAX assumes no legal responsibility for use of or reliance upon the information in this SDS.

end