## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

#### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Cyberbond™ H7
Product code : 100000004724

## Manufacturer or supplier's details

Company : H.B. Fuller Engineering Adhesives

Address : 9001 W Fey Drive Frankfort, IL, 60423

Telephone : 1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

#### Recommended use of the chemical and restrictions on use

Recommended use : Cyanoacrylate Adhesive

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **Emergency Overview**

Appearance	liquid
Color	colorless
Odor	pungent

## **GHS Classification**

Skin irritation : Category 2
Eye irritation : Category 2A
Skin sensitization : Category 1
Carcinogenicity : Category 2

Specific target organ toxicity - : Category 3 (Respiratory system)

single exposure

## **GHS** label elements

Hazard pictograms



Signal Word : Warning

#### **Hazard Statements:**

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H351 Suspected of causing cancer.

**Precautionary Statements:** 

Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety

## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

precautions have been read and understood. P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

**Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

#### **Potential Health Effects**

## Carcinogenicity:

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous ingredients**

Chemical name	CAS-No.	Concentration [%]
ethyl 2-cyanoacrylate	7085-85-0	70 - 90
hydroquinone	123-31-9	0.1 - 1
Poly(oxy-1,2-ethanediyl), .alpha(2-methyl-1-oxo-	25852-47-5	0.1 - 1
2-propenyl)omega[(2-methyl-1-oxo-2-		
propenyl)oxy]-		

#### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : Move to fresh air.

If not breathing, give artificial respiration.

Keep patient warm and at rest.

Consult a physician after significant exposure.

In case of skin contact : Wash off immediately with soap and plenty of water.

Call a physician if irritation develops or persists.

Cyanoacrylate. Danger. Bonds skin and eyes in seconds.



Cyberbond™ H7					
Version 1.0	Revision Date 06/17/2019				
	Keep out of the reach of children.				
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids. Seek medical advice.				
If swallowed	<ul> <li>If swallowed, call a poison control center or doctor immediately.</li> <li>Do not induce vomiting without medical advice.</li> </ul>				

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

: Water spray jet

Hazardous combustion

products

Specific extinguishing

methods

Further information : Use extinguishing measures that are appropriate to local

: Nitrogen oxides (NOx)

circumstances and the surrounding environment.

Special protective equipment

for fire-fighters

: Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

naterials for : Allow to solidify.

Pick up and transfer to properly labeled containers.

Ventilate the area.

#### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Wear personal protective equipment.

Do not get on skin or clothing.

Use only in an area equipped with a safety shower.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-

ventilated place.



## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

Store in original container.

Materials to avoid : Do not store together with oxidizing and self-igniting products.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethyl 2-cyanoacrylate	7085-85-0	PEL	0.2 ppm 1.02 mg/m3	CAL PEL
		TWA	0.2 ppm	ACGIH
		STEL	1 ppm	ACGIH
hydroquinone	123-31-9	TWA	1 mg/m3	ACGIH
		TWA	2 mg/m3	OSHA Z-1
		TWA	2 mg/m3	OSHA P0

#### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Nitrile rubber

Remarks : Do not wear cotton or natural fiber gloves.

Eye protection : Tightly fitting safety goggles

Ensure that eyewash stations and safety showers are close to

the workstation location.

Skin and body protection : Long sleeved clothing

Preventive skin protection

Protective measures : Avoid contact with skin.

Hygiene measures : Avoid contact with skin, eyes and clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid
Color : colorless
Odor : pungent

Odor Threshold : No data available

Melting point/freezing point : not determined

## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

Boiling point/boiling range : not determined Evaporation rate : not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit : Upper flammability limit

not determined

Lower explosion limit : Lower flammability limit

not determined

Density : ca. 1.05 g/cm3

Solubility(ies)

octanol/water

Water solubility : not determined
Partition coefficient: n- : No data available

Autoignition temperature : not determined

Viscosity

Viscosity, kinematic : not determined

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Hazardous decomposition

products

: Stable under normal conditions.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

#### **Components:**

hydroquinone:

Acute oral toxicity : LD50 Oral Rat: 320 mg/kg

Acute dermal toxicity : LD50 Dermal Rat: > 900 mg/kg

#### Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

**Aspiration toxicity** 

No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

hydroquinone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.044 mg/l

Exposure time: 96 h

Test Method: flow-through test

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 0.29 mg/l

Exposure time: 48 h Test Method: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.335

mg/l

Exposure time: 72 h

Test Type: flow-through test

#### Persistence and degradability

No data available

Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

## **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods**

Waste from residues : Do not dispose of together with household waste.

Do not dispose of waste into sewer.

## Cyberbond™ H7

Version 1.0 Revision Date 06/17/2019

To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

#### **SECTION 14. TRANSPORT INFORMATION**

#### Special precautions for user

Remarks : 49CFR: Not dangerous goods in non-bulk packaging.

#### **Domestic regulation**

**49 CFR** 

UN/ID/NA number : 1993

Proper shipping name : Combustible liquid, n.o.s.

(ethyl 2-cyanoacrylate)

Class : CBL
Packing group : III
ERG Code : 128
Marine pollutant : no

#### **International Regulations**

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15. REGULATORY INFORMATION**

SARA 311/312 Hazards : Skin corrosion or irritation

Serious eye damage or eye irritation Respiratory or skin sensitization

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302

EHS TPQ.

# Cyberbond™ H7 Version 1.0 Revision Date 06/17/2019

**SARA 313** : This material does not contain any chemical components with known

CAS numbers that exceed the threshold (De Minimis) reporting levels

established by SARA Title III, Section 313.

#### Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

hydroquinone 123-31-9

#### **US State Regulations**

**California Prop 65** Please contact Supplier for more information.

#### The ingredients of this product are reported in the following inventories:

All components of this product are on the Canadian DSL

AICS
On the inventory, or in compliance with the inventory

KECI
On the inventory, or in compliance with the inventory

PICCS
On the inventory, or in compliance with the inventory


Inventories LegendTSCA (USA), DSL (Canada), REACH(Europe), AICS (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

## **SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

#### **Further information**

#### NFPA:



#### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the



# Cyberbond™ H7

Version 1.0

Revision Date 06/17/2019

results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.