Distributed By... Rudolph Bros. & Co. Call us at (800)-375-0605 Order Fax 1-800-600-9508 rbcsupport@rudbro.com

Safety Data Sheet



Revision Number: 002.0

Issue date: 08/06/2014

1. PRODUCTAND COMPANY DENTIFICATION

Product name:

LOCTITE EA 9309.3NA AERO PART A

IDH number:

1041964

6OZ KIT known es EA 9309.3NA PART A 6 OZ SEMKIT

Product type: Restriction of Use: **Molding Compound**

Item number: Region:

AA9354312 United States

Company address:

None identified

Contact information:

Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Polson Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.hankeina.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING:

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Contaminated work

clothing should not be allowed out of the workplace. Wear eye and face protection. Wear

protective gloves.

Response:

IF ON SKIN; Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get medical

attention. Take off contaminated clothing.

Storage:

Disposal:

Not prescribed

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

6 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

IDH number: 1041964

Product name: LOCTITE EA 9309.3NA AERO PART A 60Z KIT known as EA 9309.3NA PART A 6 0Z

A STATE OF THE STA

Hazardous Component(s)	CAS Number	Percentage ^t		
Epoxy resin	Proprietary	60 - 100		
Epoxy resin	Proprietary	10 - 30		
Modified Epoxy Resin	Unknown	1-5		
Modified Epoxy Resin	Unknown	1-5		
Glass, oxide, chemicals	65997-17-3	1-5		
Treated fumed silica	67762-90-7	1-5		
Titanium dioxide	13463-67-7	0,1 - 1		

^{*} Exact necessitions is a trade secret. Concentration rance is provided to establishers in providing appropriate protections.

		Week Rich	法医约内的	in dive	The state of the s	1

Inhalation: If Inhaled, immediately remove the affected person to fresh air. If breathing is

difficult, give oxygen. If not breathing, give artificial respiration. If symptoms

develop and persist, get medical attention.

Skin contact: Immediately wash skin thoroughly with soap and water. If symptoms develop

and persist, get medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. Do not induce vomitting. Never give anything

by mouth to a victim who is unconscious or is having convulsions.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

5 SERENTIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear full protective clothing. Wear self-contained breathing apparatus.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain

unidentified toxic gasses.

Environmental precautions:

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

TO THE REPORT OF THE PROPERTY OF THE PROPERTY

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Office.

Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and ciothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Scrape up spilled material and place in a closed container for disposal.

Dispose of according to Federal, State and local governmental regulations.

Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists of this product. Do not take internally.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epoxy resin	None	None	None	None
Epoxy resin	None	None	· None	None
Modified Epoxy Resin	None	None	None	None
Modified Epoxy Resin	None	None	None	None
Glass, oxide, chemicals	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Treated furned silica	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Titanium dioxide	10 mg/m3 TWA	15 mg/m3 PEL Total dust.	None	· None

Engineering controls:

Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection:

Wear chemical goggles; face shield (if splashing is possible).

Skin protection:

Wear impervious gloves for prolonged contact. Use of impervious apron and

poots are recommended.

Physical state:

Color:

Odor:

Odor threshold: pH:

Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity:

Vapor density: Flash point: Flammable/Explosive limits - lower:

Flammable/Explosive limits - upper: Autoignition temperature: Evaporation rate:

Solubility in water: Partition coefficient (n-octanol/water):

VOC content: Viscosity: IDH number: 1041964 Liquid Pink Ероху

Not available. Not applicable Not applicable Not applicable Not available.

1.54 Not applicable 120 °C (248°F) Not available. Not avallable. Not applicable Not applicable Negligible

Not available. < 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] (estimated) Not available.

Product name: LOCTITE EA 9309,3NA AERO PART A 60Z KIT known as EA 9309;3NA PART A 6 0Z

SEMKIT

Decomposition temperature:

Not available.

Stability:

Stable at normal conditions.

Hazardous reactions:

May occur.

Hazardous decomposition products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

incompatible materials:

This product may react with strong oxidizing agents.

Reactivity:

Not available.

Conditions to avoid:

Keep away from heat, ignition sources and incompatible materials.

HISTOXIDALIGICAL INFORMATIONS

Relevant routes of exposure:

Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Inhalation:

Skin contact:

May cause respiratory tract irritation. This product may cause irritation to the skin. May cause aliergic skin reaction.

Eye contact: Ingestion:

This product may cause Irritation to the eyes. Not expected under normal conditions of use.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Epoxy resin	None	Allergen, Imitant	
Epoxy resin	None	Allergen, Irritant	
Modified Epoxy Resin	None	No Data	
Modified Epoxy Resin	None	No Data	
Glass, oxide, chemicals	None	Allergen, Respiratory	
Treated furned silica	None	Irritant	
Titanium dloxide	None	Irritant, Respiratory, Some evidence of carcinogenicity	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)	
Epoxy resin	· No	No	` No	
Epoxy resin	No	No.	. No	
Modified Epoxy Resin	No	No	No	
Modified Epoxy Resin	No	No	No	
Glass, oxide, chemicals	No	No	No	
Treated furned silica	No	No	No	
Titanium dioxide	No	Group 2B	· No	

2 ECOLOGICAL INFORMATION

Ecological Information:

IDH number: 1041964

Toxic to aquatic organisms

MANDISPOSALE CONSIDERATIONS

information provided is for unused product only.

. Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA.

WE THIS TORREST OF THE PRINCIPLE OF THE

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None None

Identification number: Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin

resin)

Hazard class or division:

9 UN 3082

Identification number: Packing group:

UN 308

Water Transportation (IMO/IMDG)

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A

Epichlorhydrin resin)

Hazard class or division:

9

identification number:

UN 3082

Packing group: Narine pollutant:

Bisphenol-A Epichlorhydrin resin

Exceptions:

Classified per IMDG Amendment 34; Effective Jan 1, 2010.

46 REGUEATION THEORY INFORMATION

United States Regulatory information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: None above reporting de minimis Immediate Health, Delayed Health None above reporting de minimis

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status:

One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

A CONTROL NO THE PROPERTY OF T

This safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

iDH number: 1041964

Product name: LOCTITE EA 9309.3NA AERO PART A 60Z KIT known as EA 9309.3NA PART A 6 OZ

SEMKIT

Page 5 of 6

Prepared by:

Mark Mau, Regulatory Affairs Specialist

issue date:

IDH number: 1041964

08/06/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, artsing from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.