

Revision Number: 002.2 Issue date: 12/27/2016

# PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE EA 9309NA AERO PART A

25GR KIT known as EA 9309NA PART

Adhesive for the Aerospace Industry

A 25G E-Z PAK

Product type: Restriction of Use:

ion of Use: None identified

Company address:

Henkel Corporation
One Henkel Way

Rocky Hill, Connecticut 06067

IDH number:

1053957

Item number:

AA9355306 United States

Region: Unit Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

# 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

WARNING:

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1

#### PICTOGRAM(S)



#### Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves, eye protection, and face protection.

Response:

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin imitation or

rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Take off

contaminated clothing.

Storage:

Not prescribed

Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

IDH number: 1053957

Product name: LOCTITE EA 9309NA AERO PART A 25GR KIT known as EA 9309NA PART A 25G E-

Z PAK

Hazardous Component(s)	CAS Number	Percentage*
Epichlorohydrin-4,4'-isopropylidene diphenol resin	25068-38-6	60 - 70
Bisphenol A - Epichlorohydrin Polymer	25085-99-8	10 - 20
Treated furned silica	67762-90-7	1-5
Glass, oxide, chemicals	65997-17-3	1 - 5

Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

# 4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove the affected person to fresh air. If symptoms

develop and persist, get medical attention. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration.

Skin contact: Remove contaminated clothing and footwear. Immediately wash skin

thoroughly with soap and water. If symptoms develop and persist, get medical

attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of water for 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical atlention. If symptoms develop and persist, get

medical attention.

Symptoms: See Section 11.

IDH number: 1053957

Notes to physician: Treat symptomatically and supportively.

# 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear. Cartridge respirators do not provide adequate protection for fire

fighters or exotherm mitigation.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

# 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Scrape up spilled material and place in a closed container for disposal.

Dispose of according to Federal, State and local governmental regulations.

### HANDLING AND STORAGE

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Use only with adequate ventilation.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	None	None	None
Bisphenol A - Epichlorohydrin Polymer	None	None	None	None
Treated fumed silica	10 mg/m3 TWA Inhalable dust, 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Glass, oxide, chemicals	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None

Engineering controls:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection:

Safety goggles or safety glasses with side shields.

Skin protection:

Wear impervious gloves for prolonged contact. Use of impervious apron and

boots are recommended.

# PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid, paste

Color:

Beige

Odor: Odor threshold: Slight Not available.

pH:

Neutral

Vapor pressure:

Not applicable

Boiling point/range:

Not determined Not determined

Melting point/ range: Specific gravity:

Not available.

Vapor density:

> 140 °C (> 284°F)

Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Not determined Not determined Not applicable

Autoignition temperature: Flammability:

Not applicable Not determined

Evaporation rate: Solubility in water:

Not miscible or difficult to mix

Not determined

Partition coefficient (n-octanol/water): VOC content:

< 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] (estimated)

Viscosity:

Not available.

Decomposition temperature:

Not available.

IDH number: 1053957

Product name: LOCTITE EA 9309NA AERO PART A 25GR KIT known as EA 9309NA PART A 25G E-

Z PAK

# 10. STABILITY AND REACTIVITY

Stability:

Stable at normal conditions.

Hazardous reactions:

May occur.

Hazardous decomposition

products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials:

Keep away from strong oxidizing agents, strong Lewis or mineral acids.

Reactivity:

Not available.

Conditions to avoid:

Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Do not heat mixed adhesive unless curing surfaces to be bonded. Failure to observe these

precautions may result in excessive heat build-up causing an exotherm.

## TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

#### Potential Health Effects/Symptoms

Inhalation:

May cause respiratory tract irritation. May cause allergic respiratory reaction.

Skin contact: Eye contact:

This product may cause irritation to the skin. This product may cause an allergic skin reaction.

This product may cause imitation to the eyes.

Ingestion:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if

swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Epichiorohydrin-4,4'-isopropylidene diphenol resin	None	Allergen, Irritant	
Bisphenol A - Epichlorohydrin Polymer	None	Allergen, Irritant	
Treated furned silica	None	lmitant	
Glass, oxide, chemicals	None	Allergen, Respiratory	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Epichlorohydrin-4,4'-isopropylidene diphenol resin	No	No .	No
Bisphenol A - Epichlorohydrin Polymer	No	No	No
Treated fumed silica	No	No	No
Glass, oxide, chemicals	No	No	No

# 12. ECOLOGICAL INFORMATION

**Ecological information:** 

JDH number: 1053957

Toxic to aquatic organisms

# 13. DISPOSAL CONSIDERATIONS

#### Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

Material, if discarded, is not expected to be a characteristic hazardous waste under RCRA. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

# 14 TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None

Identification number: Packing group:

None None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin

resin, Bisphenol A diglycidyl ether)

Hazard class or division:

9

Identification number:

UN 3082 III

Packing group:
Water Transportation (IMO/IMDG)

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenof-A

Epichlorhydrin resin, Bisphenol A diglycidyl ether)

Hazard class or division:

9

Identification number:

UN 3082

Packing group:

ĮII.

Marine pollutant:

Bisphenol-A Epichlorhydrin resin, Bisphenol A diglycidyl ether

### 15 REGULATORY INFORMATION

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS:

CERCLA/SARA Section 311/312:

None above reporting de minimis. Immediate Health, Delayed Health

CERCLA/SARA Section 311/312
CERCLA/SARA Section 313:

None above reporting de minimis.

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This

product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

IDH number: 1053957

CEPA DSL/NDSL Status:

One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections; New information added in Section(s): 1,12

Product name: LOCTITE EA 9309NA AERO PART A 25GR KIT known as EA 9309NA PART A 25G E-

Z PAK

Prepared by:

Mark Mau, Regulatory Affairs Specialist

Issue date:

IDH number: 1053957

12/27/2016

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

