

Revision Number: 002.2

Issue date: 12/27/2016

12 PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE EA 9309NA AERO PART A

QT known as EA 9309 NA PART A

QUART

Product type: Restriction of Use: Adhesive for the Aerospace Industry

Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

IDH number:

1036826

Item number:

AA9355016 United States

Region: Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING:

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves, eye protection, and face protection.

Response:

IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or

rash occurs; Get medical attention. If eye irritation persists: Get medical attention. Take off

contaminated clothing.

Storage:

IDH number: 1036826

Not prescribed

Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3 COMPOSITION INFORMATION ON INGREDIENTS

Product name: LOCTITE EA 9309NA AERO PART A QT known as EA 9309 NA PART A QUART Page 1 of 6

Hazardous Component(s)	CAS Number	Percentage*
Epichlorohydrin-4,4'-isopropylidene diphenol resin	25068-38-6	60 - 70
Bisphenol A - Epichlorohydrin Polymer	25085-99-8	10 - 20
Treated furned silica	67762-90-7	1-5
Glass, oxide, chemicals	65997-17-3	1-5

Exact percentages may very or are trade secret. Concentration range is provided to assist users in providing appropriate protections

4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove the affected person to fresh air. If symptoms

develop and persist, get medical attention. If breathing is difficult, give oxygen.

If not breathing, give artificial respiration.

Remove contaminated clothing and footwear. Immediately wash skin Skin contact:

thoroughly with soap and water. If symptoms develop and persist, get medical

attention.

In case of contact with the eyes, rinse immediately with plenty of water for 15 Eye contact:

minutes, and seek immediate medical attention.

Get immediate medical attention. If symptoms develop and persist, get ingestion:

medical attention.

See Section 11. Symptoms:

Treat symptomatically and supportively. Notes to physician:

FIRE FIGHTING MEASURES

Water spray (fog), foam, dry chemical or carbon dioxide. Extinguishing media:

Wear self-contained breathing apparatus and full protective clothing, such as Special firefighting procedures:

turn-out gear. Cartridge respirators do not provide adequate protection for fire

fighters or exotherm mitigation.

May liberate large quantities of dense, foul-smelling smoke which may contain Unusual fire or explosion hazards:

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

6 ACCIDENTAL RELEASE MEASURES 🏖

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnei.

Prevent further leakage or spillage if safe to do so. Wear appropriate Environmental precautions:

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Scrape up spitled material and place in a closed container for disposal. Clean-up methods:

Dispose of according to Federal, State and local governmental regulations.

HANDLING AND STORAGE*

Handling:

Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Use only with adequate ventilation.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	None	None	None
Bisphenol A - Epichlorohydrin Polymer	None	None	None	None
Treated furned silica	10 mg/m3 TWA inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None
Glass, oxide, chemicals	10 mg/m3 TWA Inhalable dust. 3 mg/m3 TWA Respirable fraction.	15 mg/m3 TWA Total dust. 5 mg/m3 TWA Respirable fraction.	None	None

Engineering controls:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection:

Safety goggles or safety glasses with side shields.

Skin protection:

Wear impervious gloves for prolonged contact. Use of impervious apron and

boots are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid, paste

Color:

Beige

Odor:

Slight Not available.

Odor threshold:

Neutral

pH:

Vapor pressure: Boiling point/range:

Not applicable Not determined Not determined

Melting point/ range: Specific gravity: Vapor density:

Not available.

Flash point:

> 140 °C (> 284°F)

Flammable/Explosive limits - lower:

Not determined Not determined

Flammable/Explosive limits - upper: Autoignition temperature: Flammability:

Not applicable Not applicable

Evaporation rate:

Not determined Not miscible or difficult to mix

Solubility in water:

Partition coefficient (n-octanol/water):

Not determined

< 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] (estimated)

VOC content:

Not available.

Viscosity:

IDH number: 1036826

Decomposition temperature:

Not available.

10. STABILITY AND REACTIVITY

Stability:

Stable at normal conditions.

Hazardous reactions:

May occur.

Hazardous decomposition

products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials:

Keep away from strong exidizing agents, strong Lewis or mineral acids.

Reactivity:

Not available.

Conditions to avoid:

Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Do

not heat mixed adhesive unless curing surfaces to be bonded. Fallure to observe these

precautions may result in excessive heat build-up causing an exotherm.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:

May cause respiratory tract irritation. May cause allergic respiratory reaction.

Skin contact: Eye contact: This product may cause irritation to the skin. This product may cause an allergic skin reaction.

This product may cause irritation to the eyes.

Ingestion:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if

swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Epichlorohydrin-4,4'-isopropylidene diphenol resin	None	Allergen, Irritant
Bisphenol A - Epichlorohydrin Polymer	None	Allergen, Irritant
Treated furned silica	None	Irritant
Glass, oxide, chemicals	None	Allergen, Respiratory

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Epichlorohydrin-4,4'-isopropylidene diphenof resin	. No	No .	No
Bisphenol A - Epichlorohydrin Polymer	No	No No	No No
Treated furned silica	No	No	No
Glass, oxide, chemicals	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

IDH number: 1036826

Toxic to aquatic organisms

Product name: LOCTITE EA 9309NA AERO PART A QT known as EA 9309 NA PART A QUART Page 4 of 6

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

Material, if discarded, is not expected to be a characteristic hazardous waste under RCRA. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

14 TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None

Identification number: Packing group:

None None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (Bisphenol-A Epichlorhydrin

resin, Bisphenol A diglycidyl ether)

Hazard class or division:

Identification number:

UN 3082

Packing group:

Ш

Water Transportation (IMO/IMDG)

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bisphenol-A

Epichlorhydrin resin, Bisphenol A diglycidyl ether)

Hazard class or division:

Identification number:

UN 3082 Ш

Packing group: Marine pollutant:

Bisphenol-A Epichlorhydrin resin, Bisphenol A diglycidyl ether

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS:

CERCLA/SARA Section 311/312:

None above reporting de minimis. Immediate Health, Delayed Health

CERCLA/SARA Section 313:

None above reporting de minimis.

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status:

One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New information added in Section(s): 1,12

Product name: LOCTITE EA 9309NA AERO PART A QT known as EA 9309 NA PART A QUART Page 5 of 6

IDH number: 1036826

Prepared by:

Mark Mau, Regulatory Affairs Specialist

Issue date:

12/27/2016

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and filness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

