Distributed By... Rudolph Bros. & Co. Call us at (800)-375-0605 Order Fax 1-800-600-9508 rbcsupport@rudbro.com

Safety Data Sheet



Revision Number: 003.1

Issue date: 10/09/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

LOCTITE EA 9396 AERO PART A

2.50Z KIT known as EA 9396 PART A

2.50Z SEMK IT

Product type: Restriction of Use: Adhesive for the Aerospace Industry

None identified

Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

IDH number:

937071

item number: Region: AA9280301 United States

Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toil free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING:

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

MAY CAUSE DROWSINESS OR DIZZINESS.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
SKIN SENSITIZATION	1
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

PICTOGRAM(S)



Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace.

Wear eye and face protection. Wear protective gloves.

Response:

IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

IF IN EYES: Rinse cautlously with water for several minutes. Remove contact tenses, if present and easy to remove. Continue rinsing. Call a poison control center or physician if you feel unwell. If skin irritation or rash occurs: Get medical attention. If eye irritation persists: Get

medical attention. Take off contaminated clothing.

Storage: Disposal: Store in a well-ventilated place. Keep container tightly closed: Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

IDH number: 937071

Product name: LOCTITE EA 9396 AERO PART A 2.50Z KIT known as EA 9396 PART A 2.50Z SEMK

Page 1 of 6

See Section 11 for additional toxicological information.

3 COMPOSITION INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Polyfunctional epoxy resin	Proprietary	30 - 60
Epoxy resin	Proprietary	30 - 60
Modified epoxy resin	Unknown	10 - 30

^{*} Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections

4 FIRST AID MEASURES:

Inhatation; Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms develop and persist, get medical attention.

Skin contact: Remove contaminated clothing and footwear. Wash with soap and water. If a

person feels unwell or symptoms of skin irritation appear, consult a physician.

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Check for and remove any contact lenses. Get medical attention.

ingestion: Do not induce vomiting. Get medical attention.

Symptoms: See Section 11.

Eye contact:

IDH number: 937071

5. FIRE FIGHTING MEASURES IN THE

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special fire-fighting procedures: Wear protective equipment. Wear self-contained breathing apparatus and full

protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: May liberate large quantities of dense, foul-smelling smoke which may contain

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emils carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

6. ACCIDENTAGRELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sewer or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

7. HANDLING AND STORAGE

Handling:

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists of this product. Do not take internally.

Storage:

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION - 1

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyfunctional epoxy resin	None	None	None	None
Epoxy resin	None	None	None	None
Modified epoxy resin	None	None	None	None

Engineering controls:

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection:

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eyelface protection:

Safety goggles or safety glasses with side shields.

Skin protection:

Wear impervious gloves for prolonged contact. Use of impervious apron and

boots are recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color:

Odor:

Odor threshold:

pH:

Vapor pressure:

Boiling point/range: Melting point/ range: Specific gravity:

Vapor density:

IDH number: 937071

Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Autoignition temperature: Evaporation rate:

Partition coefficient (n-octanol/water):

VOC content:

Solubility in water:

Viscosity: Decomposition temperature: **Paste** Blue

Mild

Not available. Neutral

Nil

Not determined Not determined

0.98 > 1

> 93 °C (> 199.4 °F) Not determined

Not determined Not determined Not determined

Not miscible or difficult to mix

Not determined < 10 g/l Estimated Not available. Not available.

10 STABILITY AND REACTIVITY

Stability:

Stable under normal conditions of storage and use.

Hazardous reactions:

May occur.

Hazardous decomposition products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen. Hydrocarbons.

Incompatible materials:

This product may react with strong acids or oxidizing agents.

Reactivity:

Not available.

Conditions to avoid:

Keep away from heat, ignition sources and incompatible materials. Avoid mixing resin (Part A)

and curing agent (Part B) unless you plan to use immediately. Failure to observe these

precautions may result in excessive heat build-up causing an exotherm.

THE TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Inhalation:

May cause respiratory tract irritation.

Skin contact: Eve contact: This product may cause irritation to the skin. May cause allergic skin reaction.

This product may cause irritation to the eyes.

ingestion:

Ingestion of this product may cause nausea, vomiting and diarrhea.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects	
Polyfunctional epoxy resin	None	Allergen, Blood, Central nervous system, Gastrointestinal, Irritant, Kidney, Liver, Mutagen, Nervous System	
Epoxy resin	None	Allergen, trritant	
Modified epoxy resin	None	No Data	

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Polyfunctional epoxy resin	No	No	No
Epoxy resin	No	No	No
Modified epoxy resin	No	No	No

SERVICE TO THE REPORT OF THE PROPERTY OF THE P

Ecological information:

IDH number: 937071

Toxic to aquatic organisms

Product name: LOCTITE EA 9396 AERO PART A 2.50Z KIT known as EA 9396 PART A 2.50Z SEMK

IT

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number:

Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA.

14. TRANSPORTINFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None None

Identification number: Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Environmentally hazardous substance, liquid, n.o.s. (Tetraglycidyl

diaminodiphenylmethane, Bisphenol-A Epichlorhydrin resin)

Hazard class or division:

Identification number:

UN 3082

Packing group:

111

Water Transportation (IMO/IMDG)

Proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetraglycidyl

diaminodiphenylmethane, Bisphenot-A Epichlorhydrin resin)

Hazard class or division:

9

Identification number:

UN 3082

Packing group:

111

Marine pollutant:

Tetraglycidyl diaminodiphenylmethane, Bisphenol-A Epichlorhydrin resin

A SECULIAR DEPORT OF THE PROPERTY OF THE PROPE

United States Regulatory Information

TŞCA 8 (b) Inventory Status:

All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS:

None above reporting de minimis Immediate Health, Delayed Health

CERCLA/SARA Section 311/312: CERCLA/SARA Section 313: Immediate Health, Delayed Health None above reporting de minimis

California Proposition 65:

This product contains a chemical known in the State of California to cause cancer. This product contains a chemical known to the State of California to cause birth defects or other

reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status:

One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

This safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by:

Mark Mau, Regulatory Affairs Specialist

Issue date:

10/09/2014

IDH number: 937071

Product name: LOCTITE EA 9396 AERO PART A 2.50Z KIT known as EA 9396 PART A 2.50Z SEMK

Page 5 of 6

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the sultability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, ansing from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 937071