# Safety Data Sheet



Revision Number: 003.3 Issue date: 04/16/2018

## PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE EA 9345 AERO PART B GAL

known as EA 9345 PART B GALLON

Product type: Adhesive for the Aerospace Industry

Restriction of Use: None identified

Company address: Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

IDH number: 1078197

AB9366018 Item number: Region: United States

**Contact information:** 

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: HARMFUL IF SWALLOWED OR IN CONTACT WITH SKIN

> CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. MAY CAUSE AN ALLERGIC SKIN REACTION.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY DERMAL	4
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1
SKIN SENSITIZATION	1

### PICTOGRAM(S)



### **Precautionary Statements**

IDH number: 1078197

Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not Prevention:

eat, drink or smoke when using this product. Contaminated work clothing should not be allowed

out of the workplace. Wear protective gloves, clothing, eye and face protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do Response:

NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

Product name: LOCTITE EA 9345 AERO PART B GAL known as EA 9345 PART B GALLON

Page 1 of 6

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
Polyoxyalkylene amine	9046-10-0	60 - 70
4-Nonylphenol, branched	84852-15-3	30 - 40
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	1760-24-3	1 - 5

<sup>\*</sup> Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

Inhalation: If inhaled, immediately remove the affected person to fresh air. If symptoms

develop and persist, get medical attention.

Skin contact: Immediately wash skin thoroughly with soap and water. If symptoms develop

and persist, get medical attention.

Eye contact: In case of contact with the eyes, rinse immediately with plenty of waterfor 15

minutes, and seek immediate medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting. Never give anything

by mouth to a victim w ho is unconscious or is having convulsions.

Symptoms: See Section 11.

Notes to physician: Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear protective equipment. Wear self contained breathing apparatus.

May liberate large quantities of dense, foul-smelling smoke w hich may contain Unusual fire or explosion hazards:

unidentified toxic gasses.

Hazardous combustion products: Upon decomposition, this product emits carbon monoxide, carbon dioxide

and/or low molecular weight hydrocarbons. Oxides of nitrogen.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, is olate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Wear appropriate

protective equipment and clothing during clean-up. Do not allow product to

enter sew er or waterways.

Clean-up methods: Absorb spill with inert material. Shovel material into appropriate container for

disposal. Dispose of according to Federal, State and local governmental

regulations.

IDH number: 1078197 Product name: LOCTITE EA 9345 AERO PART B GAL known as EA 9345 PART B GALLON Page 2 of 6







## 7. HANDLING AND STORAGE

Handling: For the Part A plus Part B adhesive mixture, follow curing schedule as

recommended in product literature. Do not heat Part B at temperatures greater than 100 °C (212 °F). This material may self-react at higher temperatures and cause an exotherm. The exothermhas the potential for release of excessive energy and toxic gasses. Empty containers retain product residue, so obey hazard w arnings and handle empty containers as if they w ere full. For

industrial use only.

**Storage:** For safe storage, store at or below 25 °C (77°F)

Keep container tightly closed and in a cool, well-ventilated place away from

incompatible materials.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Polyoxyalkylene amine	None	None	None	None
4-Nonylphenol, branched	None	None	None	None
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	None	None	None	None

**Engineering controls:** Provide local and general exhaust ventilation to effectively remove and

prevent buildup of any vapors or mists generated from the handling of this

product.

Respiratory protection: If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or

vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

Eye/face protection: Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:** Wear impervious gloves for prolonged contact. Use of impervious apron and

boots are recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid

Color: dark blue, to, violet
Odor: Ammoniacal
Odor threshold: Not available.
pH: Not determined
Vapor pressure: < 1 mm hg
Boiling point/range: Not available.
Melting point/ range: Not determined

Specific gravity: 1.0 Vapor density: 8.45

Flash point: > 93 °C (> 199.4 °F); Estimated

Flam mable/Explosive limits - lower:
Flam mable/Explosive limits - upper:
Autoignition temperature:
Flam mability:
Flam mability:
Evaporation rate:
Solubility in water:
Partially miscible
Partition coefficient (n-octanol/water):
Not determined
Not determined
Not determined

VOC content: < 10 g/l per SCAQMD Rule 1124 [EPA Test Method 24/304-91] (estimated)

Viscosity: Not available.

Decomposition temperature: Not available.

IDH number: 1078197 Product name: LOCTITE\_EA\_9345 AERO\_PART\_B GAL know n as EA\_9345 PART\_B GALLON Page 3 of 6





## 10. STABILITY AND REACTIVITY

Stability: Stable at normal conditions.

Hazardous reactions: May occur.

Hazardous decomposition

products:

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low

molecular weight hydrocarbons. Oxides of nitrogen.

Incompatible materials: Keep away from strong oxidizing agents, strong Lewis or mineral acids.

Reactivity: Not available.

Conditions to avoid: Avoid mixing resin (Part A) and curing agent (Part B) unless you plan to use immediately. Do

not heat mixed adhesive unless curing surfaces to be bonded. Failure to observe these

precautions may result in excessive heat build-up causing an exotherm.

## 11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

#### Potential Health Effects/Symptoms

Inhalation: Mists, vapors or liquid may cause severe irritation or burns.

Skin contact: May cause skin burns. May cause allergic skin reaction. Brief contact with the uncured

adhesive may irritate the skin or cause a rash.

Eye contact: This product is severely irritating to the eyes and may cause irreversible damage including

burns and blindness.

Ingestion: May cause irritation or burns of mouth, throat, and stomach, with nausea, abdominal pain, and

possible collapse.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Polyoxyalkylene amine	None	Corrosive, Irritant
4-Nonylphenol, branched	None	Irritant, Corrosive
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	None	Irritant, Allergen

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Polyoxyalkylene amine	No	No	No
4-Nonylphenol, branched	No	No	No
N-(3- (Trimethoxysilyl)propyl)ethylenediamine	No	No	No

## 12. ECOLOGICAL INFORMATION

Ecological information: Very toxic to aquatic organisms.



IDH number: 1078197





## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose of according to Federal, State and local governmental regulations.

Hazardous waste number: Material, if discarded, is not expected to be a characteristic hazardous waste

under RCRA.

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Corrosive liquids, n.o.s. (Polyoxyalkylene amine, Nonylphenol)

Hazard class or division: 8
Identification number: UN 17

Identification number:UN 1760Packing group:IIMarine pollutant:Nonylphenol

International Air Transportation (ICAO/IATA)

Propershipping name: Corrosive liquid, n.o.s. (Polyoxyalkylene amine, Nonylphenol)

Hazard class or division: 8
Identification number: UN 1760

Packing group:

Water Transportation (IMO/IMDG)

Propershipping name: CORROSIVE LIQUID, N.O.S. (Polyoxyalkylene amine, Nonylphenol)

Hazard class or division: 8
Identification number: UN 1760
Packing group: ||

Marine pollutant: Nonylphenol

#### 15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

inventory.

TSCA 12 (b) Export Notification: Alkyl phenol (CAS#84852-15-3).

CERCLA/SARA Section 302 EHS: None above reporting de minimis. CERCLA/SARA Section 311/312: Immediate Health, Delayed Health

CERCLA/SARA Section 313: This product contains the follow ing toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). 4-Nonylphenol, branched (CAS#84852-15-3).

California Proposition 65: This product contains a chemical known to the State of California to cause birth defects or

other reproductive harm.

Canada Regulatory Information

CEPA DSL/NDSL Status: Contains one or more components listed on the Non-Domestic Substances List. All other

components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities.

Please contact Regulatory Affairs for additional details.

#### 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

IDH number: 1078197 Product name: LOCTITE\_EA\_9345 AERO\_PART\_B GAL know n as EA\_9345 PART\_B GALLON Page 5 of 6







Prepared by: Regulatory Affairs

**Issue date:** 04/16/2018

**DISCLAIM ER:** The data contained herein are furnished for information only and are believed to be reliable. How ever, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all w arranties, express or implied, including w arranties of merchantability and fitness for a particular purpose, arising fromsale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 1078197 Product name: LOCTITE EA 9345 AERO PART B GAL known as EA 9345 PART B GALLON Page 6 of 6







