





6550 Oley Speaks Way Canal Winchester, OH 43110



www.rudolphbros.com rbcsupport@rudbro.com

Safety Data Sheet



Revision Number: 003.0 Issue date: 11/22/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER

Product type: Epoxy Hardener **Restriction of Use:** None identified

Company address:

Henkel Corporation One Henkel Way

Rocky Hill, Connecticut 06067

IDH number: 498939

Item number:HD3537-B50Region:United States

Contact information:

Telephone: +1 (860) 571-5100

MEDICAL EMERGÉNCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: HARMFUL IF SWALLOWED.

CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE DAMAGE.

TOXIC IF INHALED.

MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING

DIFFICULTIES IF INHALED.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY INHALATION	3
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

IDH number: 498939

Prevention: Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not

eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. In case of inadequate ventilation wear respiratory

protection.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN: Wash with plenty of

water. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If experiencing respiratory symptoms: Call

a poison center or physician. Take off contaminated clothing.

Storage: Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER

Page 1 of 6

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*
1,2,3,6-Tetrahydromethyl-3,6- methanophthalic anhydride	25134-21-8	80 - 90
1,2,3,6-tetrahydro-3,6-methanophthalic anhydride	826-62-0	10 - 20
2,4,6-Tris(dimethylaminomethyl)phenol	90-72-2	1 - 5
Glycerol	56-81-5	1 - 5
Substituted aminophenol	Proprietary	0.1 - 1

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). Remove

contaminated clothing and footwear. If symptoms develop and persist, get

medical attention. Wash clothing before reuse.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious

person. Get immediate medical attention.

Symptoms: See Section 11.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat. In case of fire, keep containers cool with water spray.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Ammonia. Irritating vapors.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:Do not allow product to enter sewer or waterways.

IDH number: 498939 Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER

Page 2 of 6

Clean-up methods: Ensure adequate ventilation. Isolate area. Keep unnecessary personnel

away. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to

clean up.

7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Do

not taste or swallow. Refer to Section 8.

Storage: Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use. Do not store in reactive metal

containers.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
1,2,3,6-Tetrahydromethyl-3,6- methanophthalic anhydride	None	None	None	None
1,2,3,6-tetrahydro-3,6-methanophthalic anhydride	None	None	None	None
2,4,6-Tris(dimethylaminomethyl)phenol	None	None	None	None
Glycerol	None	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. None		None
Substituted aminophenol	None	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use a NIOSH approved air-purifying respirator if the potential to exceed

established exposure limits exists.

Eye/face protection: Wear chemical goggles or a full face shield. Safety goggles or safety glasses

with side shields. Safety showers and eye wash stations should be available.

Skin protection:Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Amber Odor: Aromatic Odor threshold: Not available. :Ha Alkaline Vapor pressure: 0.2 mm hg Boiling point/range: Not determined Melting point/ range: Not available.

Specific gravity:

Vapor density:

Flash point:

Flammable/Explosive limits - lower:

Flammable/Explosive limits - upper:

Autoignition temperature:

Not available.

Not determined

Not applicable

IDH number: 498939 Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER Page 3 of 6

Evaporation rate: < 0.1
Solubility in water: Soluble
Partition coefficient (n-octanol/water): Not available.
VOC content: 0 %; 0 g/l Estimated
Viscosity: Not available.
Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing. Polymerization may occur at elevated temperature or in the

presence of incompatible materials.

Hazardous decomposition

products:

Oxides of carbon. Oxides of nitrogen. Ammonia. Irritating vapors.

Incompatible materials: Strong oxidizing agents. Strong acids and strong bases. Reacts with water: generation of heat.

Reactivity: Not available.

Conditions to avoid: Store away from incompatible materials. Keep away from open flames, hot surfaces and

sources of ignition.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Toxic by inhalation. May cause respiratory tract irritation. May cause allergic respiratory

reaction. Coughing. Shortness of breath. Wheezing.

Skin contact: Causes skin irritation. May cause allergic skin reaction.

Eye contact: Causes serious eye damage. Prolonged contact may cause severe irritation or corneal burns. **Ingestion:** Harmful if swallowed. Irritation and corrosive action can occur in the mouth, stomach tissue and

digestive tract if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
1,2,3,6-Tetrahydromethyl-3,6- methanophthalic anhydride	None	Allergen, Irritant, Respiratory
1,2,3,6-tetrahydro-3,6-methanophthalic anhydride	None	No Data
2,4,6-Tris(dimethylaminomethyl)phenol	None	Irritant, Allergen
Glycerol	None	Irritant, Nuisance dust
Substituted aminophenol	None	No Records

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
1,2,3,6-Tetrahydromethyl-3,6- methanophthalic anhydride	No	No	No
1,2,3,6-tetrahydro-3,6-methanophthalic anhydride	No	No	No
2,4,6-Tris(dimethylaminomethyl)phenol	No	No	No
Glycerol	No	No	No
Substituted aminophenol	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

IDH number: 498939 Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER

Page 4 of 6

DISPOSAL CONSIDERATIONS 13.

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number: D002: Corrosive.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Corrosive liquids, n.o.s. (Methyl norborneno dicarboxylic anhydride, 2,4,6-

Tris(dimethyl amino methyl) phenole)

Hazard class or division:

Identification number: UN 1760 Packing group: Ш

International Air Transportation (ICAO/IATA)

Corrosive liquid, n.o.s. (Methyl norborneno dicarboxylic anhydride, 2,4,6-Proper shipping name:

Tris(dimethyl amino methyl) phenole)

Hazard class or division:

Identification number: UN 1760 Ш

Packing group:

Water Transportation (IMO/IMDG)

CORROSIVE LIQUID, N.O.S. (Methyl norborneno dicarboxylic anhydride, 2,4,6-Proper shipping name:

Tris(dimethyl amino methyl) phenole)

Hazard class or division:

Identification number: UN 1760 Packing group: Ш

REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: None above reporting de minimis.

CERCLA/SARA Section 311/312: Immediate Health

CERCLA/SARA Section 313: None above reporting de minimis.

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2, 3, 8, 11

Prepared by: Product Safety and Regulatory Affairs

Issue date: 11/22/2017

IDH number: 498939 Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER

Page 5 of 6

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Product name: LOCTITE STYCAST HD 3537 known as LOW VISC. ANHYDRIDE HARDENER
Page 6 of 6



IDH number: 498939





6550 Oley Speaks Way Canal Winchester, OH 43110



www.rudolphbros.com rbcsupport@rudbro.com