



| | 1. Identification | | |
|--|---|---|--|
| Product identifier | KE-45-W | | |
| Other means of identification | | | |
| Sales Code | 0982S0 | | |
| Recommended use | RTV rubbers RTV rubber for electrical, electronic and g | general industry (gluing and sealing) | |
| Recommended restrictions | Industrial use only. | | |
| Manufacturer/Importer/Supplier/I | Distributor information | | |
| Name Address Contact Telephone Number Fax Number Emergency Phone Number | Shin-Etsu Silicones of America, Inc. 1150 Damar Drive, Akron, OH 44305 USA Regulation compliance group +1-330-630-9860 +1-330-630-9855 Chemtrec: +1-800-424-9300 (Within US) Chemtrec: +1-703-527-3887 (Outside US) | | |
| | 2. Hazard(s) identification | on | |
| Physical hazards | Not classified. | | |
| Health hazards | Serious eye damage/eye irritation | Category 1 | |
| | Sensitization, skin | Category 1B | |
| | Specific target organ toxicity, repeated exposure | Category 2 (hematopoietic system) | |
| Environmental hazards | Not classified. | | |
| OSHA defined hazards | Not classified. | | |
| *Hazards not stated here are " | Not classified", "Not applicable" or "Classification | on not possible". | |
| | | | |
| Signal word | Danger | | |
| Hazard statement | Causes serious eye damage. May cause an allergic skin reaction. May cause damage to organs (hematopoietic system) through prolonged or repeated exposure. | | |
| Precautionary statement | | | |
| Prevention | Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing/eye protection/face protection. Contaminated work clothing must not be allowed out of the workplace. | | |
| Response | IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Get medical advice/attention if you feel unwell. Take off contaminated clothing and wash it before reuse. | | |
| Storage | Not available. | | |
| Disposal | Dispose of contents/container in accordance v | with local/regional/national/international regulations. | |
| Hazard(s) not otherwise classified (HNOC) | None known. | | |
| Supplemental information | None. | | |
| Substance(s) formed under the condition of use | This product reacts with water , moisture or humid air to evolve following compounds: Methylethylketoxime The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards. Titanium oxide. | | |

3. Composition/information on ingredients

| Mixtures | | | |
|-------------------------------|--------------------------|--------------|---------|
| Chemical name | Common name and synonyms | CAS number | % |
| Methyloximesilane* | | Proprietary* | 3 - < 5 |
| Vinyloximesilane* | | Proprietary* | 1 - < 3 |
| Titanium oxide | | 13463-67-7 | 1 - < 3 |
| Alkoxysilane* | | Proprietary* | < 1 |
| Methylethylketoxime(Impurity) | | 96-29-7 | < 1 |
| Decomposition | | | |
| Chemical name | | CAS number | % |
| Methylethylketoxime | | 96-29-7 | |

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures | | |
|--|--|--|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. | |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. For minor skin contact, avoid spreading material on unaffected skin. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | |
| Eye contact | Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. | |
| Ingestion | Rinse mouth. Get medical attention immediately. | |
| Most important symptoms/effects, acute and delayed | Coughing. Dermatitis. Rash. Upper respiratory tract irritation. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause an allergic skin reaction. | |
| Indication of immediate medical attention and special treatment needed | Treat symptomatically. | |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. | |
| | 5. Fire-fighting measures | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). | |
| Unsuitable extinguishing media | None known. | |
| Specific hazards arising from the chemical | By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive) | |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet, gloves, rubber boots, and self-contained breathing apparatus. | |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. | |
| General fire hazards | No unusual fire or explosion hazards noted. | |
| | 6. Accidental release measures | |
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk through spilled material. Ensure adequate ventilation. Wear appropriate personal protective equipment. | |

| Methods and materials for | Eliminate sources of ignition. | | |
|--|--|--|--|
| | Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. | | |
| | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. | | |
| | Never return spills in original containers for re-use. | | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. | | |
| | 7. Handling and storage | | |
| Precautions for safe handling | Provide adequate ventilation. Use care in handling/storage. Wash hands thoroughly after handling. Do not breathe mist or vapor. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. | | |
| Conditions for safe storage, including any incompatibilities | Keep container tightly closed. Keep out of the reach of children. Store in a cool, dry place out of direct sunlight. Keep in original container. | | |

8. Exposure controls/personal protection

| Occupational exposure limits | | | |
|--------------------------------------|---|---|---|
| US. OSHA Table Z-1 Limits f | or Air Contaminants (29 CFR 1910.1000 | D) | |
| Components | Туре | Value | Form |
| Titanium oxide (CAS 13463-67-7) | PEL | 15 mg/m3 | Total dust. |
| US. ACGIH Threshold Limit | /alues | | |
| Components | Туре | Value | |
| Titanium oxide (CAS 13463-67-7) | TWA | 10 mg/m3 | |
| US. Workplace Environment | al Exposure Level (WEEL) Guides | | |
| Decomposition | Туре | Value | |
| Methylethylketoxime (CAS 96-29-7) | TWA | 36 mg/m3 | |
| | | 10 ppm | |
| Vendor guide | | | |
| Decomposition | Туре | Value | |
| Methylethylketoxime (CAS 96-29-7) | STEL | 10 ppm | |
| | TWA | 3 ppm | |
| Biological limit values | No biological exposure limits noted for the ingredient(s). | | |
| Exposure guidelines | Occupational Exposure Limits are not relevant to the current physical form of the product. | | |
| Appropriate engineering controls | Provide adequate general and local exhaps attention to ventilation such as local hours after application. | aust ventilation. Provide eye l exhaust, mechanical and/or | ewash station. door open for at least 24 |
| Individual protection measures, | such as personal protective equipment | t | |
| Eye/face protection | Tightly sealed safety glasses according | to EN 166. | |
| Skin protection | | | |
| Hand protection | Wear protective gloves. | | |
| Other | Wear suitable protective clothing. | | |
| Respiratory protection | If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection. | | |
| Thermal hazards | Wear appropriate thermal protective clot | thing, when necessary. | |
| General hygiene considerations | Do not get in eyes. Avoid contact with skin. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice. | | |

9. Physical and chemical properties

| Appearance | | |
|--|---|--|
| Form | Paste | |
| Color | White. | |
| Odor | Oxime odor | |
| Odor threshold | Not available. | |
| рН | Not available. | |
| Melting point/freezing point | Not applicable | |
| Initial boiling point and boiling range | Not applicable | |
| Flash point | 167 °F (75 °C) Closed Cup (Does not sustain combustion) | |
| Evaporation rate | < 1 (Butyl Acetate=1) | |
| Flammability (solid, gas) | Not applicable. | |
| Upper/lower flammability or expl | losive limits | |
| Flammability limit - lower (%) | No data | |
| Flammability limit - upper (%) | No data | |
| Explosive limit - lower (%) | Not available. | |
| Explosive limit - upper (%) | Not available. | |
| Vapor pressure | Negligible (25 °C) | |
| Vapor density | > 1 (air=1) | |
| Relative density | 1.05 (25 °C) | |
| Solubility(ies) | | |
| Solubility (water) | Not soluble | |
| Partition coefficient (n-octanol/water) | Not applicable | |
| Auto-ignition temperature | Not available. | |
| Decomposition temperature | Not available. | |
| Viscosity | Not applicable | |
| Other information | | |
| Molecular weight | Not applicable | |
| | 10. Stability and reactivity | |
| Reactivity | No hazardous reaction known under normal conditions of use, storage and transport. | |
| Chemical stability | Stable at normal conditions. | |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. | |
| Conditions to avoid | None known. | |
| Incompatible materials | Strong oxidizing agents. Water, moisture. | |
| Hazardous decomposition products | I his product reacts with water, moisture or humid air to evolve following compounds: Methylethylketoxime. Refer to section 8 : exposure controls/personal protection and section 11 : toxicological information. Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Nitrogen oxides. Formaldehyde. | |

| 11. | Toxico | logical | information |
|-----|--------|---------|-------------|
|-----|--------|---------|-------------|

| Information on likely routes of ex | posure |
|------------------------------------|--|
| Ingestion | Expected to be a low ingestion hazard. |
| Inhalation | No adverse effects due to inhalation are expected. |
| Skin contact | May cause an allergic skin reaction. |

Eye contact

Symptoms related to the physical, chemical and toxicological characteristics

Causes serious eye damage.

Coughing. Dermatitis. Rash. Upper respiratory tract irritation. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Information on toxicological effects

| Acute t | oxicity |
|---------|---------|
|---------|---------|

| Components | Species | Test Results |
|---|---|--|
| Alkoxysilane (CAS Proprietary) | | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | 4290 mg/kg |
| Oral | | |
| LD50 | Rat | 1570 - 3650 mg/kg |
| | | 1780 mg/kg |
| Decomposition | Species | Test Results |
| Methylethylketoxime (CAS 96-29-7 |) | |
| Acute | | |
| Dermal | | |
| LD50 | Rabbit | > 1000 mg/kg (Male and female) |
| Inhalation | | |
| LC50 | Rat | > 4.83 mg/l, 4 hours (Male and female) |
| Oral | | |
| LD50 | Rat | > 900 mg/kg (Male and female) |
| | | 2326 mg/kg (Male) |
| Skin corrosion/irritation | SKIN-RABBIT : 5mg/24Hr SEVERE [Alkoxysilane] | |
| Serious eye damage/eye | Causes serious eye damage. [Vinyloximesilane] [Meth | hylethylketoxime] |
| irritation | Causes serious eye irritation. [Methyloximesilane] EYE-RABBIT : 0.75mg/24Hr SEVERE [Alkoxysilane] | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not available. | |
| Skin sensitization | May cause an allergic skin reaction. [Methyloximesila [Alkoxysilane] [Methylethylketoxime] | ne] [Vinyloximesilane] |
| Germ cell mutagenicity | Negative(Ames Test) [Alkoxysilane] | |
| Carcinogenicity | Suspected of causing cancer. [Methylethylketoxime] The following material is embedded in the product and used as intended or as supplied, the product will not p Titanium oxide. | d not available as respirable dusts. When bose hazards. |
| IARC Monographs. Overall E | valuation of Carcinogenicity | |
| Titanium oxide (CAS 1346 | 3-67-7) 2B Possibly carcinoge | enic to humans. |
| OSHA Specifically Regulated | l Substances (29 CFR 1910.1001-1050) | |
| Not listed. | | |
| Reproductive toxicity | Not available. | |
| Specific target organ toxicity - single exposure | Not available. | |
| Specific target organ toxicity - repeated exposure | May cause damage to the following organs through p Hematopoietic system. [Methyloximesilane] Hematopoietic system. [Vinyloximesilane] | rolonged or repeated exposure: |
| Aspiration hazard | Not available. | |
| Chronic effects | Not available. | |

Further information Additional Information Methyl Ethyl Ketoxime (MEKO). Material will generate MEKO on exposure to humid air gradually. Male rodents exposed to MEKO vapor at high concentration throughout their lifetime developed liver cancer. But relevance to humans is uncertain now. Please read the detail information to MEKO below Skin Irritation ;Causes mild irritation. Can be absorbed through the skin. Eyes Irritation ;Causes severe irritation. ;LD50(rat)= >900mg/kg. Acute Oral Tox. Acute Dermal Tox. ;LD50(rabbit)= >1000mg/kg. Acute Inhalation Tox.;LC50(rat) > 4.83mg/l/4Hr Inhalation Tox. ;Shows narcotic action at high concentration. May produce blood effects Skin Sensitization ;Positive(guinea pig) Neurotoxicity ;High dose can produce transient and reversible change in neurobehavioral function. Carcinogenicity ;Liver carcinomas were observed in a lifetime inhalation study (ca.2 years) in which mice and rats were exposed. Other Chronic Study :Degenerative effects on the olfactory epithelium of nasal passages occured in a concentration related manner in males and females of mice and rats at MEKO concentration of 15, 75 and 375ppm. The significant change in hematological parameters were observed at 404ppm concentration.

Workplace Environmental Exposure Level; Vendor guide ; 3ppm(TWA), 10ppm(STEL), AIHA WEEL ; 10ppm(TWA)

12. Ecological information

| Ecotoxicity | | | |
|-------------------------------|----------------|--|-----------------------------|
| Components | | Species | Test Results |
| Alkoxysilane (CAS Proprieta | ry) | | |
| Aquatic | | | |
| Fish | LC50 | Oryzias latipes | > 1000 mg/l, 48 hr |
| Titanium oxide (CAS 13463- | 67-7) | | |
| Aquatic | | | |
| Crustacea | EC50 | Water flea (Daphnia magna) | > 1000 mg/l, 48 hours |
| Fish | LC50 | Mummichog (Fundulus heteroclitus) | > 1000 mg/l, 96 hours |
| Decomposition | | Species | Test Results |
| Methylethylketoxime (CAS 9 | 6-29-7) | | |
| Aquatic | | | |
| Fish | LC50 | Fathead minnow (Pimephales promela | s) 777 - 914 mg/l, 96 hours |
| Persistence and degradability | Causes easily | v hydrolysis in water or atmosphere. [Alko | oxysilane] |
| Bioaccumulative potential | Not available. | | |
| Mobility in soil | Not available. | | |
| Other adverse effects | Not available. | | |
| | | 13. Disposal considerations | |
| Disposal instructions | Follow applica | able Federal, State and Local regulations | |

Disposal instructions

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to This product is not intended to be transported in bulk. Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 313 (TRI reporting) US state regulations **US. Massachusetts RTK - Substance List** Titanium oxide (CAS 13463-67-7) US. New Jersey Worker and Community Right-to-Know Act Titanium oxide (CAS 13463-67-7) US. Pennsylvania Worker and Community Right-to-Know Law Titanium oxide (CAS 13463-67-7) US. Rhode Island RTK Not regulated. **US. California Proposition 65** The following material is embedded in the product and not available as respirable dusts. When used as intended or as supplied, the product will not pose hazards. Titanium oxide. US - California Proposition 65 - CRT: Listed date/Carcinogenic substance Titanium oxide (CAS 13463-67-7) Listed: September 2, 2011 International Inventories Country(s) or region On inventory (yes/no)* Inventory name Australia Australian Inventory of Chemical Substances (AICS) Yes Canada No Domestic Substances List (DSL) Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of Existing Commercial Chemical Yes Substances (EINECS) European List of Notified Chemical Substances (ELINCS) No Europe Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory No Philippines Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision Issue date 04-03-2015 Version # 01 NFPA ratings Health: 3 Flammability: 1 Instability: 0 NFPA ratings 1

Yes

| Disclaimer | This information is offered in good faith as typical values and not as a product specification. No warranty, expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate. This product has been designed, manufactured and developed solely for general industrial use only. This product is not designed for, intended for use as, or suitable for, medical, surgical or other particular purposes. Users have the sole responsibility and obligation to determine the suitability of this product for any application, to make preliminary tests, and to confirm the safety of this product for their use. Users must never use this product for the purpose of implantation into the human body and/or injection into humans. |
|----------------------|--|
| Revision Information | Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Additional Components Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Regulatory Information: Regulatory Information HazReg Data: Pacific Rim GHS: Classification |

Distributed by: Rudolph Bros. & Co. 6550 Oley Speaks Way Canal Winchester, OH 43110 Phone: 614-833-0707 Fax: 800-600-9508 e-mail: rbcsupport@rudbro.com www.rudbro.com