







Page 1/8

Safety Data Sheet acc. to OSHA HCS

Revision 4

Reviewed on 03/29/2022

1 Identification

Printing date 03/29/2022

· Product identifier

· Trade name: UV-6502CL

· Product number: UV-6502CL

Details of the supplier of the safety data sheet
Manufacturer/Supplier: EPOXYSET INC.
718 Park East Drive
Woonsocket, RI 02895, USA
Phone: (401) 726-4500
www.epoxyset.com

• Information department: Product safety department: msds@epoxyset.com • Emergency telephone number: Chemtel (US transportation) 1-800-255-3924 International (call collect) +01-813-248-0585

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Eye Irritation 2AH319 Causes serious eye irritation.Sensitization - Skin 1H317 May cause an allergic skin reaction.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Warning

	ning components of labeling: .0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate		
Hazard statements			
H319 Causes serious eye irritation.			
H317 May cause	an allergic skin reaction.		
· Precautionary st	tatements		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray		
P264	Wash thoroughly after handling.		
P272	Contaminated work clothing must not be allowed out of the workplace.		
P280	Wear protective gloves / eye protection / face protection.		
P302+P352	If on skin: Wash with plenty of water.		
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy			
	to do. Continue rinsing.		

Printing date 03/29/2022 Revision 4 Reviewed on 03/29/2022

Trade name: UV-6502CL (Contd. of page 1) P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). P321 If eye irritation persists: Get medical advice/attention. P337+P313 P363 Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 · Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 1Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 2 Health = 21 Fire = 1FIRE Reactivity = 0REACTIVITY 0 · Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. • **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

8	1	
2386-87-0	7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	0->50%
3047-32-3	3-ethyl-3-oxetanemethanol	0-<15%
71449-78-0	4-Thiophenyl phenyl diphenyl sulfonium hexafluoroantimonate	≤2.5%

4 First-aid measures

· Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures


- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)









Revision 4

Printing date 03/29/2022

Reviewed on 03/29/2022

(Contd. of maga 2)

Trade name: UV-6502CL

 Special hazards arising from the substance or mixture No further relevant information available. Advice for firefighters Protective equipment: No special measures required. 		
6 Accidental release measures		
· Personal precautions, protective equipment and emergency procedures Not required.		
· Environmental precautions: Do not allow to enter sewers/ surface or ground water.		
· Methods and material for containment and cleaning up:		
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).		
Ensure adequate ventilation.		
· Reference to other sections		
See Section 7 for information on safe handling.		
See Section 8 for information on personal protection equipment.		
See Section 13 for disposal information. • Protective Action Criteria for Chemicals		
· PAC-1:		
Substituted Silane - Proprietary	9.3 mg/m ³	
· PAC-2:		
Substituted Silane - Proprietary	100 mg/m ³	
· PAC-3:		
Substituted Silane - Proprietary	230 mg/m ³	

7 Handling and storage

· Handling:

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store at temperatures not exceeding 10°C. Keep cool.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

1-800-375-0605

Option 8 for 24/7 Service

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

www.rudolphbros.com

rbcsupport@rudbro.com

US



Revision 4

Printing date 03/29/2022

Reviewed on 03/29/2022

Trade name: UV-6502CL

Wash hands before breaks and at the end of work.

(Contd. of page 3)

Avoid contact with the eyes. Avoid contact with the eyes and skin. · Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. **Protection of hands:** Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Tightly sealed goggles

Physical and chemical proper	'ties	
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Clear	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	>93 °C (>199.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	







Revision 4

Printing date 03/29/2022

Reviewed on 03/29/2022

Trade name: UV-6502CL

		(Contd. of page 4
· Density at 20 °C (68 °F):	>1 g/cm ³ (>8.345 lbs/gal)	
· Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/v	vater): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- \cdot Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 6)







Revision 4

Printing date 03/29/2022

Reviewed on 03/29/2022

(Contd. of page 5)

Trade name: UV-6502CL

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADN, IMDG, IATA	not regulated
UN proper shipping name DOT, ADN, IMDG, IATA	not regulated
Transport hazard class(es)	
DOT, ADN, IMDG, IATA Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	not regulated

(Contd. on page 7)







Revision 4

Reviewed on 03/29/2022

rbcsupport@rudbro.com

Trade name: UV-6502CL

Printing date 03/29/2022

(Contd. of page 6)

	alth and environmental regulations/legislation specific for the substance or mixture relevant information available.	
	5 (extremely hazardous substances):	
	e ingredients is listed.	
	3 (Specific toxic chemical listings):	
	e ingredients is listed.	
	oxic Substances Control Act):	
	nents are listed and have the value ACTIVE.	
-	s Air Pollutants	
	e ingredients is listed.	
· Propositio	•	
-	sknown to cause cancer:	
	e ingredients is listed.	
	s known to cause reproductive toxicity for females:	
	e ingredients is listed.	
	s known to cause reproductive toxicity for males:	
	e ingredients is listed.	
	s known to cause developmental toxicity:	
None of th	e ingredients is listed.	
· Carcinog	nic categories	
· EPA (Env	ironmental Protection Agency)	
None of th	e ingredients is listed.	
· TLV (Thi	eshold Limit Value)	
None of the	e ingredients is listed.	
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
	e ingredients is listed.	
· GHS labe · Hazard p	l elements The product is classified and labeled according to the Globally Harmonized Syste ctograms	m (GH
GHS07		
· Signal wo	rd Warning	
7-Oxabicy • Hazard st H319 Cau H317 May • Precautio	ses serious eye irritation. cause an allergic skin reaction. nary statements	
P261 P264	Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling.	(Co

Revision 4

Printing date 03/29/2022

Reviewed on 03/29/2022

Trade name:	UV-6502CL

	(Contd. of page 7)
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P321	Specific treatment (see on this label).
P337+P313	If eye irritation persists: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safe	ty assessment: A Chemical Safety Assessment has not been carried out.


16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Mr. Patel
- · Date of preparation / last revision 03/29/2022 / 3
- · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 * * Data compared to the previous version altered.









www.rudolphbros.com rbcsupport@rudbro.com